



amstler
bikes & parts



superior.

Superior bikes are being developed, designed, tested and built in the heart of Europe, in Kopřivnice, Beskydy Mountains. Our team consists of bike enthusiasts, proper racers and experts, who have been developing top racing bikes for decades. Our motto **#alwaysrace** really shows what our bikes are about, although racing is not the only goal. Every bike we build has to be Superior in every aspect: it has to be light, fast, easy to handle, reliable and also, comfortable.

Superior Bikes werden im Herzen Europas, in Kopřivnice, in den tschechischen Beskiden, entwickelt, konstruiert, getestet und gebaut. Unser Team besteht aus Fahrradenthusiasten, echten Rennfahrern und Experten, die seit Jahrzehnten Top Fahrräder entwickeln. Unser Motto **#alwaysrace** zeigt wirklich, worum es bei unseren Fahrrädern geht, obwohl der Rennsport nicht das einzige Ziel ist. Jedes Rad, das wir bauen, muss in jeder Hinsicht Superior sein: Es muss leicht, schnell, einfach zu handhaben, zuverlässig und auch komfortabel sein.



Inhaltsverzeichnis

iXF 9.8	Seite 03
iXF 9.7	Seite 04
iXF 9.2	Seite 05
eXF 9049	Seite 07
eXF 9039	Seite 08
eXF 9019	Seite 09
eXF 8089	Seite 10
eXF 8069	Seite 12
eXP 9019	Seite 13
eXP 8089	Seite 14
eXC 7039	Seite 15
iBlox 6.5	Seite 18
eXR 6090	Seite 20
eXR 6050	Seite 22
SBT 600i	Seite 25
SBC 400i	Seite 26
XF 9.9 Team	Seite 28
Team XF 29 FR	Seite 29
Team XF 29 Elite	Seite 30
XF 979 RC	Seite 31
XF 929 RC	Seite 32
XF 919 RC	Seite 33
XF 999 TR	Seite 35
XF 979 TR	Seite 36
XF 929 TR	Seite 37
XF 6.6 DC	Seite 38
XF 6.2 DC	Seite 39
XP 979	Seite 41
XP 9.2	Seite 42
XP 939	Seite 43
XP 919	Seite 44
XP 909	Seite 46
XC 899	Seite 49
XC 889	Seite 51
XC 879	Seite 53
XC 859	Seite 54
XC 819	Seite 55
Team 27 Issue	Seite 58
Team 27 Elite	Seite 59
Team 24	Seite 60
Team 20	Seite 61
Racer XC 27 DB	Seite 62
Racer XC 24	Seite 63
Racer XC 20	Seite 64
X-Road Team Issue Di2 GR	Seite 66
X-Road Team Comp GR	Seite 67
X-Road Elite GR	Seite 68
X-Road Comp GR	Seite 69
X-Road Team Issue R	Seite 71
X-Road Team Issue	Seite 72
X-Road Team Elite Di2	Seite 73
X-Road Issue	Seite 74
STK 700	Seite 76
STK 500	Seite 78

superior.



superior.



iXF 9.8

Matte Berry Carbon

LIGHT E-MTB FULL SUSPENSION / iXF



16.5 kg

COMPUTER VISUALIZATION

CHF 8'999.00

SPECIFICATION

BASE INFO

E-SYSTEM	BOSCH SX Performance, Battery Compact Tube 400Wh
MAX. TORQUE	55Nm / 300%
SUPPORT UP TO SPEED	25km/h

ISO AND ASTM NORM

ISO norm	EN 15194 Standard for 'Electronically Power Assisted Cycles' (EPAC)
ASTM norm	ASTM 3 For rough Off-Road riding and jumps less than 61cm (24")

E- BIKE PARTS

MOTOR	BOSCH Performance SX, 55Nm
CHARGER	BOSCH 2A
BATTERY	BOSCH Compact Tube, 400Wh
DISPLAY	BOSCH Mini Remote

FRAMESET

FRAME	Carbon MTB DC SU-E10-01; Advanced Down Country Geometry, Travel 140 mm, Integrated Cable routing, BB92, 3D one piece link, Carbon swingarm, UDH dropout, Boost Thru Axle 148x12 mm, Dropped seat post ready
SUSPENSION FORK	DT Swiss F535, Tapered, 15x110mm axle, 150mm travel
REAR SHOCK	DT Swiss R535, size 210x55mm
HEADSET	ACROS AZX-596S, ICR, ZS56/28.6 - ZS56/40, BlockLock 120°, Stainless Bearings
REAR AXLE	SB01, TA12x175.5, M12xP1.0x14.5mm, Black

DRIVETRAIN

SHIFTERS RIGHT	SRAM AXS ROCKER, 12-speed
REAR DERAILLEUR	SRAM X0 EAGLE AXS T-Type
CRANKSET	SRAM X0, BOSCH
CHAINRING	SRAM T-TYPE, 36T
CASSETTE	SRAM X0 XS-1295, 12-speed, T-Type, 10-52T
CHAIN	SRAM X0, T-Type

BRAKING SYSTEM

BRAKE FRONT	SRAM LEVEL SILVER STEALTH, 4 piston, hydraulic disc brake
ROTOR FRONT	SRAM HS2, 180mm
BRAKE REAR	SRAM LEVEL SILVER STEALTH, 4 piston, hydraulic disc brake
ROTOR REAR	SRAM HS2, 180mm

WHEELS

WHEELSET FRONT	DT Swiss Hybrid MTB HXC 1501 SPLINE®, Carbon, CL, 15x110mm, Tubeless Ready
WHEELSET REAR	DT Swiss Hybrid MTB HXC 1501 SPLINE®, Carbon, CL, 12x148mm, SRAM XD, Tubeless Ready
TYRE FRONT	Schwalbe Wicked Will Evo, SuperGround, TL-Easy, 29x2.40", ADDIX SpeedGrip
TYRE REAR	Schwalbe Wicked Will Evo, SuperGround, TL-Easy, 29x2.40", ADDIX SpeedGrip

COCKPIT

HANDLEBAR	ONE Carbon Integrated Cockpit ICR
GRIPS LEFT	ONE Race, Lock-On
GRIPS RIGHT	ONE Race, Lock-On

PARTS

SADDLE	Fizik Aidon X5, Alloy
SEAT POST LEVER	SRAM AXS ROCKER, Dropper Post Lever
SEATPOST	SRAM Reverb AXS dropper post, 30.9mm
SEAT POST CLAMP	ONE CC-080A, 34.9mm, Black

GEOMETRY

FRAME SIZE	15.5" (S)	17.5" (M)	19" (L)	21" (XL)
WHEEL SIZE	29	29	29	29
BB DROP (MM)	32	32	32	32
SEAT TUBE LENGTH (MM)	393	420	440	460
EFFECTIVE TOP TUBE LENGTH (MM)	574	590	625	652
STACK HEIGHT (MM)	606	605	636	645
REACH (MM)	450	465	490	515
SEAT TUBE ANGLE	78°	78°	78°	78°
HEAD TUBE ANGLE	64,5°	64,5°	64,5°	64,5°
REAR CENTER (MM)	450	450	450	450
HEAD TUBE LENGTH (MM)	90	100	110	120
WHEELBASE (MM)	1223	1239	1274	1301
HANDLEBAR (MM)	760/40	760/40	760/60	760/60
CRANKSET (MM)	165	165	165	170
SEATPOST (MM)	125	150	170	170

iXF 9.7

Matte Carbon

LIGHT E-MTB FULL SUSPENSION / iXF



17.6 kg

COMPUTER VISUALIZATION

CHF 6'999.00

SPECIFICATION

BASE INFO

E-SYSTEM	BOSCH SX Performance, Battery Compact Tube 400Wh
MAX. TORQUE	55Nm / 300%
SUPPORT UP TO SPEED	25km/h

ISO AND ASTM NORM

ISO norm	EN 15194 Standard for 'Electronically Power Assisted Cycles' (EPAC)
ASTM norm	ASTM 3 For rough Off-Road riding and jumps less than 61cm (24")

E- BIKE PARTS

MOTOR	BOSCH Performance SX, 55Nm
CHARGER	BOSCH 2A
BATTERY	BOSCH Compact Tube, 400Wh
DISPLAY	BOSCH Mini Remote

FRAMESET

FRAME	Carbon MTB DC SU-E10-01; Advanced Down Country Geometry, Travel 140 mm, Integrated Cable routing, BB92, 3D one piece link, Carbon swingarm, UDH dropout, Boost Thru Axle 148x12 mm, Dropped seat post ready
SUSPENSION FORK	DT Swiss F535, Tapered, 15x110mm axle, 150mm travel
REAR SHOCK	DT Swiss R535, size 210x55mm
HEADSET	ACROS AZX-596S, ICR, ZS56/28.6 - ZS56/40, BlockLock 120°, Stainless Bearings
REAR AXLE	SB01, TA12x175.5, M12xP1.0x14.5mm, Black

DRIVETRAIN

SHIFTERS RIGHT	SHIMANO SLX SL-M7100-IR, RAPIDFIRE Plus, 12-speed
REAR DERAILLEUR	SHIMANO XT RD-M8100, Shadow Plus Design
CRANKSET	ONE Race, Alloy
CHAINRING	ONE Race, 34T
CASSETTE	SHIMANO DEORE CS-M6100, 12-speed, 10-51T
CHAIN	SHIMANO DEORE CN-M6100

BRAKING SYSTEM

BRAKE FRONT	SHIMANO XT M8220, 4 piston, hydraulic disc brake
ROTOR FRONT	SHIMANO SM-RT64, 180mm
BRAKE REAR	SHIMANO XT M8220, 4 piston, hydraulic disc brake
ROTOR REAR	SHIMANO SM-RT64, 180mm

WHEELS

WHEELSET FRONT	DT Swiss Hybrid MTB H 1900 SPLINE®, CL, 15x110mm, Tubeless Ready
WHEELSET REAR	DT Swiss Hybrid MTB H 1900 SPLINE®, CL, 12x148mm, SH12, Tubeless Ready
TYRE FRONT	Schwalbe Wicked Will Evo, SuperGround, TL-Easy, 29x2.40", ADDIX SpeedGrip
TYRE REAR	Schwalbe Wicked Will Evo, SuperGround, TL-Easy, 29x2.40", ADDIX SpeedGrip

COCKPIT

STEM	ONE ICR, Alloy, 35mm, 0°
HANDLEBAR	ONE Alloy, 12mm rise, 760mm, 35mm
GRIPS LEFT	ONE Race, Lock-On
GRIPS RIGHT	ONE Race, Lock-On

PARTS

SADDLE	Fizik Aidon X5, Alloy
SEAT POST LEVER	SHIMANO SL-MT500-L, Seat post lever
SEATPOST	ONE Sport Dropper Post, Alloy, 30.9mm
SEAT POST CLAMP	ONE CC-080A, 34.9mm, Black

GEOMETRY

FRAME SIZE	15.5" (S)	17.5" (M)	19" (L)	21" (XL)
WHEEL SIZE	29	29	29	29
BB DROP (MM)	32	32	32	32
SEAT TUBE LENGTH (MM)	393	420	440	460
EFFECTIVE TOP TUBE LENGTH (MM)	574	590	625	652
STACK HEIGHT (MM)	606	605	636	645
REACH (MM)	450	465	490	515
SEAT TUBE ANGLE	78°	78°	78°	78°
HEAD TUBE ANGLE	64,5°	64,5°	64,5°	64,5°
REAR CENTER (MM)	450	450	450	450
HEAD TUBE LENGTH (MM)	90	100	110	120
WHEELBASE (MM)	1223	1239	1274	1301
STEM (MM)	35	50	50	50
HANDLEBAR (MM)	760	760	760	760
CRANKSET (MM)	165	165	165	170
SEATPOST (MM)	125	150	170	170

iXF 9.2

Matte Mustard

LIGHT E-MTB FULL SUSPENSION / iXF



18.7 kg

COMPUTER VISUALIZATION

CHF 5'999.00

SPECIFICATION

BASE INFO

E-SYSTEM	BOSCH SX Performance, Battery Compact Tube 400Wh
MAX. TORQUE	55Nm / 300%
SUPPORT UP TO SPEED	25km/h

ISO AND ASTM NORM

ISO norm	EN 15194 Standard for 'Electronically Power Assisted Cycles' (EPAC)
ASTM norm	ASTM 3 For rough Off-Road riding and jumps less than 61cm (24')

E- BIKE PARTS

MOTOR	BOSCH Performance SX, 55Nm
CHARGER	BOSCH 2A
BATTERY	BOSCH Compact Tube, 400Wh
DISPLAY	BOSCH Mini Remote

FRAMESET

FRAME	Carbon MTB DC SU-E10-01; Advanced Down Country Geometry, Travel 140 mm, Integrated Cable routing, BB92, 3D one piece link, Carbon swingarm, UDH dropout, Boost Thru Axle 148x12 mm, Dropped seat post ready
SUSPENSION FORK	RockShox 35 Silver TK, Tapered, SoloAir, 15x110mm axle, 140mm travel
REAR SHOCK	RockShox Deluxe Select+ RT, size 210x55mm
HEADSET	ACROS AZX-596S, ICR, ZS56/28.6 - ZS56/40, BlockLock 120°, Stainless Bearings
REAR AXLE	SB01, TA12x175.5, M12xP1.0x14.5mm, Black

DRIVETRAIN

SHIFTERS RIGHT	SHIMANO DEORE SL-M6100-IR, RAPIDFIRE Plus, 12-speed
REAR DERAILLEUR	SHIMANO DEORE RD-M6100, Shadow Plus Design
CRANKSET	ONE Race, Alloy
CHAINRING	ONE Race, 34T
CASSETTE	SHIMANO DEORE CS-M6100, 12-speed, 10-51T
CHAIN	SHIMANO DEORE CN-M6100

BRAKING SYSTEM

BRAKE FRONT	SHIMANO MT420, 4 piston, hydraulic disc brake
ROTOR FRONT	SHIMANO SM-RT54, 180mm
BRAKE REAR	SHIMANO MT420, 4 piston, hydraulic disc brake
ROTOR REAR	SHIMANO SM-RT54, 180mm

WHEELS

HUB FRONT	SHIMANO HB-TC500-15-B, 32H, CL, 15x110mm, THRU Type AXLE
RIM FRONT	WTB, KOM LIGHT TEAM i30, Disc, 32H, Tubeless Ready
TYRE FRONT	Schwalbe Wicked Will Performance, 29x2.40", ADDIX
HUB REAR	SHIMANO FH-TC500-MS-B, 32H, CL, 12X148mm, THRU Type AXLE
RIM REAR	WTB, KOM LIGHT TEAM i30, Disc, 32H, Tubeless Ready
TYRE REAR	Schwalbe Wicked Will Performance, 29x2.40", ADDIX
SPOKES	SAPIM Leader, Stainless Black
NIPPLES	SAPIM, Brass

COCKPIT

STEM	ONE ICR, Alloy, 35mm, 0°
HANDLEBAR	ONE Alloy, 12mm rise, 760mm, 35mm
GRIPS LEFT	ONE Race, Lock-On
GRIPS RIGHT	ONE Race, Lock-On

PARTS

SADDLE	Fizik Aidon X5, Alloy
SEAT POST LEVER	SHIMANO SL-MT500-L, Seat post lever
SEATPOST	ONE Sport Dropper Post, Alloy, 30.9mm
SEAT POST CLAMP	ONE CC-080A, 34.9mm, Black

GEOMETRY

FRAME SIZE	15.5" (S)	17.5" (M)	19" (L)	21" (XL)
WHEEL SIZE	29	29	29	29
BB DROP (MM)	32	32	32	32
SEAT TUBE LENGTH (MM)	393	420	440	460
EFFECTIVE TOP TUBE LENGTH (MM)	574	590	625	652
STACK HEIGHT (MM)	606	605	636	645
REACH (MM)	450	465	490	515
SEAT TUBE ANGLE	78°	78°	78°	78°
HEAD TUBE ANGLE	64,5°	64,5°	64,5°	64,5°
REAR CENTER (MM)	450	450	450	450
HEAD TUBE LENGTH (MM)	90	100	110	120
WHEELBASE (MM)	1223	1239	1274	1301
STEM (MM)	35	50	50	50
HANDLEBAR (MM)	760	760	760	760
CRANKSET (MM)	165	165	165	170
SEATPOST (MM)	125	150	170	170

* The specifications, colors, and availability of the products can be subjects to alter without prior notification.
For availability and prices, please contact the retailers in your city/country

superior.

superior.



eXF 9049 B

GLOSS OLIVE/MATTE BLACK

E-MTB / TRAIL



CHF 7'299.00

SPECIFICATION

E-BIKE

DRIVE UNIT	BOSCH PerformanceLine CX, 36V, 250W, 85Nm
BATTERY	BOSCH PowerTube 36V, 750 Wh, integrated
CHARGER	BOSCH 4A charger

GEOMETRY

FRAME SIZE	15.5"(S)	17.5"(M)	19.0"(L)	21.0"(XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	393	420	440	490
SEAT TUBE ANGLE (DEGREE)	78	77	77	77
EFFECTIVE TOP TUBE LENGTH (MM)	598	610	630	650
REACH (MM)	465	465	485	505
STACK HEIGHT (MM)	625	625	625	625
HEAD TUBE LENGTH (MM)	120	120	120	120
HEAD TUBE ANGLE (DEGREE)	64	64	64	64
CHAINSTAY LENGTH (MM)	446	446	446	446
BB DROP (MM)	27	27	27	27
WHEELBASE (MM)	1251	1251	1271	1291
HANDLEBAR WIDTH (MM)	780	780	780	780
STEM LENGTH (MM)	60	60	60	80
CRANK LENGTH (MM)	165	165	165	170
SEAT POST LENGTH (MM)	390/125	440/150	440/150	440/175

FRAMESET

FRAME Alu X6 Ultralite MTB Trail SUE03.1, Advanced e-MTB Geometry, Travel 160 mm, BOSCH CX Performance 5G ready, Boost 12x148 mm, Inner cable routing, Dropped seat post ready

HEAD SET ACROS AZX-1051, ICR, ZS56/28.6 | ZS56/40; BlockLock 120°

FORK DT Swiss DT-F535 Tapered, 15x110mm axle, 160mm travel

REAR SHOCK DT Swiss R 535 ONE, Lockout, size 230x65mm, Bushing body for DT Swiss

COLOUR GLOSS OLIVE/MATTE BLACK
SIZES 15.5"(S), 17.5"(M), 19.0"(L), 21.0"(XL)

DRIVETRAIN

SHIFTER SHIMANO DEORE XT SL-M8100 RapidFire Plus, 12-speed

REAR DERAILLEUR SHIMANO XT RD-M8100 Shadow Plus

CRANKSET ONE1, 34T

CASSETTE SHIMANO CS-M6100-12, 10-51T

CHAIN SHIMANO DEORE CN-M6100

COMPONENTS

HANDLEBAR ONE1 Alloy, MTB AL-3712BT, 9° backsweep, 12mm rise, 760mm, 35mm

STEM STEM

GRIPS ONE1 VLG-1907D2, ONE1 VLG-1962-11D2, Lock-On

BRAKES SHIMANO XT BL-M8100/BR-M8120, hydraulic disc brake

SADDLE Saddle

SEAT POST ONE1 Alloy, MT171, dropper post, 30.9mm

WHEELS

TIRES Schwalbe Nobby Nic Evo Super Trail, 29x2.60", ADDIX Speedgrip

WHEELSET DT Swiss H 1900 Spline DB30; 12x148mm, CENTER LOCK, Tubeless, DT Swiss H 1900 Spline DB30; 15x110mm, CENTER LOCK, Tubeless

eXF 9039 B

GLOSS CHROME/MATTE BLACK

E-MTB / TRAIL



COMPUTER VISUALIZATION

CHF 6'799.00

SPECIFICATION

E-BIKE

DRIVE UNIT	BOSCH PerformanceLine CX, 36V, 250W, 85Nm
BATTERY	BOSCH PowerTube 36V, 750 Wh, integrated
CHARGER	BOSCH 4A charger

GEOMETRY

FRAME SIZE	15.5"(S)	17.5"(M)	19.0"(L)	21.0"(XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	393	420	440	490
SEAT TUBE ANGLE (DEGREE)	78	77	77	77
EFFECTIVE TOP TUBE LENGTH (MM)	598	610	630	650
REACH (MM)	465	465	485	505
STACK HEIGHT (MM)	625	625	625	625
HEAD TUBE LENGTH (MM)	120	120	120	120
HEAD TUBE ANGLE (DEGREE)	64	64	64	64
CHAINSTAY LENGTH (MM)	446	446	446	446
BB DROP (MM)	27	27	27	27
WHEELBASE (MM)	1251	1251	1271	1291
HANDLEBAR WIDTH (MM)	780	780	780	780
STEM LENGTH (MM)	60	60	60	80
CRANK LENGTH (MM)	165	165	165	170
SEAT POST LENGTH (MM)	390/125	440/150	440/150	440/175

FRAMESET

FRAME	Alu X6 Ultralite MTB Trail SUE03.1, Advanced e-MTB Geometry, Travel 160 mm, BOSCH CX Performance 5G ready, Boost 12x148 mm, Inner cable routing, Dropped seat post ready
HEAD SET	ACROS AZX-1051, ICR, ZS56/28.6 ZS56/40; BlockLock 120°
FORK	RockShox Lyrik Select RC, Tapered, DebonAir, 15x110mm axle, 160mm travel
REAR SHOCK	RockShox Super Deluxe Select R, size 230x65mm, Bushing body for RockShox
COLOUR	GLOSS CHROME/MATTE BLACK
SIZES	15.5"(S), 17.5"(M), 19.0"(L), 21.0"(XL)

DRIVETRAIN

SHIFTER	SHIMANO DEORE SL-M6100-IR RapidFire Plus, 12-speed
REAR DERAILLEUR	SHIMANO SLX RD-M7100 Shadow Plus
CRANKSET	ONE1, 34T
CASSETTE	SHIMANO CS-M6100-12, 10-51T
CHAIN	SHIMANO DEORE CN-M6100

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB AL-3712BT, 9° backsweep, 12mm rise, 760mm, 35mm
GRIPS	ONE1 VLG-1907D2, ONE1 VLG-1962-11D2, Lock-On
BRAKES	SHIMANO BL-M6100/BR-M6120, hydraulic disc brake
SADDLE	Saddle
SEAT POST	ONE1 Alloy, MT171, dropper post, 30.9mm

WHEELS

TIRES	Schwalbe Nobby Nic Evo Super Trail, 29x2.60", ADDIX Speedgrip
WHEELSET	DT Swiss H 1900 Spline DB30; 12x148mm, CENTER LOCK, Tubeless, DT Swiss H 1900 Spline DB30; 15x110mm, CENTER LOCK, Tubeless

eXF 9019 B

GLOSS COPPER/MATTE BLACK

E-MTB / TRAIL



CHF 5'799.00

SPECIFICATION

E-BIKE

DRIVE UNIT	BOSCH PerformanceLine CX, 36V, 250W, 85Nm
BATTERY	BOSCH PowerTube 36V, 625 Wh, integrated
CHARGER	BOSCH 4A charger

GEOMETRY

FRAME SIZE	15.5"(S)	17.5"(M)	19.0"(L)	21.0"(XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	393	420	440	490
SEAT TUBE ANGLE (DEGREE)	78	77	77	77
EFFECTIVE TOP TUBE LENGTH (MM)	598	610	630	650
REACH (MM)	465	465	485	505
STACK HEIGHT (MM)	625	625	625	625
HEAD TUBE LENGTH (MM)	120	120	120	120
HEAD TUBE ANGLE (DEGREE)	64	64	64	64
CHAINSTAY LENGTH (MM)	446	446	446	446
BB DROP (MM)	27	27	27	27
WHEELBASE (MM)	1251	1251	1271	1291
HANDLEBAR WIDTH (MM)	780	780	780	780
STEM LENGTH (MM)	60	60	60	80
CRANK LENGTH (MM)	165	165	165	170
SEAT POST LENGTH (MM)	390/125	440/150	440/150	440/175

FRAMESET

FRAME	Alu X6 Ultralite MTB Trail SUE03.1, Advanced e-MTB Geometry, Travel 160 mm, BOSCH CX Performance 5G ready, Boost 12x148 mm, Inner cable routing, Dropped seat post ready
HEAD SET	ACROS AZX-1051, ICR, ZS56/28.6 ZS56/40; BlockLock 120°
FORK	RockShox 35 Silver TK, Tapered, SoloAir, 15x110mm axle, 160mm travel
REAR SHOCK	RockShox Super Deluxe Select R, size 230x65mm, Bushing body for RockShox
COLOUR	GLOSS COPPER/MATTE BLACK
SIZES	15.5"(S), 17.5"(M), 19.0"(L), 21.0"(XL)

DRIVETRAIN

SHIFTER	SHIMANO DEORE SL-M6100-IR RapidFire Plus, 12-speed
REAR DERAILLEUR	SHIMANO DEORE RD-M6100 Shadow Plus
CRANKSET	ONE1, 34T
CASSETTE	SHIMANO CS-M6100-12, 10-51T
CHAIN	SHIMANO DEORE CN-M6100

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB AL-3712BT, 9° backsweep, 12mm rise, 760mm, 35mm, butted
GRIPS	ONE1 VLG-1907D2, ONE1 VLG-1962-11D2, Lock-On
BRAKES	SHIMANO BL-M4100/BR-MT420, hydraulic disc brake
SADDLE	Saddle Fizik
SEAT POST	ONE1 Alloy, MT171, dropper post, 30.9mm

WHEELS

FRONT HUB	SHIMANO HB-MT410-B, 32H, CENTER LOCK, 15x110mm THRU Type AXLE
REAR HUB	SHIMANO FH-MT410-B, 32H, CENTER LOCK, 12x148mm THRU Type AXLE
RIMS	Stars J30D, 32H
TIRES	Schwalbe Nobby Nic Performance, 29x2.60", Folding Sapim Leader, Stainless Black
SPOKES	

eXF 8089 B

GLOSS CHROME/MATTE BLACK

E-MTB / TRAIL



CHF 4'999.00

SPECIFICATION

E-BIKE

DRIVE UNIT	BOSCH PerformanceLine CX, 36V, 250W, 85Nm
BATTERY	BOSCH PowerTube 36V, 625 Wh, integrated
CHARGER	BOSCH 4A charger

GEOMETRY

FRAME SIZE	15.5"(S)	17.5"(M)	19.0"(L)	21.0"(XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	393	431	490	533
SEAT TUBE ANGLE (DEGREE)	74,5	74,5	74,5	74,5
EFFECTIVE TOP TUBE LENGTH (MM)	599	625	635	650
REACH (MM)	438	459	466	479
STACK HEIGHT (MM)	590	599	608	618
HEAD TUBE LENGTH (MM)	90	100	110	120
HEAD TUBE ANGLE (DEGREE)	66	66	66	66
CHAINSTAY LENGTH (MM)	433	433	433	433
BB DROP (MM)	20	20	20	20
WHEELBASE (MM)	1168	1196	1207	1224
HANDLEBAR WIDTH (MM)	760	760	760	760
STEM LENGTH (MM)	60	60	60	80
CRANK LENGTH (MM)	170	170	170	170
SEAT POST LENGTH (MM)	400	400	400	400

FRAMESET

FRAME	Alu X6 Ultralite MTB Trail SUE03.1, Advanced e-MTB Geometry, Travel 160 mm, BOSCH CX Performance 5G ready, Boost 12x148 mm, Inner cable routing, Dropped seat post ready
HEAD SET	ACROS AZX-1051, ICR, ZS56/28.6 ZS56/40; BlockLock 120°
FORK	RockShox 35 Silver TK, Tapered, SoloAir, 15x110mm axle, 160mm travel
REAR SHOCK	RockShox Deluxe Select, size 230x65mm, Bushing body for RockShox
COLOUR	GLOSS CHROME/MATTE BLACK
SIZES	15.5"(S), 17.5"(M), 19.0"(L), 21.0"(XL)

DRIVETRAIN

SHIFTER	SHIMANO DEORE SL-M6100-IR RapidFire Plus, 12-speed
REAR DERAILLEUR	SHIMANO DEORE RD-M6100 Shadow Plus
CRANKSET	ONE1, 34T
CASSETTE	SHIMANO CS-M6100-12, 10-51T
CHAIN	SHIMANO DEORE CN-M6100

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB, 9° backsweep, 12mm rise, 31.8mm
STEM	STEM, 31.8mm
GRIPS	ONE1 VLG-1907D2, ONE1 VLG-1962-11D2, Lock-On
BRAKES	SHIMANO BL-M4100/BR-MT420, hydraulic disc brake
SADDLE	Selle Royal Vivo HRN
SEAT POST	ONE1 Race Alloy, SP 218, 30.9mm

WHEELS

FRONT HUB	SHIMANO HB-MT410-B, 32H, CENTER LOCK, 15x110mm THRU Type AXLE
REAR HUB	SHIMANO FH-MT410-B, 32H, CENTER LOCK, 12x148mm THRU Type AXLE
RIMS	Stars J30D, 32H
TIRES	Schwalbe Nobby Nic Performance, 29x2.60"
SPOKES	Sapim Leader, Black

eXF 8089 B SUV

GLOSS BLACK/MATTE BLACK

E-MTB / TRAIL



CHF 5'299.00

SPECIFICATION

E-BIKE

DRIVE UNIT	BOSCH PerformanceLine CX, 36V, 250W, 85Nm
BATTERY	BOSCH PowerTube 36V, 625 Wh, integrated
CHARGER	BOSCH 4A charger

GEOMETRY

FRAME SIZE	15.5"(S)	17.5"(M)	19.0"(L)	21.0"(XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	393	420	440	490
SEAT TUBE ANGLE (DEGREE)	78	77	77	77
EFFECTIVE TOP TUBE LENGTH (MM)	598	610	630	650
REACH (MM)	465	465	485	505
STACK HEIGHT (MM)	625	625	625	625
HEAD TUBE LENGTH (MM)	120	120	120	120
HEAD TUBE ANGLE (DEGREE)	64	64	64	64
CHAINSTAY LENGTH (MM)	446	446	446	446
BB DROP (MM)	27	27	27	27
WHEELBASE (MM)	1251	1251	1271	1291
HANDLEBAR WIDTH (MM)	760	760	760	760
STEM LENGTH (MM)	60	60	60	80
CRANK LENGTH (MM)	165	165	165	170
SEAT POST LENGTH (MM)	400	400	400	400

FRAMESET

FRAME Alu X6 Ultralite MTB Trail SUE03.1, Advanced e-MTB Geometry, Travel 140 mm, BOSCH CX Performance 5G ready, Boost 12x148 mm, Inner cable routing, Dropped seat post ready

HEAD SET ACROS AZX-1051, ICR, ZS56/28.6 | ZS56/40; BlockLock 120°

FORK RockShox 35 Silver TK, Tapered, SoloAir, 15x110mm axle, 140mm travel

REAR SHOCK RockShox Deluxe Select R, size 230x57.5mm, Bushing body for RockShox

COLOUR SIZES GLOSS BLACK/MATTE BLACK
15.5"(S), 17.5"(M), 19.0"(L), 21.0"(XL)

DRIVETRAIN

SHIFTER SHIMANO DEORE SL-M6100-IR RapidFire Plus, 12-speed

REAR DERAILLEUR SHIMANO DEORE RD-M6100 Shadow Plus

CRANKSET ONE1, 38T

CASSETTE SHIMANO CS-M6100-12, 10-51T

CHAIN SHIMANO DEORE CN-M6100

COMPONENTS

HANDLEBAR ONE1 Alloy, MTB AL-320BT, 3° upsweep, 9° backsweep, 20mm rise, 760mm, 31.8mm

STEM ONE1 TDS-661 Alloy, 31.8mm, 0°

GRIPS Velo VLG-1777D2

BRAKES SHIMANO BL-M4100/BR-MT420, hydraulic disc brake

SADDLE Selle Royal Vivo DRN

SEAT POST ONE1 Race Alloy, SP 218, 30.9mm

WHEELS

FRONT HUB SHIMANO HB-MT410-B, 32H, CENTER LOCK, 15x110mm THRU Type AXLE

REAR HUB SHIMANO FH-MT410-B, 32H, CENTER LOCK, 12x148mm THRU Type AXLE

RIMS Stars J30D, 32H

TIRES Schwalbe Johnny Watts Performance, 29x2.35", ADDIX

SPOKES Sapim Leader, Stainless Black

eXF 8069 B SUV

GLOSS PETROL/MATTE BLACK

E-MTB / TRAIL



COMPUTER VISUALIZATION

CHF 4'899.00

SPECIFICATION

E-BIKE

DRIVE UNIT	BOSCH PerformanceLine CX, 36V, 250W, 85Nm
BATTERY	BOSCH PowerTube 36V, 500 Wh, integrated
CHARGER	BOSCH 4A charger

GEOMETRY

FRAME SIZE	15.5"(S)	17.5"(M)	19.0"(L)	21.0"(XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	393	420	440	490
SEAT TUBE ANGLE (DEGREE)	78	77	77	77
EFFECTIVE TOP TUBE LENGTH (MM)	598	610	630	650
REACH (MM)	465	465	485	505
STACK HEIGHT (MM)	625	625	625	625
HEAD TUBE LENGTH (MM)	120	120	120	120
HEAD TUBE ANGLE (DEGREE)	64	64	64	64
CHAINSTAY LENGTH (MM)	446	446	446	446
BB DROP (MM)	27	27	27	27
WHEELBASE (MM)	1251	1251	1271	1291
HANDLEBAR WIDTH (MM)	760	760	760	760
STEM LENGTH (MM)	60	60	60	80
CRANK LENGTH (MM)	165	165	165	170
SEAT POST LENGTH (MM)	400	400	400	400

FRAMESET

FRAME Alu X6 Ultralite MTB Trail SUE03.1, Advanced e-MTB Geometry, Travel 140 mm, BOSCH CX Performance 5G ready, Boost 12x148 mm, Inner cable routing, Dropped seat post ready

HEAD SET ACROS AZX-1051, ICR, ZS56/28.6 | ZS56/40; BlockLock 120°

FORK RST Blade, 1-1/8"-1,5", Coil, 140mm travel

REAR SHOCK RockShox Deluxe Select R, size 230x57.5mm, Bushing body for RockShox

COLOUR GLOSS PETROL/MATTE BLACK

SIZES 15.5"(S), 17.5"(M), 19.0"(L), 21.0"(XL)

DRIVETRAIN

SHIFTER SHIMANO DEORE SL-M5100-IR RapidFire Plus, 11-speed

REAR DERAILLEUR SHIMANO DEORE RD-M5100 Shadow Plus

CRANKSET ONE1, 38T

CASSETTE SHIMANO CS-M5100-11, 11-51T

CHAIN KMC e11T

COMPONENTS

HANDLEBAR ONE1 Alloy, MTB AL-320BT, 3° upsweep, 9° backsweep, 20mm rise, 760mm, 31.8mm

STEM ONE1 TDS-661 Alloy, 31.8mm, 0°

GRIPS Velo VLG-1777D2

BRAKES SHIMANO BL-M4100/BR-MT420, hydraulic disc brake

SADDLE Selle Royal Vivo DRN

SEAT POST ONE1 Race Alloy, SP 218, 30.9mm

WHEELS

FRONT HUB SHIMANO HB-MT410-B, 32H, CENTER LOCK, 15x110mm THRU Type AXLE

REAR HUB SHIMANO FH-MT400-B, 32H, CENTER LOCK, 12x148mm THRU Type AXLE

RIMS Stars J30D, 32H

TIRES Schwalbe Johnny Watts Performance, 29x2.35", ADDIX Sapim Leader, Stainless Black

eXP 9019 B

GLOSS COPPER/MATTE BLACK

E-MTB / SPORT



CHF 4'299.00

SPECIFICATION

E-BIKE

DRIVE UNIT	BOSCH PerformanceLine CX, 36V, 250W, 85Nm
BATTERY	BOSCH PowerTube 36V, 625 Wh, integrated
CHARGER	BOSCH 4A charger

GEOMETRY

FRAME SIZE	17.5"(M)	19.0"(L)	21.0"(XL)
WHEEL SIZE	29	29	29
SEAT TUBE LENGTH (MM)	431	182	533
SEAT TUBE ANGLE (DEGREE)	76,5	76,5	77,7
EFFECTIVE TOP TUBE LENGTH (MM)	612	632	642
REACH (MM)	459	479	499
STACK HEIGHT (MM)	639	640	658
HEAD TUBE LENGTH (MM)	120	120	140
HEAD TUBE ANGLE (DEGREE)	66	66	66
CHAINSTAY LENGTH (MM)	445	445	445
BB DROP (MM)	56	56	56
WHEELBASE (MM)	1210	1230	1258
HANDLEBAR WIDTH (MM)	760	760	760
STEM LENGTH (MM)	60	60	80
CRANK LENGTH (MM)	165	165	170
SEAT POST LENGTH (MM)	400	400	400

FRAMESET

FRAME	Alu X6 Ultralite, Advanced eMTB Geometry, Integrated battery, SR dropout, Boost 12x148 mm, Inner cable routing, Dropped seat post ready
HEAD SET	ACROS AZX-1051, ICR, ZS56/28.6 ZS56/40; BlockLock 120°
FORK	RockShox 35 Silver TK, Tapered, SoloAir, 15x110mm axle, 120mm travel
COLOUR	GLOSS COPPER/MATTE BLACK
SIZES	15.5"(S), 17.5"(M), 19.0"(L), 21.0"(XL)

DRIVETRAIN

SHIFTER	SHIMANO DEORE SL-M6100-IR RapidFire Plus, 12-speed
REAR DERAILLEUR	SHIMANO DEORE RD-M6100 Shadow Plus
CRANKSET	ONE1, 34T
CASSETTE	SHIMANO CS-M6100-12, 10-51T
CHAIN	SHIMANO DEORE CN-M6100

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB AL-3712BT, 9° backsweep, 12mm rise, 760mm, 35mm
GRIPS	ONE1 VLG-1907D2, ONE1 VLG-1962-11D2, Lock-On
BRAKES	SHIMANO BL-M4100/BR-MT420, hydraulic disc brake
SADDLE	Saddle
SEAT POST	ONE1 Race Alloy, SP 218, 30.9mm
WHEELS	
FRONT HUB	SHIMANO HB-MT410-B, 32H, CENTER LOCK, 15x110mm THRU Type AXLE
REAR HUB	SHIMANO FH-MT410-B, 32H, CENTER LOCK, 12x148mm THRU Type AXLE
RIMS	Stars J30D, 32H
TIRES	Schwalbe Nobby Nic Performance, 29x2.60", ADDIX
SPOKES	Sapim Leader, Stainless Black

eXP 8089 B

GLOSS CHROME/MATTE BLACK

E-MTB / SPORT



CHF 3'899.00

SPECIFICATION

E-BIKE

DRIVE UNIT	BOSCH PerformanceLine CX, 36V, 250W, 85Nm
BATTERY	BOSCH PowerTube 36V, 500 Wh, integrated
CHARGER	BOSCH 4A charger

GEOMETRY

FRAME SIZE	17.5"(M)	19.0"(L)	21.0"(XL)
WHEEL SIZE	29	29	29
SEAT TUBE LENGTH (MM)	431	182	533
SEAT TUBE ANGLE (DEGREE)	76,5	76,5	77,7
EFFECTIVE TOP TUBE LENGTH (MM)	612	632	642
REACH (MM)	459	479	499
STACK HEIGHT (MM)	639	640	658
HEAD TUBE LENGTH (MM)	120	120	140
HEAD TUBE ANGLE (DEGREE)	66	66	66
CHAINSTAY LENGTH (MM)	445	445	445
BB DROP (MM)	56	56	56
WHEELBASE (MM)	1210	1230	1258
HANDLEBAR WIDTH (MM)	760	760	760
STEM LENGTH (MM)	60	60	80
CRANK LENGTH (MM)	165	165	170
SEAT POST LENGTH (MM)	400	400	400

FRAMESET

FRAME	Alu X6 Ultralite, Advanced eMTB Geometry, Integrated battery, SR dropout, Boost 12x148 mm, Inner cable routing, Dropped seat post ready
HEAD SET	ACROS AZX-1051, ICR, ZS56/28.6 ZS56/40; BlockLock 120°
FORK	RockShox Judy Silver TK, Tapered, SoloAir, 15x110mm axle, 120mm travel
COLOUR	GLOSS CHROME/MATTE BLACK
SIZES	15.5"(S), 17.5"(M), 19.0"(L), 21.0"(XL)

DRIVETRAIN

SHIFTER	SHIMANO DEORE SL-M6100-IR RapidFire Plus, 12-speed
REAR DERAILLEUR	SHIMANO DEORE RD-M6100 Shadow Plus
CRANKSET	ONE1, 34T
CASSETTE	SHIMANO CS-M6100-12, 10-51T
CHAIN	SHIMANO DEORE CN-M6100

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB AL-3712BT, 9° backsweep, 12mm rise, 760mm, 35mm
GRIPS	ONE1 VLG-1907D2, ONE1 VLG-1962-11D2, Lock-On
BRAKES	SHIMANO BL-M4100/BR-MT420, hydraulic disc brake
SADDLE	Selle Royal Vivo HRN
SEAT POST	ONE1 Race Alloy, SP 218, 30.9mm
WHEELS	
FRONT HUB	SHIMANO HB-MT410-B, 32H, CENTER LOCK, 15x110mm THRU Type AXLE
REAR HUB	SHIMANO FH-MT410-B, 32H, CENTER LOCK, 12x148mm THRU Type AXLE
RIMS	Stars J30D, 32H
TIRES	Schwalbe Nobby Nic Performance, 29x2.60", ADDIX
SPOKES	Sapim Leader, Stainless Black

eXC 7039 B

MATTE LIME METALLIC

E-MTB / SPORT



COMPUTER VISUALIZATION

CHF 3'299.00

SPECIFICATION

E-BIKE

DRIVE UNIT	BOSCH PERFORMANCE Line 65Nm
BATTERY	BOSCH PowerTube 36V, 625 Wh, integrated
CHARGER	BOSCH 4A charger

GEOMETRY

FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	406	457	510	559
SEAT TUBE ANGLE (DEGREE)	73,7	73,7	74	74,2
EFFECTIVE TOP TUBE LENGTH (MM)	570	590	610	630
REACH (MM)	385	405	425	445
STACK HEIGHT (MM)	642	652	662	672
HEAD TUBE LENGTH (MM)	130	140	150	160
HEAD TUBE ANGLE (DEGREE)	67	67	67	67
CHAINSTAY LENGTH (MM)	500	500	500	500
BB DROP (MM)	60	60	60	60
WHEELBASE (MM)	1175	1195	1219	1243
HANDLEBAR WIDTH (MM)	720	720	720	720
STEM LENGTH (MM)	70	70	70	90
CRANK LENGTH (MM)	165	165	165	170
SEAT POST LENGTH (MM)	400	400	400	400

FRAMESET

HEAD SET	ACROS AZF-604, ZS56/28.6 ZS56/40; BlockLock 120°
COLOUR	MATTE LIME METALLIC
SIZES	16.0"(S), 18.0"(M), 20.0"(L), 22.0"(XL)

DRIVETRAIN

SHIFTER	SHIMANO DEORE SL-M5100-R RapidFire Plus, 11-speed
REAR DERAILLEUR	SHIMANO DEORE RD-M4120 Shadow
CRANKSET	ONE1 EC39-BH3-F9-BNI-L/R
CASSETTE	SHIMANO CS-M5100-11, 11-42T
CHAIN	KMC e11T
PEDALS	Marwi SP-610

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB AL-325BT, 6° upsweep, 9° backsweep, 25mm rise, 720mm, 31.8mm
STEM	ONE1 Python Alloy, 31.8mm, Adjustable
GRIPS	Velo VLG-1777D2
BRAKES	SHIMANO BL-MT200/BR-MT200, hydraulic disc brake
SADDLE	Selle Royal Vivo DRN
SEAT POST	ONE1 Sport Alloy, SP C207, 30.9mm

WHEELS

FRONT HUB	SHIMANO HB-MT410-B, 32H, CENTER LOCK, 15x110mm THRU Type AXLE
REAR HUB	SHIMANO FH-MT400-B, 32H, CENTER LOCK, 12x148mm THRU Type AXLE
RIMS	Stars J30D, 32H
TIRES	Schwalbe Hurricane Performance, 29x2.25", ADDIX
SPOKES	Sapim Galvanized Black

eXC 7039 WB

GLOSS BLACK RAINBOW/PURPLE

E-MTB / SPORT



CHF 3'299.00

SPECIFICATION

E-BIKE

DRIVE UNIT	BOSCH PERFORMANCE Line 65Nm
BATTERY	BOSCH PowerTube 36V, 625 Wh, integrated
CHARGER	BOSCH 4A charger

GEOMETRY

	16.0"(S)	18.0"(M)
FRAME SIZE	16.0"(S)	18.0"(M)
WHEEL SIZE	29	29
SEAT TUBE LENGTH (MM)	381	457
SEAT TUBE ANGLE (DEGREE)	73,7	73,7
EFFECTIVE TOP TUBE LENGTH (MM)	570	590
REACH (MM)	385	405
STACK HEIGHT (MM)	644	654
HEAD TUBE LENGTH (MM)	130	140
HEAD TUBE ANGLE (DEGREE)	67	67
CHAINSTAY LENGTH (MM)	500	500
BB DROP (MM)	60	60
WHEELBASE (MM)	1175	195
HANDLEBAR WIDTH (MM)	660	660
STEM LENGTH (MM)	70	70
CRANK LENGTH (MM)	170	170
SEAT POST LENGTH (MM)	350	350

FRAMESET

HEAD SET	ACROS AZF-604, ZS56/28.6 ZS56/40; BlockLock 120°
COLOUR	GLOSS BLACK RAINBOW/PURPLE
SIZES	16.0"(S), 18.0"(M)

DRIVETRAIN

SHIFTER	SHIMANO DEORE SL-M5100-R RapidFire Plus, 11-speed
REAR DERAILLEUR	SHIMANO DEORE RD-M4120 Shadow
CRANKSET	ONE1 EC39-BH3-F9-BNI-L/R
CASSETTE	SHIMANO CS-M5100-11, 11-42T
CHAIN	KMC e11T
PEDALS	Marwi SP-610

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB AL-325BT, 6° upsweep, 9° backsweep, 25mm rise, 660mm, 31.8mm
STEM	ONE1 Python Alloy, 31.8mm, Adjustable
GRIPS	Velo VLG-1777D2
BRAKES	SHIMANO BL-MT200/BR-MT200, hydraulic disc brake
SADDLE	Selle Royal Vivo DRN
SEAT POST	ONE1 Sport Alloy, SP C207, 30.9mm

WHEELS

FRONT HUB	SHIMANO HB-MT410-B, 32H, CENTER LOCK, 15x110mm THRU Type AXLE
REAR HUB	SHIMANO FH-MT400-B, 32H, CENTER LOCK, 12x148mm THRU Type AXLE
RIMS	Stars J30D, 32H
TIRES	Schwalbe Hurricane Performance, 29x2.25", ADDIX
SPOKES	Sapim Galvanized Black



superior.

iBLOX 6.5

Gloss Grey

LIGHT E-URBAN BIKE / iBLOX



22.1 kg

COMPUTER VISUALIZATION

CHF 3'699.00

SPECIFICATION

BASE INFO

E-SYSTEM	BOSCH SX Performance, Battery CompactTube 400Wh
MAX. TORQUE	55Nm / 300%
SUPPORT UP TO SPEED	25km/h

ISO AND ASTM NORM

ISO norm	EN 15194 Standard for "Electronically Power Assisted Cycles" (EPAC)
ASTM norm	ASTM 2 For on and Off-Road riding and drops less than 15cm (6")

E- BIKE PARTS

MOTOR	BOSCH Performance SX, 55Nm
CHARGER	BOSCH 2A
BATTERY	BOSCH CompactTube, 400Wh
DISPLAY	BOSCH Kiox 300

FRAMESET

FRAME	Alu 6061 T6, Touring Geometry, Smooth Welding, Bosch system ready, integrated battery, Inner Cable Routing
SUSPENSION FORK	RockShox Judy Silver TK, Tapered, SoloAir, 15x110mm axle, 100mm travel
HEADSET	ACROS AZX-596, ICR, ZS56/28.6 - ZS56/40, BlockLock 120°
REAR AXLE	SB02, TA12x171.5, M12xP1.0x14.5mm, Black

DRIVETRAIN

SHIFTERS RIGHT	SHIMANO DEORE SL-M6100-IR, RAPIDFIRE Plus, 12speed
REAR DERAILLEUR	SHIMANO DEORE RD-M6100, Shadow Plus Design
CRANKSET	ONE Race, Alloy
CHAINRING	ONE Race, 38T
CASSETTE	SHIMANO DEORE CS-M6100, 12-speed, 10-51T
CHAIN	SHIMANO DEORE CN-M6100

BRAKING SYSTEM

BRAKE FRONT	SHIMANO MT420, 4 piston, hydraulic disc brake
ROTOR FRONT	SHIMANO SM-RT30, 180mm
BRAKE REAR	SHIMANO MT420, 4 piston, hydraulic disc brake
ROTOR REAR	SHIMANO SM-RT30, 180mm

WHEELS

HUB FRONT	SHIMANO HB-TC500-15-B, 32H, CL, 15x110mm, THRU Type AXLE
RIM FRONT	STARS J30D, Disc, 32H
TYRE FRONT	Schwalbe G-One Allround Performance, 29x2.25
HUB REAR	SHIMANO FH-TC500-MS-B, 32H, CL, 12x148mm, THRU Type AXLE
RIM REAR	STARS J30D, Disc, 32H
TYRE REAR	Schwalbe G-One Allround Performance, 29x2.25
SPOKES	SAPIM Leader, Stainless Black
NIPPLES	SAPIM, Brass

COCKPIT

STEM	ONE Race ICR, Alloy, 31.8mm, 0°
HANDLEBAR	ONE Alloy, 20mm rise, 660mm, 31.8mm
GRIPS LEFT	ONE Sport Ergo, Lock-On
GRIPS RIGHT	ONE Sport Ergo, Lock-On

PARTS

SADDLE	Selle Royal Vivo
SEATPOST	ONE Sport, Alloy, 30,9mm
SEAT POST CLAMP	ONE CC-617, 34,9mm, with Quick Release level, Black
PEDALS	VP Components VP-836

CITY/ SUV SET

FRONT LIGHT	HERRMANS H-Black MR4 E, 120lm
REAR LIGHT	spanninga Pling XDS
FENDER	Alloy
CARRIER	Atran Velo System

GEOMETRY

FRAME SIZE	15" (S)	16" (M)	18" (L)
WHEEL SIZE	29	29	29
BB DROP (MM)	60	60	60
SEAT TUBE LENGTH (MM)	381	457	496
EFFECTIVE TOP TUBE LENGTH (MM)	570	590	610
STACK HEIGHT (MM)	642	651	660
REACH (MM)	386	403	421
SEAT TUBE ANGLE	74°	74°	74°
HEAD TUBE ANGLE	69°	69°	69°
REAR CENTER (MM)	450	450	450
HEAD TUBE LENGTH (MM)	120	130	140
WHEELBASE (MM)	1102	1123	1144
STEM (MM)	45	45	80
HANDLEBAR (MM)	660	660	660
CRANKSET (MM)	160	165	170

iBLOX 6.5

Gloss Grey

LIGHT E-URBAN BIKE / iBLOX



22.1 kg

CHF 3'699.00

SPECIFICATION

BASE INFO

E-SYSTEM	BOSCH SX Performance, Battery CompactTube 400Wh
MAX. TORQUE	55Nm / 300%
SUPPORT UP TO SPEED	25km/h

ISO AND ASTM NORM

ISO norm	EN 15194 Standard for 'Electronically Power Assisted Cycles' (EPAC)
ASTM norm	ASTM 2 For on and Off-Road riding and drops less than 15cm (6")

E- BIKE PARTS

MOTOR	BOSCH Performance SX, 55Nm
CHARGER	BOSCH 2A
BATTERY	BOSCH CompactTube, 400Wh
DISPLAY	BOSCH Kiox 300

FRAMESET

FRAME	Alu 6061 T6, Touring Geometry, Smooth Welding, Bosch system ready, integrated battery, Inner Cable Routing
SUSPENSION FORK	RockShox Judy Silver TK, Tapered, SoloAir, 15x110mm axle, 100mm travel
HEADSET	ACROS AZX-596, ICR, ZS56/28.6 - ZS56/40, BlockLock 120°
REAR AXLE	SB02, TA12x171.5, M12xP1.0x14.5mm, Black

DRIVETRAIN

SHIFTERS RIGHT	SHIMANO DEORE SL-M6100-IR, RAPIDFIRE Plus, 12speed
REAR DERAILLEUR	SHIMANO DEORE RD-M6100, Shadow Plus Design
CRANKSET	ONE Race, Alloy
CHAINRING	ONE Race, 38T
CASSETTE	SHIMANO DEORE CS-M6100, 12-speed, 10-51T
CHAIN	SHIMANO DEORE CN-M6100

BRAKING SYSTEM

BRAKE FRONT	SHIMANO MT420, 4 piston, hydraulic disc brake
ROTOR FRONT	SHIMANO SM-RT30, 180mm
BRAKE REAR	SHIMANO MT420, 4 piston, hydraulic disc brake
ROTOR REAR	SHIMANO SM-RT30, 180mm

WHEELS

HUB FRONT	SHIMANO HB-TC500-15-B, 32H, CL, 15x110mm, THRU Type AXLE
RIM FRONT	STARS J30D, Disc, 32H
TYRE FRONT	Schwalbe G-One Allround Performance, 29x2.25
HUB REAR	SHIMANO FH-TC500-MS-B, 32H, CL, 12X148mm, THRU Type AXLE
RIM REAR	STARS J30D, Disc, 32H
TYRE REAR	Schwalbe G-One Allround Performance, 29x2.25
SPOKES	SAPIM Leader, Stainless Black
NIPPLES	SAPIM, Brass

COCKPIT

STEM	ONE Race ICR, Alloy, 31,8mm, 0°
HANDLEBAR	ONE Alloy, 20mm rise, 680mm, 31.8mm
GRIPS LEFT	ONE Sport Ergo, Lock-On
GRIPS RIGHT	ONE Sport Ergo, Lock-On

PARTS

SADDLE	Selle Royal Vivo
SEAT POST	ONE Sport, Alloy, 30,9mm
SEAT POST CLAMP	ONE CC-617, 34,9mm, with Quick Release level, Black
PEDALS	VP Components VP-836

CITY/ SUV SET

FRONT LIGHT	HERRMANS H-Black MR4 E, 120lm
REAR LIGHT	spanninga Pling XDS
FENDER	Alloy
CARRIER	Atran Velo System

GEOMETRY

FRAME SIZE	16" (S)	18" (M)	20" (L)	22" (XL)
WHEEL SIZE	29	29	29	29
BB DROP (MM)	60	60	60	60
SEAT TUBE LENGTH (MM)	406	457	508	559
EFFECTIVE TOP TUBE LENGTH (MM)	570	590	610	630
STACK HEIGHT (MM)	642	651	660	670
REACH (MM)	386	403	421	438
SEAT TUBE ANGLE	74°	74°	74°	74°
HEAD TUBE ANGLE	69°	69°	69°	69°
REAR CENTER (MM)	450	450	450	450
HEAD TUBE LENGTH (MM)	120	130	140	150
WHEELBASE (MM)	1102	1123	1144	1165
STEM (MM)	45	45	80	80
HANDLEBAR (MM)	680	680	680	680
CRANKSET (MM)	160	165	170	170

eXR 6090 BL Touring

GLOSS WHITE/COPPER

E-TOUR / CROSS



COMPUTER VISUALIZATION

CHF 4'299.00

SPECIFICATION

E-BIKE

DRIVE UNIT	BOSCH PerformanceLine CX, 36V, 250W, 85Nm
BATTERY	BOSCH PowerTube 36V, 625 Wh, integrated
CHARGER	BOSCH 4A charger

GEOMETRY

	15.5"(S)	17.5"(M)
FRAME SIZE	15.5"(S)	17.5"(M)
WHEEL SIZE	700C	700C
SEAT TUBE LENGTH (MM)	393	431
SEAT TUBE ANGLE (DEGREE)	78,9	77,5
EFFECTIVE TOP TUBE LENGTH (MM)	590	610
REACH (MM)	465	465
STACK HEIGHT (MM)	635	653
HEAD TUBE LENGTH (MM)	120	140
HEAD TUBE ANGLE (DEGREE)	67	67
CHAINSTAY LENGTH (MM)	445	445
BB DROP (MM)	60	60
WHEELBASE (MM)	1205	1213
HANDLEBAR WIDTH (MM)	660	660
STEM LENGTH (MM)	65	65
CRANK LENGTH (MM)	170	170
SEAT POST LENGTH (MM)	350	350

FRAMESET

HEAD SET	ACROS AZF-604, ZS56/28.6 ZS56/40; BlockLock 120°
FORK	RockShox Judy Silver TK, Tapered, SoloAir, 15x110mm axle, 100mm travel
COLOUR	GLOSS WHITE/COPPER
SIZES	15.5"(S), 17.5"(M)

DRIVETRAIN

SHIFTER	SHIMANO DEORE SL-M6100-IR RapidFire Plus, 12-speed
REAR DERAILLEUR	SHIMANO DEORE RD-M6100 Shadow Plus
CRANKSET	ONE1, 38T
CASSETTE	SHIMANO CS-M6100-12, 10-51T
CHAIN	SHIMANO DEORE CN-M6100
PEDALS	VP Components VP-836

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB AL-320BT, 10° backsweep, 20mm rise, 720mm, 31.8mm
STEM	ONE1 Python Alloy, 31.8mm, Adjustable
GRIPS	Velo VLG-1777D2
BRAKES	SHIMANO BL-M4100/BR-MT420, hydraulic disc brake
SADDLE	Selle Royal LIFT
SEAT POST	ONE1 Sport Alloy, SP C207, 30.9mm

WHEELS

FRONT HUB	SHIMANO HB-MT410-B, 32H, CENTER LOCK, 15x110mm THRU Type AXLE
REAR HUB	SHIMANO FH-MT410-B, 32H, CENTER LOCK, 12x148mm THRU Type AXLE
RIMS	Stars J30D, 32H
TIRES	Schwalbe G-One Allround Performance, 29x2.25", ADDIX
SPOKES	Sapim Leader, Stainless Black

eXR 6090 B Touring

MATTE PETROL/CHROME SILVER

E-TOUR / CROSS



COMPUTER VISUALIZATION

CHF 4'299.00

SPECIFICATION

E-BIKE

DRIVE UNIT	BOSCH PerformanceLine CX, 36V, 250W, 85Nm
BATTERY	BOSCH PowerTube 36V, 625 Wh, integrated
CHARGER	BOSCH 4A charger

GEOMETRY

FRAME SIZE	17.5"(M)	19.0"(L)	21.0"(XL)
WHEEL SIZE	700C	700C	700C
SEAT TUBE LENGTH (MM)	431	482	533
SEAT TUBE ANGLE (DEGREE)	76,5	76,5	77,8
EFFECTIVE TOP TUBE LENGTH (MM)	612	632	642
REACH (MM)	459	479	500
STACK HEIGHT (MM)	638	638	656
HEAD TUBE LENGTH (MM)	120	120	140
HEAD TUBE ANGLE (DEGREE)	66	66	66
CHAINSTAY LENGTH (MM)	445	445	445
BB DROP (MM)	56	56	56
WHEELBASE (MM)	1215	1235	1264
HANDLEBAR WIDTH (MM)	680	680	680
STEM LENGTH (MM)	65	90	90
CRANK LENGTH (MM)	160	170	170
SEAT POST LENGTH (MM)	350	350	350

FRAMESET

HEAD SET	ACROS AZF-604, ZS56/28.6 ZS56/40; BlockLock 120°
FORK	RockShox Judy Silver TK, Tapered, SoloAir, 15x110mm axle, 100mm travel
COLOUR	MATTE PETROL/CHROME SILVER
SIZES	15.5"(S), 17.5"(M), 19.0"(L), 21.0"(XL)

DRIVETRAIN

SHIFTER	SHIMANO DEORE SL-M6100-IR RapidFire Plus, 12-speed
REAR DERAILLEUR	SHIMANO DEORE RD-M6100 Shadow Plus
CRANKSET	ONE1, 38T
CASSETTE	SHIMANO CS-M6100-12, 10-51T
CHAIN	SHIMANO DEORE CN-M6100
PEDALS	VP Components VP-836

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB AL-320BT, 10° backsweep, 20mm rise, 720mm, 31.8mm
STEM	ONE1 Python Alloy, 31.8mm, Adjustable
GRIPS	Velo VLG-1777D2
BRAKES	SHIMANO BL-M4100/BR-MT420, hydraulic disc brake
SADDLE	Selle Royal LIFT
SEAT POST	ONE1 Sport Alloy, SP C207, 30.9mm

WHEELS

FRONT HUB	SHIMANO HB-MT410-B, 32H, CENTER LOCK, 15x110mm THRU Type AXLE
REAR HUB	SHIMANO FH-MT410-B, 32H, CENTER LOCK, 12x148mm THRU Type AXLE
RIMS	Stars J30D, 32H
TIRES	Schwalbe G-One Allround Performance, 29x2.25", ADDIX
SPOKES	Sapim Leader, Stainless Black

eXR 6050 BLS Touring

GLOSS PETROL/CHROME SILVER

E-TOUR / CROSS



CHF 2'999.00

SPECIFICATION

E-BIKE

DRIVE UNIT	BOSCH ActiveLine Plus, 36V, 250W, 50Nm
BATTERY	BOSCH PowerTube 36V, 500Wh, integrated
DISPLAY	BOSCH Purion Anthracite, Clamp band
CHARGER	BOSCH 2A Compact charger

GEOMETRY

FRAME SIZE	16.5"(S)	18.0"(L)
WHEEL SIZE	700C	700C
SEAT TUBE LENGTH (MM)	420	457
SEAT TUBE ANGLE (DEGREE)	73,5	73,5
EFFECTIVE TOP TUBE LENGTH (MM)	585	895
REACH (MM)	401	410
STACK HEIGHT (MM)	620	604
HEAD TUBE LENGTH (MM)	140	140
HEAD TUBE ANGLE (DEGREE)	68	68
CHAINSTAY LENGTH (MM)	495	495
BB DROP (MM)	60	60
WHEELBASE (MM)	1168	1178
HANDLEBAR WIDTH (MM)	720	720
STEM LENGTH (MM)	60	60
CRANK LENGTH (MM)	170	170
SEAT POST LENGTH (MM)	350	350

FRAMESET

FRAME	Alu 6061 T6, Comfort Geometry, Smooth Welding, Bosch system ready, integrated battery, Inner Cable Routing
HEAD SET	ACROS AZF-604, ZS56/28.6 ZS56/40; BlockLock 120°
FORK	RST Volant, Tapered, 80mm travel
COLOUR	GLOSS PETROL/CHROME SILVER
SIZES	16.5"(S), 18.0"(L)

DRIVETRAIN

SHIFTER	SHIMANO ALIVIO SL-M3100-R RapidFire Plus, 9-speed
REAR DERAILLEUR	SHIMANO ALIVIO RD-M3100 Shadow
CRANKSET	ONE1 EC33-BH3-F9-BN-L/R, 38T
CASSETTE	SHIMANO CS-HG200-9, 11-36T
CHAIN	KMC E9s
PEDALS	VP Components VP-836

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB AL-320BT, 3° upsweep, 15° backsweep, 20mm rise, 680mm, 31.8mm
STEM	ONE1 Python Alloy, 31.8mm, Adjustable
GRIPS	Velo VLG-1777D2
BRAKES	SHIMANO BL-MT200/BR-MT200, hydraulic disc brake
SADDLE	Fizik Vivo
SEAT POST	ONE1 Sport Alloy, SP C207, 30.9mm

WHEELS

FRONT HUB	SHIMANO HB-TX505, 32H, CENTER LOCK, QR Type
REAR HUB	SHIMANO FH-TX505-8, 32H, CENTER LOCK, M10x135mm, QR Type
RIMS	Stars J26S, 32H
TIRES	Schwalbe G-One Bite, 28x2.00", reflective tape
SPOKES	Sapim Galvanized Black

eXR 6050 BL Touring

GLOSS PETROL/CHROME SILVER

E-TOUR / CROSS



CHF 2'999.00

SPECIFICATION

E-BIKE

DRIVE UNIT	BOSCH ActiveLine Plus, 36V, 250W, 50Nm
BATTERY	BOSCH PowerTube 36V, 500Wh, integrated
DISPLAY	BOSCH Purion Anthracite, Clamp band
CHARGER	BOSCH 2A Compact charger

GEOMETRY

FRAME SIZE	16.5"(S)	18.0"(L)
WHEEL SIZE	700C	700C
SEAT TUBE LENGTH (MM)	420	457
SEAT TUBE ANGLE (DEGREE)	73,5	73,5
EFFECTIVE TOP TUBE LENGTH (MM)	585	895
REACH (MM)	401	410
STACK HEIGHT (MM)	620	604
HEAD TUBE LENGTH (MM)	140	140
HEAD TUBE ANGLE (DEGREE)	68	68
CHAINSTAY LENGTH (MM)	495	495
BB DROP (MM)	60	60
WHEELBASE (MM)	1168	1178
HANDLEBAR WIDTH (MM)	720	720
STEM LENGTH (MM)	60	60
CRANK LENGTH (MM)	170	170
SEAT POST LENGTH (MM)	350	350

FRAMESET

FRAME	Alu 6061 T6, Touring Geometry, Smooth Welding, Bosch system Powertube 625Wh battery ready, Inner Cable Routing
HEAD SET	ACROS AZF-604, ZS56/28.6 ZS56/40; BlockLock 120°
FORK	RST Volant, Tapered, 80mm travel
COLOUR	GLOSS PETROL/CHROME SILVER
SIZES	16.5"(S), 18.0"(L)

DRIVETRAIN

SHIFTER	SHIMANO ALIVIO SL-M3100-R RapidFire Plus, 9-speed
REAR DERAILLEUR	SHIMANO ALIVIO RD-M3100 Shadow
CRANKSET	ONE1 EC33-BH3-F9-BNI-L/R, 38T
CASSETTE	SHIMANO CS-HG200-9, 11-36T
CHAIN	KMC E9s
PEDALS	VP Components VP-836

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB AL-320BT, 3° upsweep, 15° backsweep, 20mm rise, 680mm, 31.8mm
STEM	ONE1 Python Alloy, 31.8mm, Adjustable
GRIPS	Velo VLG-1777D2
BRAKES	SHIMANO BL-MT200/BR-MT200, hydraulic disc brake
SADDLE	Selle Royal Vivo DRN
SEAT POST	ONE1 Sport Alloy, SP C207, 30.9mm
WHEELS	
FRONT HUB	SHIMANO HB-TX505, 32H, CENTER LOCK, QR Type
REAR HUB	SHIMANO FH-TX505-8, 32H, CENTER LOCK, M10x135mm, QR Type
RIMS	Stars J26S, 32H
TIRES	Schwalbe G-One Bite, 28x2.00", reflective tape
SPOKES	Sapim Galvanized Black

eXR 6050 B Touring

MATTE BLACK/CHROME SILVER

E-TOUR / CROSS



CHF 2'999.00

SPECIFICATION

E-BIKE

DRIVE UNIT	BOSCH ActiveLine Plus, 36V, 250W, 50Nm
BATTERY	BOSCH PowerTube 36V, 500Wh, integrated
DISPLAY	BOSCH Purion Anthracite, Clamp band
CHARGER	BOSCH 2A Compact charger

GEOMETRY

FRAME SIZE	17.0"(M)	19.0"(L)	21.0"(XL)
WHEEL SIZE	700C	700C	700C
SEAT TUBE LENGTH (MM)	431	482	533
SEAT TUBE ANGLE (DEGREE)	73,5	73,5	73,5
EFFECTIVE TOP TUBE LENGTH (MM)	590	610	630
REACH (MM)	409	429	449
STACK HEIGHT (MM)	610	610	610
HEAD TUBE LENGTH (MM)	130	130	130
HEAD TUBE ANGLE (DEGREE)	68	68	68
CHAINSTAY LENGTH (MM)	495	495	495
BB DROP (MM)	60	60	60
WHEELBASE (MM)	1172	1192	1212
HANDLEBAR WIDTH (MM)	720	720	720
STEM LENGTH (MM)	60	80	80
CRANK LENGTH (MM)	170	170	170
SEAT POST LENGTH (MM)	350	350	350

FRAMESET

FRAME	Alu 6061 T6, Comfort Geometry, Smooth Welding, Bosch system ready, integrated battery, Inner Cable Routing
HEAD SET	ACROS AZF-604, ZS56/28.6 ZS56/40; BlockLock 120°
FORK	RST Volant, Tapered, 80mm travel
COLOUR	MATTE BLACK/CHROME SILVER
SIZES	17.0"(M), 19.0"(L), 21.0"(XL)

DRIVETRAIN

SHIFTER	SHIMANO ALIVIO SL-M3100-R RapidFire Plus, 9-speed
REAR DERAILLEUR	SHIMANO ALIVIO RD-M3100 Shadow
CRANKSET	ONE1 EC33-BH3-F9-BN-L/R, 38T
CASSETTE	SHIMANO CS-HG200-9, 11-36T
CHAIN	KMC E9s
PEDALS	VP Components VP-836

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB AL-320BT, 3° upsweep, 15° backsweep, 20mm rise, 680mm, 31.8mm
STEM	ONE1 Python Alloy, 31.8mm, Adjustable
GRIPS	Velo VLG-1777D2
BRAKES	SHIMANO BL-MT200/BR-MT200, hydraulic disc brake
SADDLE	Selle Royal Vivo DRN
SEAT POST	ONE1 Sport Alloy, SP C207, 30.9mm

WHEELS

FRONT HUB	SHIMANO HB-TX505, 32H, CENTER LOCK, QR Type
REAR HUB	SHIMANO FH-TX505-8, 32H, CENTER LOCK, M10x135mm, QR Type
RIMS	Stars J26S, 32H
TIRES	Schwalbe G-One Bite, 28x2.00", reflective tape
SPOKES	Sapim Galvanized Black

SBC 600i L

MATTE TITANIUM

E-TOUR / CROSS



CHF 3'199.00

SPECIFICATION

E-BIKE

DRIVE UNIT	BOSCH ActiveLine Plus, 36V, 250W, 50Nm
BATTERY	BOSCH PowerTube 36V, 500Wh, integrated
DISPLAY	BOSCH Intuvia Anthracite, Clamp band
CHARGER	BOSCH 2A Compact charger

SIZE

Größen	S & M
--------	-------

FRAMESET

FRAME	Alloy 6061 T6, e-Comfort Geometry, Bosch Int, Lady
HEAD SET	FSA No.10 Semi-Cartridge
FORK	SR MEX, 1 1/8, Coil, 65mm travel
COLOUR	MATTE TITANIUM
SIZES	44cm, 50cm

DRIVETRAIN

SHIFTER	Microshift 21 SL-M760R, 1x10 Sp., right slide, OGD (Shimano compatible)
REAR DERAILLEUR	Microshift RDM62S, max 36 T., no clutch
FREEWHEEL	Microshift FW 11-36, 10 speed, chrom plated
CRANKSET	ONE1 EC33-BH3-F9-BNI-L/R, 38T
CHAIN	KMC e10S
PEDALS	Marwi SP-823

COMPONENTS

HANDLEBAR	ONE1 Alloy, NRAL124BT, 38° backsweep, 38mm rise, 620mm, 31.8mm
STEM	ONE1 TDS-C2698 Alloy, 31.8mm, 0°/+90°
GRIPS	HERRMANS LINE DD36BR, HERRMANS LINE DD36BL
BRAKES	SHIMANO BL-MT200/BR-MT200, hydraulic disc brake
SADDLE	Selle Royal Nuvola
SEAT POST	ONE1 Alloy, SP S405, 30.9mm

WHEELS

FRONT HUB	ONE1 KTTC7F, 36H, M9x100mm, QR Type
RIMS	Stars J19DC, 36H
TIRES	CST Scalato Mondano, 28x2.00", reflective tape
SPOKES	Sapim Leader, Stainless Black

SBC 400i L

GLOSS BROWN GREY

E-URBAN



CHF 3'199.00

SPECIFICATION

E-BIKE

DRIVE UNIT	BOSCH ActiveLine Plus, 36V, 250W, 50Nm
BATTERY	BOSCH PowerTube 36V, 500Wh, integrated
DISPLAY	BOSCH Intuvia Anthracite, Clamp band
CHARGER	BOSCH 2A Compact charger

SIZE

Größen	S & M
--------	-------

FRAMESET

FRAME	Alloy 6061 T6, e-Comfort Geometry, Bosch Int, Lady
HEAD SET	FSA No.10 Semi-Cartridge
FORK	SR MEX, 1 1/8, Coil, 65mm travel
COLOUR	GLOSS BROWN
SIZES	44cm, 50cm

DRIVETRAIN

SHIFTER	microSHIFT DN85-7, 7-speed
CRANKSET	ONE1 EC33-BH3-F9-BNI-L/R, 38T
CASSETTE	SHIMANO NEXUS, 18T
CHAIN	KMC Z1
PEDALS	Marwi SP-823

COMPONENTS

HANDLEBAR	ONE1 Alloy, NRAL124BT, 38° backsweep, 38mm rise, 620mm, 31.8mm
STEM	ONE1 TDS-C2698 Alloy, 31.8mm, 0°/+90°
GRIPS	HERRMANS LINE DD36AR, HERRMANS LINE DD36BL
BRAKES	SHIMANO BL-MT200/BR-MT200, hydraulic disc brake
SADDLE	Selle Royal Nuvola
SEAT POST	ONE1 Alloy, SP C207, 30.9mm

WHEELS

FRONT HUB	ONE1 KTTC7F, 36H, M9x100mm, QR Type
REAR HUB	SHIMANO NEXUS SG-C3001-7D, 36H, CENTER LOCK, 135x187mm
RIMS	Stars J19DC, 36H
TIRES	CST Scalato Mondano, 28x2.00", reflective tape
SPOKES	Sapim Leader, Stainless Black

superior.



XF 9.9 Team

Gloss Red Carbon / Black

MTB FULL-SUSPENSION / XF TEAM



CHF 9'999.00

SPECIFICATION

ISO AND ASTM NORM

ISO norm	ISO 4210-2 MTB bicycles
ASTM norm	ASTM 3 For rough Off-Road riding and jumps less than 61cm (24")

FRAMESET

FRAME	Carbon MTB Race Pro SU-01.2, Advanced Race Geometry, Travel 110 mm, Integrated Cable routing, BB92, 3D alloy one piece link, Carbon swingarm, SR dropout, Boost Thru Axle 148x12 mm, Inner cable routing, Dropped seat post ready
SUSPENSION FORK	RockShox SID Ultimate Charger RD 2, Tapered, DebonAir+, 3 Position, 15x110mm axle, 110mm travel
REAR SHOCK	RockShox SIDLuxe Ultimate Remote, size 190x40mm
BOTTOM BRACKET	SRAM DUB, PressFit, shell 41x92 mm
HEADSET	ACROS AZX-1052S, ICR, ZS56/28.6 - ZS56/40, BlockLock 150°, Stainless Bearings
REAR AXLE	SB02-LT, TA12x175.5, M12x1,0x14.5L, Light, Black

DRIVETRAIN

SHIFTERS RIGHT	SRAM AXS ROCKER, 12-speed
REAR DERAILLEUR	SRAM XX EAGLE AXS T-Type
CRANKSET	SRAM XX, DUB, Carbon, T-Type, 36T
CASSETTE	SRAM XX XS-1299, 12-speed, T-Type, 10-52T
CHAIN	SRAM XX, T-Type

BRAKING SYSTEM

BRAKE FRONT	SHIMANO XTR M9100, hydraulic disc brake
ROTOR FRONT	SHIMANO RT-MT900, 180mm
BRAKE REAR	SHIMANO XTR M9100, hydraulic disc brake
ROTOR REAR	SHIMANO RT-MT900, 160mm

WHEELS

WHEELSET FRONT	DT Swiss XRC 1501 SPLINE®, Carbon, CL, 15x110mm, Tubeless Ready
WHEELSET REAR	DT Swiss XRC 1501 SPLINE®, Carbon, CL, 12x148mm, SRAM XD, Tubeless Ready
TYRE FRONT	Schwalbe Racing Ray Evo, TL-Easy, SuperRace, 29x2.25", ADDIX Speed
TYRE REAR	Schwalbe Racing Ralph Evo, TL-Easy, SuperRace, 29x2.25", ADDIX Speed

COCKPIT

HANDLEBAR	ONE Carbon Integrated Cockpit ICR
GRIPS LEFT	ONE Race, Lock-On
GRIPS RIGHT	ONE Race, Lock-On

PARTS

SADDLE	Fizik Ridon X1, Carbon
SEAT POST LEVER	SRAM AXS ROCKER, Dropper Post Lever
SEATPOST	SRAM Reverb AXS dropper post, 30.9mm
SEAT POST CLAMP	ONE CC-080A, 34.9mm, Black

GEOMETRY

FRAME SIZE	15.5" (S)	17.5" (M)	19" (L)	21" (XL)
WHEEL SIZE	29	29	29	29
BB DROP (MM)	42	42	42	42
SEAT TUBE LENGTH (MM)	393	431	482	533
EFFECTIVE TOP TUBE LENGTH (MM)	580	605	625	645
STACK HEIGHT (MM)	583	593	602	611
REACH (MM)	439	460	478	496
SEAT TUBE ANGLE	76,3°	76,3°	76,3°	76,3°
HEAD TUBE ANGLE	66,5°	66,5°	66,5°	66,5°
REAR CENTER (MM)	430	430	430	430
HEAD TUBE LENGTH (MM)	90	100	110	120
WHEELBASE (MM)	1153	1179	1200	1222
HANDLEBAR (MM)	760/60	760/60	760/80	760/80
CRANKSET (MM)	170	175	175	175
SEATPOST (MM)	125	125	150	150

Team XF 29 Factory Racing

GLOSS RED CARBON/CHROME

MTB FULL-SUSPENSION / TEAM



COMPUTER VISUALIZATION

CHF 8'999.00

GEOMETRY

FRAME SIZE	15.5" (S)	17.5" (M)	19.0" (L)	21.0" (XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	393	431	482	533
SEAT TUBE ANGLE (DEGREE)	74.9	74.7	74.6	74.5
EFFECTIVE TOP TUBE LENGTH (MM)	584	610	630	650
REACH (MM)	427	449	465	482
STACK HEIGHT (MM)	579	589	597	607
HEAD TUBE LENGTH (MM)	90	100	110	120
HEAD TUBE ANGLE (DEGREE)	68	68	68	68
CHAINSTAY LENGTH (MM)	430	430	430	430
BB DROP (MM)	40	40	40	40
WHEELBASE (MM)	1124	1149	1169	1189
HANDLEBAR WIDTH (MM)	760	760	760	760
STEM LENGTH (MM)	60	60	80	80
CRANK LENGTH (MM)	170	175	175	175
SEAT POST LENGTH (MM)	400	400	400	400

SPECIFICATION

FRAMESET

FRAME Carbon MTB Race Pro SU-01, Advanced Race Geometry, Travel 100 mm, Tapered Head Tube, BB92, 3D alloy one piece link, Carbon swingarm, SR dropout, Boost Thru Axle 12x148 mm, Inner cable routing, Dropped seat post ready

HEAD SET ACROS AZX-220 R4, ZS44/28.6 | ZS56/40, BlockLock 150°, Head set cover

FORK RockShox SID Ultimate Charger RD R, Tapered, DebonAir, 15x110mm axle, 110mm travel

REAR SHOCK Bushing body for RockShox, RockShox SID Ultimate RO, size 190x45mm

COLOUR MATTE CARBON/CHROME/TEAM RED
SIZES 15.5" (S), 17.5" (M), 19.0" (L), 21.0" (XL)

DRIVETRAIN

SHIFTER SRAM AXS ROCKER, 12-speed electronic

REAR DERAILLEUR SRAM XX1

CRANKSET SRAM XX1 Eagle, 34T

CASSETTE SRAM XG, 10-52T

BOTTOM BRACKET SRAM DUB PF MTB92, shell 41x92 mm

CHAIN SRAM X01 Eagle

COMPONENTS

HANDLEBAR ONE1 Carbon, Horizon Bow, 9° backsweep, 7mm rise, 760mm, 31.8mm

STEM ONE1 Race Alloy, 31.8mm, -7°

GRIPS ONE1 VLG-1907D2, ONE1 VLG-1962-11D2, Lock-On

BRAKES SHIMANO XTR BL-M9100/BR-M9100, hydraulic disc brake, SHIMANO XTR BL-M9100/BR-M9110, hydraulic disc brake

SADDLE Fizik Terra Argo X3

SEAT POST SRAM Reverb AXS dropper post, 30.9mm

WHEELS

TIRES Schwalbe Racing Ray Evo LiteSkin TL Easy SuperRace, 29x2.25", ADDIX Speed/ Schwalbe Racing Ralph Evo LiteSkin TL Easy SuperRace, 29x2.25", ADDIX Speed DT

WHEELSET Swiss XRC 1501 Spline DB30; 15x110mm, CENTER LOCK, Tubeless, DT Swiss XRC 1501 Spline DB30; 12x148mm, Sram XD, CENTER LOCK, Tubeless

TEAM XF 29 ELITE

GLOSS CARBON/CHROME

MTB FULL-SUSPENSION / TEAM



COMPUTER VISUALIZATION

CHF 5'899.00

GEOMETRY

FRAME SIZE	15.5" (S)	17.5" (M)	19.0" (L)	21.0" (XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	393	431	482	533
SEAT TUBE ANGLE (DEGREE)	74.9	74.7	74.6	74.5
EFFECTIVE TOP TUBE LENGTH (MM)	584	610	630	650
REACH (MM)	427	449	465	482
STACK HEIGHT (MM)	579	589	597	607
HEAD TUBE LENGTH (MM)	90	100	110	120
HEAD TUBE ANGLE (DEGREE)	68	68	68	68
CHAINSTAY LENGTH (MM)	430	430	430	430
BB DROP (MM)	40	40	40	40
WHEELBASE (MM)	1124	1149	1169	1189
HANDLEBAR WIDTH (MM)	760	760	760	760
STEM LENGTH (MM)	60	60	80	80
CRANK LENGTH (MM)	170	175	175	175
SEAT POST LENGTH (MM)	400	400	400	400

SPECIFICATION

FRAMESET

FRAME Carbon MTB Race Pro SU-01, Advanced Race Geometry, Travel 100 mm, Tapered Head Tube, BB92, 3D alloy one piece link, Carbon swingarm, SR dropout, Boost Thru Axle 12x148 mm, Inner cable routing, Dropped seat post ready

HEAD SET ACROS AZX-220 R4, ZS44/28.6 | ZS56/40, BlockLock 150°, Head set cover

FORK DT Swiss F232 ONE O.D.L., Tapered, 15x110mm axle, remote Lockout, 110mm travel

REAR SHOCK Bushing body for DT Swiss, DT Swiss R 232 ONE, size 190x45mm

COLOUR GLOSS CARBON/CHROME
SIZES 15.5" (S), 17.5" (M), 19.0" (L), 21.0" (XL)

DRIVETRAIN

SHIFTER SHIMANO DEORE XT SL-M8100 RapidFire Plus, 12-speed

REAR DERAILLEUR SHIMANO XT RD-M8100 Shadow Plus

CRANKSET SHIMANO XT FC-M8120 Hollowtech II, 36T

CASSETTE SHIMANO CS-M8100-12, 10-51T

BOTTOM BRACKET CHAIN SHIMANO BB-MT500PA PressFit, shell 41x92mm
SHIMANO DEORE CN-M6100

COMPONENTS

HANDLEBAR ONE1 Race, Horizon Bow, 9° backsweep, 5mm rise, 760mm, 31.8mm

STEM ONE1 Race Alloy, 31.8mm, -7°

GRIPS ONE1 VLG-1907D2, ONE1 VLG-1962-11D2, Lock-On

BRAKES SHIMANO XT BL-M8100/BR-M8100, hydraulic disc brake, SHIMANO XT BL-M8100/BR-M8110, hydraulic disc brake

SADDLE Saddle

SEAT POST ONE1 Alloy, MT171, dropper post, 30.9mm

WHEELS

TIRES Schwalbe Racing Ray Performance TL-Ready, 29x2.25", ADDIX/ Schwalbe Racing Ralph Performance TL-Ready, 29x2.25", ADDIX Speedgrip

WHEELSET DT Swiss XM 1700 Spline DB30; 12x148mm, CENTER LOCK, Tubeless, DT Swiss XM 1700 Spline DB30; 15x110mm, CENTER LOCK, Tubeless

XF 979 RC

MATTE CARBON/STEALTH CHROME

MTB FULL-SUSPENSION / RACE



COMPUTER VISUALIZATION

CHF 4'999.00

GEOMETRY

FRAME SIZE	15.5" (S)	17.5" (M)	19.0" (L)	21.0" (XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	393	431	482	533
SEAT TUBE ANGLE (DEGREE)	74.9	74.7	74.6	74.5
EFFECTIVE TOP TUBE LENGTH (MM)	584	610	630	650
REACH (MM)	427	449	465	482
STACK HEIGHT (MM)	579	589	597	607
HEAD TUBE LENGTH (MM)	90	100	110	120
HEAD TUBE ANGLE (DEGREE)	68	68	68	68
CHAINSTAY LENGTH (MM)	430	430	430	430
BB DROP (MM)	40	40	40	40
WHEELBASE (MM)	1124	1149	1169	1189
HANDLEBAR WIDTH (MM)	760	760	760	760
STEM LENGTH (MM)	60	60	80	80
CRANK LENGTH (MM)	170	175	175	175
SEAT POST LENGTH (MM)	400	400	400	400

SPECIFICATION

FRAMESET

FRAME Carbon MTB Race Pro SU-01, Advanced Race Geometry, Travel 100 mm, Tapered Head Tube, BB92, 3D alloy one piece link, Carbon swingarm, SR dropout, Boost Thru Axle 12x148 mm, Inner cable routing, Dropped seat post ready

HEAD SET Head set cover, ACROS AZX-220 R4, ZS44/28.6 | ZS56/40, BlockLock 150°

FORK DT Swiss F232 ONE O.D.L., Tapered, 15x110mm axle, remote Lockout, 110mm travel

REAR SHOCK Bushing body for DT Swiss, DT Swiss R 232 ONE, size 190x45mm

COLOUR SIZES MATTE CARBON/STEALTH CHROME
15.5" (S), 17.5" (M), 19.0" (L), 21.0" (XL)

DRIVETRAIN

SHIFTER SHIMANO SLX SL-M7100-IR RapidFire Plus, 12-speed

REAR DERAILLEUR SHIMANO XT RD-M8100 Shadow Plus

CRANKSET SHIMANO XT FC-M8120 Hollowtech II, 36T

CASSETTE SHIMANO CS-M7100-12, 10-51T

BOTTOM BRACKET SHIMANO BB-MT500PA PressFit, shell 41x92mm

CHAIN SHIMANO DEORE CN-M6100

COMPONENTS

HANDLEBAR ONE1 Race, Horizon Bow, 9° backsweep, 5mm rise, 760mm, 31.8mm

STEM ONE1 Race Alloy, 31.8mm, -7°

GRIPS ONE1 VLG-1907D2, ONE1 VLG-1962-11D2, Lock-On

BRAKES SHIMANO XT BL-M8100/BR-M8100, hydraulic disc brake, SHIMANO XT BL-M8100/BR-M8110, hydraulic disc brake

SADDLE Saddle

SEAT POST ONE1 Alloy, MT171, dropper post, 30.9mm

WHEELS

TIRES Schwalbe Racing Ray Performance TL-Ready, 29x2.25", ADDIX/ Schwalbe Racing Ralph Performance TL-Ready, 29x2.25", ADDIX Speedgrip

WHEELSET DT Swiss M 1900 Spline DB30; 12x148mm, CENTER LOCK, Tubeless, DT Swiss M 1900 Spline DB30; 15x110mm, CENTER LOCK, Tubeless

XF 929 RC

GLOSS DARK RED/HOLOGRAM CHROME

MTB FULL-SUSPENSION / RACE



COMPUTER VISUALIZATION

CHF 4'199.00

GEOMETRY

FRAME SIZE	15.5" (S)	17.5" (M)	19.0" (L)	21.0" (XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	393	431	482	533
SEAT TUBE ANGLE (DEGREE)	74.9	74.7	74.6	74.5
EFFECTIVE TOP TUBE LENGTH (MM)	584	610	630	650
REACH (MM)	427	449	465	482
STACK HEIGHT (MM)	579	589	597	607
HEAD TUBE LENGTH (MM)	90	100	110	120
HEAD TUBE ANGLE (DEGREE)	68	68	68	68
CHAINSTAY LENGTH (MM)	430	430	430	430
BB DROP (MM)	40	40	40	40
WHEELBASE (MM)	1124	1149	1169	1189
HANDLEBAR WIDTH (MM)	760	760	760	760
STEM LENGTH (MM)	60	60	80	80
CRANK LENGTH (MM)	170	175	175	175
SEAT POST LENGTH (MM)	400	400	400	400

SPECIFICATION

FRAMESET

FRAME Carbon MTB Race Pro SU-01, Advanced Race Geometry, Travel 100 mm, Tapered Head Tube, BB92, 3D alloy one piece link, Carbon swingarm, SR dropout, Boost Thru Axle 12x148 mm, Inner cable routing, Dropped seat post ready

HEAD SET ACROS AZX-220 R4, ZS44/28.6 | ZS56/40, BlockLock 150°, Head set cover

FORK RockShox Recon Silver RL R, Tapered, SoloAir, 15x110mm axle, 100mm travel

REAR SHOCK Bushing body for DT Swiss, DT Swiss R 232 ONE, size 190x45mm

COLOUR SIZES GLOSS DARK RED/HOLOGRAM CHROME
15.5" (S), 17.5" (M), 19.0" (L), 21.0" (XL)

DRIVETRAIN

SHIFTER SHIMANO DEORE SL-M6100-IR RapidFire Plus, 12-speed

REAR DERAILLEUR SHIMANO DEORE RD-M6100 Shadow Plus

CRANKSET SHIMANO FC-MT510, 34T

CASSETTE SHIMANO CS-M6100-12, 10-51T

BOTTOM BRACKET SHIMANO BB-MT500PA PressFit, shell 41x92mm

CHAIN SHIMANO DEORE CN-M6100

COMPONENTS

HANDLEBAR ONE1 Race, Horizon Bow, 9° backsweep, 5mm rise, 760mm, 31.8mm

STEM ONE1 Race Alloy, 31.8mm, -7°

GRIPS ONE1 VLG-1907D2, ONE1 VLG-1962-11D2, Lock-On

BRAKES SHIMANO BL-M4100/BR-MT410, hydraulic disc brake

SADDLE Saddle

SEAT POST ONE1 Race Alloy, SP 218, 30.9mm

WHEELS

FRONT HUB SHIMANO HB-MT410-B, 32H, CENTER LOCK, 15x110mm THRU Type AXLE

REAR HUB SHIMANO FH-MT410-B, 32H, CENTER LOCK, 12x148mm THRU Type AXLE

RIMS Stars J30D, 32H

TIRES Schwalbe Racing Ralph Performance, 29x2.25", ADDIX

SPOKES Sapim Leader, Stainless Black

XF 919 RC

GLOSS WHITE METALLIC/HOLOGRAM BLACK

MTB FULL-SUSPENSION / RACE



CHF 2'899.00

GEOMETRY

FRAME SIZE	15.5" (S)	17.5" (M)	19.0" (L)	21.0" (XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	393	431	482	533
SEAT TUBE ANGLE (DEGREE)	75	75	75	75
EFFECTIVE TOP TUBE LENGTH (MM)	584	610	630	650
REACH (MM)	422	444	464	480
STACK HEIGHT (MM)	587	596	596	606
HEAD TUBE LENGTH (MM)	90	100	100	110
HEAD TUBE ANGLE (DEGREE)	67	67	67	67
CHAINSTAY LENGTH (MM)	432	432	432	432
BB DROP (MM)	30	30	30	30
WHEELBASE (MM)	1147	1173	1193	1213
HANDLEBAR WIDTH (MM)	760	760	760	760
STEM LENGTH (MM)	60	60	80	80
CRANK LENGTH (MM)	170	175	175	175
SEAT POST LENGTH (MM)	400	400	400	400

SPECIFICATION

FRAMESET

FRAME Alu X6 Ultralite MTB Trail SU-02, Advanced Geometry, Travel 130 mm, Tapered Head Tube, BB92, 3D alloy one piece link, Alloy swingarm, SR dropout, Boost 12x148 mm, Inner cable routing, Dropped seat post ready

HEAD SET Head set cover, ACROS AZX-212 R5,ZS44/28.6 | ZS56/40

FORK RockShox Recon Silver RL R, Tapered, SoloAir, 15x110mm axle, 100mm travel

REAR SHOCK Bushing body for DT Swiss, DT Swiss R 232 ONE, size 190x45mm

COLOUR SIZES GLOSS WHITE METALLIC/HOLOGRAM BLACK
15.5" (S), 17.5" (M), 19.0" (L), 21.0" (XL)

DRIVETRAIN

SHIFTER SHIMANO DEORE SL-M6100-IR RapidFire Plus, 12-speed

REAR DERAILLEUR SHIMANO DEORE RD-M6100 Shadow Plus

CRANKSET SHIMANO FC-MT510, 34T

CASSETTE SHIMANO CS-M6100-12, 10-51T

BOTTOM BRACKET SHIMANO BB-MT500PA PressFit, shell 41x92mm

CHAIN SHIMANO DEORE CN-M6100

COMPONENTS

HANDLEBAR ONE1 Race, Horizon Bow, 9° backsweep, 5mm rise, 760mm, 31.8mm

STEM ONE1 Race Alloy, 31.8mm, -7°

GRIPS Velo VLG-2013-11D2

BRAKES SHIMANO BL-M4100/BR-MT410, hydraulic disc brake

SADDLE Saddle

SEAT POST ONE1 Race Alloy, SP 218, 30.9mm

WHEELS

FRONT HUB SHIMANO HB-MT410-B, 32H, CENTER LOCK, 15x110mm THRU Type AXLE

REAR HUB SHIMANO FH-MT410-B, 32H, CENTER LOCK, 12x148mm THRU Type AXLE

RIMS Stars J30D, 32H

TIRES Schwalbe Racing Ralph Performance, 29x2.25", ADDIX

SPOKES Sapim Leader, Stainless Black

superior.



XF 999 TR

MATTE BLACK/OLIVE METALLIC

MTB FULL-SUSPENSION / TRAIL



CHF 5'599.00

GEOMETRY

FRAME SIZE	15.5" (S)	17.5" (M)	19.0" (L)	21.0" (XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	393	431	482	533
SEAT TUBE ANGLE (DEGREE)	74	74	74	74
EFFECTIVE TOP TUBE LENGTH (MM)	584	610	630	650
REACH (MM)	407	429	449	465
STACK HEIGHT (MM)	589	600	608	617
HEAD TUBE LENGTH (MM)	90	100	110	120
HEAD TUBE ANGLE (DEGREE)	66	66	66	66
CHAINSTAY LENGTH (MM)	430	430	430	430
BB DROP (MM)	29	29	29	29
WHEELBASE (MM)	1154	1180	1200	1220
HANDLEBAR WIDTH (MM)	760	760	760	760
STEM LENGTH (MM)	60	70	70	80
CRANK LENGTH (MM)	170	175	175	175
SEAT POST LENGTH (MM)	390/125	390/125	440/150	440/150

SPECIFICATION

FRAMESET

FRAME Carbon MTB Race Pro SU-01, Advanced Race Geometry, Travel 130 mm, Tapered Head Tube, BB92, 3D alloy one piece link, Carbon swingarm, SR dropout, Boost Thru Axle 12x148 mm, Inner cable routing, Dropped seat post ready

HEAD SET ACROS AZX-220 R4, ZS44/28.6 | ZS56/40, BlockLock 150°, Head set cover

FORK RockShox Revelation RC, Tapered, DebonAir, 15x110mm axle, 140mm travel

REAR SHOCK RockShox Monarch RT, size 190x51mm, Bushing body for RockShox

COLOUR SIZES MATTE BLACK/OLIVE METALLIC
15.5" (S), 17.5" (M), 19.0" (L), 21.0" (XL)

DRIVETRAIN

SHIFTER SHIMANO DEORE XT SL-M8100 RapidFire Plus, 12-speed

REAR DERAILLEUR SHIMANO XT RD-M8100 Shadow Plus

CRANKSET SHIMANO XT FC-M8120 Hollowtech II, 34T

CASSETTE SHIMANO CS-M8100-12, 10-51T

BOTTOM BRACKET CHAIN SHIMANO BB-MT500PA PressFit, shell 41x92mm
SHIMANO DEORE CN-M6100

COMPONENTS

HANDLEBAR ONE1 Alloy, MTB AL-3712BT, 9° backsweep, 12mm rise, 760mm, 35mm

STEM ONE1 TDS-D622 Alloy, 35mm

GRIPS ONE1 VLG-1907D2, ONE1 VLG-1962-11D2, Lock-On

BRAKES SHIMANO BL-M8100/BR-M8120, hydraulic disc brake

SADDLE Saddle

SEAT POST ONE1 Alloy, MT171, dropper post, 30.9mm

WHEELS

TIRES Schwalbe Nobby Nic Evo Super Ground TL Easy, 29x2.35", ADDIX Speedgrip

WHEELSET DT Swiss M 1900 Spline DB30; 12x148mm, CENTER LOCK, Tubeless, DT Swiss M 1900 Spline DB30; 15x110mm, CENTER LOCK, Tubeless

XF 979 TR

MATTE TROOPER GREEN/BLACK

MTB FULL-SUSPENSION / TRAIL



CHF 4'899.00

GEOMETRY

FRAME SIZE	15.5" (S)	17.5" (M)	19.0" (L)	21.0" (XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	393	431	482	533
SEAT TUBE ANGLE (DEGREE)	74	74	74	74
EFFECTIVE TOP TUBE LENGTH (MM)	584	610	630	650
REACH (MM)	407	429	449	465
STACK HEIGHT (MM)	589	600	608	617
HEAD TUBE LENGTH (MM)	90	100	110	120
HEAD TUBE ANGLE (DEGREE)	66	66	66	66
CHAINSTAY LENGTH (MM)	430	430	430	430
BB DROP (MM)	29	29	29	29
WHEELBASE (MM)	1154	1180	1200	1220
HANDLEBAR WIDTH (MM)	760	760	760	760
STEM LENGTH (MM)	60	70	70	80
CRANK LENGTH (MM)	170	175	175	175
SEAT POST LENGTH (MM)	390/125	390/125	440/150	440/150

SPECIFICATION

FRAMESET

FRAME Carbon MTB Race Pro SU-01, Advanced Race Geometry, Travel 130 mm, Tapered Head Tube, BB92, 3D alloy one piece link, Carbon swingarm, SR dropout, Boost Thru Axle 12x148 mm, Inner cable routing, Dropped seat post ready

HEAD SET ACROS AZX-220 R4, ZS44/28.6 | ZS56/40, BlockLock 150°, Head set cover

FORK RockShox Revelation RC, Tapered, DebonAir, 15x110mm axle, 140mm travel

REAR SHOCK RockShox Monarch RT, size 190x51mm, Bushing body for RockShox

COLOUR SIZES MATTE TROOPER GREEN/BLACK
15.5" (S), 17.5" (M), 19.0" (L), 21.0" (XL)

DRIVETRAIN

SHIFTER SHIMANO SLX SL-M7100-IR RapidFire Plus, 12-speed

REAR DERAILLEUR SHIMANO XT RD-M8100 Shadow Plus

CRANKSET SHIMANO SLX FC-M7120 Hollowtech II, 34T

CASSETTE SHIMANO CS-M7100-12, 10-51T

BOTTOM BRACKET SHIMANO BB-MT500PA PressFit, shell 41x92mm

CHAIN SHIMANO DEORE CN-M6100

COMPONENTS

HANDLEBAR ONE1 Alloy, MTB AL-3712BT, 9° backsweep, 12mm rise, 760mm, 35mm

STEM ONE1 TDS-D622 Alloy, 35mm

GRIPS ONE1 VLG-1907D2, ONE1 VLG-1962-11D2, Lock-On

BRAKES SHIMANO BL-M6100/BR-M6120, hydraulic disc brake

SADDLE Saddle

SEAT POST ONE1 Alloy, MT171, dropper post, 30.9mm

WHEELS

TIRES Schwalbe Nobby Nic Performance, 29x2.40", ADDIX

WHEELSET DT Swiss M 1900 Spline DB30; 12x148mm, CENTER LOCK, Tubeless, DT Swiss M 1900 Spline DB30; 15x110mm, CENTER LOCK, Tubeless

XF 929 TR

GLOSS GREY/COPPER



CHF 4'399.00

GEOMETRY

FRAME SIZE	15.5" (S)	17.5" (M)	19.0" (L)	21.0" (XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	393	431	482	533
SEAT TUBE ANGLE (DEGREE)	74	74	74	74
EFFECTIVE TOP TUBE LENGTH (MM)	584	610	630	650
REACH (MM)	407	429	449	465
STACK HEIGHT (MM)	589	600	608	617
HEAD TUBE LENGTH (MM)	90	100	110	120
HEAD TUBE ANGLE (DEGREE)	66	66	66	66
CHAINSTAY LENGTH (MM)	430	430	430	430
BB DROP (MM)	29	29	29	29
WHEELBASE (MM)	1154	1180	1200	1220
HANDLEBAR WIDTH (MM)	760	760	760	760
STEM LENGTH (MM)	60	70	70	80
CRANK LENGTH (MM)	170	175	175	175
SEAT POST LENGTH (MM)	390/125	390/125	440/150	440/150

SPECIFICATION

FRAMESET

FRAME	Carbon MTB Race Pro SU-01, Advanced Race Geometry, Travel 130 mm, Tapered Head Tube, BB92, 3D alloy one piece link, Carbon swingarm, SR dropout, Boost Thru Axle 12x148 mm, Inner cable routing, Dropped seat post ready
HEAD SET FORK	ACROS AZX-220 R4, ZS44/28.6 ZS56/40, BlockLock 150° RockShox Revelation RC, Tapered, DebonAir, 15x110mm axle, 140mm travel
REAR SHOCK	RockShox Monarch RT, size 190x51mm, Bushing body for RockShox
COLOUR	GLOSS GREY/COPPER
SIZES	15.5" (S), 17.5" (M), 19.0" (L), 21.0" (XL)

DRIVETRAIN

SHIFTER	SHIMANO DEORE SL-M6100-IR RapidFire Plus, 12-speed
REAR DERAILLEUR	SHIMANO DEORE RD-M6100 Shadow Plus
CRANKSET	SHIMANO FC-MT510, 32T
CASSETTE	SHIMANO CS-M6100-12, 10-51T
BOTTOM BRACKET CHAIN	SHIMANO BB-MT500PA PressFit, shell 41x92mm SHIMANO DEORE CN-M6100

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB AL-3712BT, 9° backsweep, 12mm rise, 760mm, 35mm
STEM	ONE1 TDS-D622 Alloy, 35mm
GRIPS	Velo VLG-2013-11D2
BRAKES	SHIMANO BL-M6100/BR-M6120, hydraulic disc brake
SADDLE	Saddle
SEAT POST	ONE1 Alloy, MT171, dropper post, 30.9mm

WHEELS

FRONT HUB	SHIMANO HB-MT410-B, 32H, CENTER LOCK, 15x110mm THRU Type AXLE
REAR HUB	SHIMANO FH-MT410-B, 32H, CENTER LOCK, 12x148mm THRU Type AXLE
RIMS	Stars J30D, 32H
TIRES	Schwalbe Nobby Nic Performance, 29x2.40", ADDIX Sapim Leader, Stainless Black
SPOKES	

XF 6.6 DC

Matte Green Grey

MTB FULL-SUSPENSION / XF TR



CHF 3'799.00

SPECIFICATION

ISO AND ASTM NORM

ISO norm	ISO 4210-2 MTB bicycles
ASTM norm	ASTM 3 For rough Off-Road riding and jumps less than 61cm (24")

FRAMESET

FRAME	Alu X6 Ultimate MTB Trail SU-02.2, Advanced Geometry Travel 130 mm, Integrated Cable Routing, BB92, 3D alloy one piece link, Alloy swingarm, SR dropout, Boost 12x148 mm, Inner cable routing, Dropped seat post ready.
SUSPENSION FORK	RockShox PIKE Select Charger RC, Tapered, DebonAir+, 15x110mm axle, 130mm travel
REAR SHOCK	RockShox Deluxe Select+ RT, size 190x45mm
BOTTOM BRACKET	SHIMANO BB-MT500PA, PressFit, shell 41x92mm
HEADSET	ACROS AZX-1052, ICR, ZS56/28.6 - ZS56/40, BlockLock 150°
REAR AXLE	SB01, TA12x175.5, M12xP1.0x14.5mm, Black

DRIVETRAIN

SHIFTERS RIGHT	SHIMANO SLX SL-M7100-IR, RAPIDFIRE Plus, 12-speed
REAR DERAILLEUR	SHIMANO XT RD-M8100, Shadow Plus Design
CRANKSET	SHIMANO SLX FC-M7120, Hollowtech II, 34T
CASSETTE	SHIMANO SLX CS-M7101, 12-speed, 10-51T
CHAIN	SHIMANO DEORE CN-M6100

BRAKING SYSTEM

BRAKE FRONT	SHIMANO MT420, 4 piston, hydraulic disc brake
ROTOR FRONT	SHIMANO SM-RT54, 180mm
BRAKE REAR	SHIMANO MT420, 4 piston, hydraulic disc brake
ROTOR REAR	SHIMANO SM-RT54, 180mm

WHEELS

HUB FRONT	SHIMANO HB-TC500-15-B, 32H, CL, 15x110mm, THRU Type AXLE
RIM FRONT	WTB, KOM LIGHT TEAM i30, Disc, 32H, Tubeless Ready
TYRE FRONT	Schwalbe Wicked Will Performance, 29x2.40", ADDIX
HUB REAR	SHIMANO FH-TC500-MS-B, 32H, CL, 12X148mm, THRU Type AXLE
RIM REAR	WTB, KOM LIGHT TEAM i30, Disc, 32H, Tubeless Ready
TYRE REAR	Schwalbe Wicked Will Performance, 29x2.40", ADDIX
SPOKES	SAPIM Leader, Stainless Black
NIPPLES	SAPIM, Alloy

COCKPIT

STEM	ONE ICR, Alloy, 35mm, 0°
HANDLEBAR	ONE Alloy, 12mm rise, 760mm, 35mm
GRIPS LEFT	ONE Sport, Lock-On
GRIPS RIGHT	ONE Sport, Lock-On

PARTS

SADDLE	Fizik Ridon X5, Alloy
SEAT POST LEVER	SHIMANO SL-MT500-L, Seat post lever
SEATPOST	ONE Sport Dropper Post, Alloy, 30.9mm
SEAT POST CLAMP	ONE CC-080A, 34.9mm, Black

GEOMETRY

FRAME SIZE	15.5" (S)	17.5" (M)	19" (L)	21" (XL)
WHEEL SIZE	29	29	29	29
BB DROP (MM)	35	35	35	35
SEAT TUBE LENGTH (MM)	368	431	482	533
EFFECTIVE TOP TUBE LENGTH (MM)	583	609	629	649
STACK HEIGHT (MM)	590	600	609	618
REACH (MM)	428	451	469	487
SEAT TUBE ANGLE	75,3°	75,3°	75,3°	75,3°
HEAD TUBE ANGLE	65,6°	65,6°	65,6°	65,6°
REAR CENTER (MM)	430	430	430	430
HEAD TUBE LENGTH (MM)	90	100	110	120
WHEELBASE (MM)	1160	1187	1209	1230
STEM (MM)	35	50	50	50
HANDLEBAR (MM)	760	760	760	760
CRANKSET (MM)	170	175	175	175
SEATPOST (MM)	125	125	150	150

XF 6.2 DC

Gloss Olive

MTB FULL-SUSPENSION / XF TR



CHF 3'199.00

SPECIFICATION

ISO AND ASTM NORM

ISO norm	ISO 4210-2 MTB bicycles
ASTM norm	ASTM 3 For rough Off-Road riding and jumps less than 61cm (24")

FRAMESET

FRAME	Alu X6 Ultimate MTB Trail SU-02.2, Advanced Geometry Travel 130 mm, Integrated Cable Routing, BB92, 3D alloy one piece link, Alloy swingarm, SR dropout, Boost 12x148 mm, Inner cable routing, Dropped seat post ready.
SUSPENSION FORK	RockShox 35 Silver TK, Tapered, SoloAir, 15x110mm axle, 130mm travel
REAR SHOCK	RockShox Deluxe Select+ RT, size 190x45mm
BOTTOM BRACKET	SHIMANO BB-MT500PA, PressFit, shell 41x92mm
HEADSET	ACROS AZX-1052, ICR, ZS56/28.6 - ZS56/40, BlockLock 150°
REAR AXLE	SB01, TA12x175.5, M12xP1.0x14.5mm, Black

DRIVETRAIN

SHIFTERS RIGHT	SHIMANO DEORE SL-M6100-R, RAPIDFIRE Plus, 12-speed
REAR DERAILLEUR	SHIMANO DEORE RD-M6100, Shadow Plus Design
CRANKSET	SHIMANO FC-MT510, 34T
CASSETTE	SHIMANO DEORE CS-M6100, 12-speed, 10-51T
CHAIN	SHIMANO DEORE CN-M6100

BRAKING SYSTEM

BRAKE FRONT	SHIMANO MT420, 4 piston, hydraulic disc brake
ROTOR FRONT	SHIMANO SM-RT30, 180mm
BRAKE REAR	SHIMANO MT420, 4 piston, hydraulic disc brake
ROTOR REAR	SHIMANO SM-RT30, 180mm

WHEELS

HUB FRONT	SHIMANO HB-TC500-15-B, 32H, CL, 15x110mm, THRU Type AXLE
RIM FRONT	WTB, KOM LIGHT TEAM i30, Disc, 32H, Tubeless Ready
TYRE FRONT	Schwalbe Wicked Will Performance, 29x2.40", ADDIX
HUB REAR	SHIMANO FH-TC500-MS-B, 32H, CL, 12X148mm, THRU Type AXLE
RIM REAR	WTB, KOM LIGHT TEAM i30, Disc, 32H, Tubeless Ready
TYRE REAR	Schwalbe Wicked Will Performance, 29x2.40", ADDIX
SPOKES	SAPIM Leader, Stainless Black
NIPPLES	SAPIM, Alloy

COCKPIT

STEM	ONE ICR, Alloy, 35mm, 0°
HANDLEBAR	ONE Alloy, 12mm rise, 760mm, 35mm
GRIPS LEFT	ONE Sport, Lock-On
GRIPS RIGHT	ONE Sport, Lock-On

PARTS

SADDLE	Fizik Ridon X5, Alloy
SEAT POST LEVER	SHIMANO SL-MT500-L, Seat post lever
SEATPOST	ONE Sport Dropper Post, Alloy, 30.9mm
SEAT POST CLAMP	ONE CC-080A, 34.9mm, Black

GEOMETRY

FRAME SIZE	15.5" (S)	17.5" (M)	19" (L)	21" (XL)
WHEEL SIZE	29	29	29	29
BB DROP (MM)	35	35	35	35
SEAT TUBE LENGTH (MM)	368	431	482	533
EFFECTIVE TOP TUBE LENGTH (MM)	583	609	629	649
STACK HEIGHT (MM)	590	600	609	618
REACH (MM)	428	451	469	487
SEAT TUBE ANGLE	75,3°	75,3°	75,3°	75,3°
HEAD TUBE ANGLE	65,6°	65,6°	65,6°	65,6°
REAR CENTER (MM)	430	430	430	430
HEAD TUBE LENGTH (MM)	90	100	110	120
WHEELBASE (MM)	1160	1187	1209	1230
STEM (MM)	35	50	50	50
HANDLEBAR (MM)	760	760	760	760
CRANKSET (MM)	170	175	175	175
SEATPOST (MM)	125	125	150	150

superior.



XP 979

MATTE CARBON/STEALTH CHROME

MTB HARDTAIL / RACE



COMPUTER VISUALIZATION

CHF 3'299.00

GEOMETRY

FRAME SIZE	15.5" (S)	17.5" (M)	19.0" (L)	21.0" (XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	393	431	482	533
SEAT TUBE ANGLE (DEGREE)	74	74	74	74
EFFECTIVE TOP TUBE LENGTH (MM)	595	620	640	655
REACH (MM)	425	428	465	477
STACK HEIGHT (MM)	591	602	611	620
HEAD TUBE LENGTH (MM)	90	100	110	120
HEAD TUBE ANGLE (DEGREE)	69	69	69	69
CHAINSTAY LENGTH (MM)	432	432	432	432
BB DROP (MM)	55	55	55	55
WHEELBASE (MM)	1107	1133	1154	1169
HANDLEBAR WIDTH (MM)	760	760	760	760
STEM LENGTH (MM)	60	60	80	80
CRANK LENGTH (MM)	170	175	175	175
SEAT POST LENGTH (MM)	400	400	400	400

SPECIFICATION

FRAMESET

FRAME Carbon MTB Race Pro Mid Modulus, Race Geometry, Tapered Head Tube, BB92, SR dropout, Boost Thru Axle 12x148 mm, Inner Cable Routing

HEAD SET ACROS AZX-220 R4, ZS44/28.6 | ZS56/40, BlockLock 150°, Head set cover

FORK DT Swiss F232 ONE O.D.L., Tapered, 15x110mm axle, remote Lockout, 100mm travel

COLOUR MATTE CARBON/STEALTH CHROME

SIZES 15.5" (S), 17.5" (M), 19.0" (L), 21.0" (XL)

DRIVETRAIN

SHIFTER SHIMANO SLX SL-M7100-IR RapidFire Plus, 12-speed

REAR DERAILLEUR SHIMANO XT RD-M8100 Shadow Plus

CRANKSET SHIMANO XT FC-M8100 Hollowtech II, 34T

CASSETTE SHIMANO CS-M7100-12, 10-51T

BOTTOM BRACKET SHIMANO BB-MT500PA PressFit, shell 41x92mm

CHAIN SHIMANO DEORE CN-M6100

COMPONENTS

HANDLEBAR ONE1 Race, Horizon Bow, 9° backsweep, 5mm rise, 760mm, 31.8mm

STEM ONE1 Race Alloy, 31.8mm, -7°

GRIPS ONE1 VLG-1907D2, ONE1 VLG-1962-11D2, Lock-On

BRAKES SHIMANO XT BL-M8100/BR-M8100, hydraulic disc brake, SHIMANO XT BL-M8100/BR-M8110, hydraulic disc brake

SADDLE Saddle

SEAT POST ONE1 Race Carbon, PMP12, 27.2mm

WHEELS

TIRES Schwalbe Racing Ray Performance TL-Ready, 29x2.25", ADDIX/ Schwalbe Racing Ralph Performance TL-Ready, 29x2.25", ADDIX Speedgrip

WHEELSET DT Swiss X 1900 Spline DB25; 12x148mm, CENTER LOCK, Tubeless, DT Swiss X 1900 Spline DB25; 15x110mm, CENTER LOCK, Tubeless

XP 9.2

Gloss Berry Carbon

MTB HARDTAIL / XP



COMPUTER VISUALIZATION

CHF 2'199.00

SPECIFICATION

ISO AND ASTM NORM

ISO norm	ISO 4210-2 MTB bicycles
ASTM norm	ASTM 3 For rough Off-Road riding and jumps less than 61cm (24")

FRAMESET

FRAME	Carbon MTB Mid Modulus, Advanced Race Geometry, Conical Head Tube, BB92, SH dropout, Thru Axle Boost 12x148mm, Inner cable routing
SUSPENSION FORK	RockShox Recon Silver RL R, Tapered, SoloAir, 15x110mm axle, 100mm travel
BOTTOM BRACKET	SHIMANO BB-MT500PA, PressFit, shell 41x92mm
HEADSET	ACROS AZX-220 R4, ZS44/28.6 - ZS56/40, BlockLock 150°
REAR AXLE	SB01, TA12x171.5, M12xP1.5x15.5L, Black

DRIVETRAIN

SHIFTERS RIGHT	SHIMANO DEORE SL-M6100-IR, RAPIDFIRE Plus, 12-speed
REAR DERAILLEUR	SHIMANO DEORE RD-M6100, Shadow Plus Design
CRANKSET	SHIMANO FC-MT510, 34T
CASSETTE	SHIMANO DEORE CS-M6100, 12-speed, 10-51T
CHAIN	SHIMANO DEORE CN-M6100

BRAKING SYSTEM

BRAKE FRONT	SHIMANO MT410, hydraulic disc brake
ROTOR FRONT	SHIMANO SM-RT30, 180mm
BRAKE REAR	SHIMANO MT410, hydraulic disc brake
ROTOR REAR	SHIMANO SM-RT30, 180mm

WHEELS

HUB FRONT	SHIMANO HB-TC500-15-B, 32H, CL, 15x110mm, THRU Type AXLE
RIM FRONT	STARS J25D, Disc, 32H
TYRE FRONT	Schwalbe Racing Ralph Performance, 29x2.25", ADDIX
HUB REAR	SHIMANO FH-TC500-MS-B, 32H, CL, 12X148mm, THRU Type AXLE
RIM REAR	STARS J25D, Disc, 32H
TYRE REAR	Schwalbe Racing Ralph Performance, 29x2.25", ADDIX
SPOKES	SAPIM Laser/Race, Stainless Black
NIPPLES	SAPIM, Alloy

COCKPIT

STEM	ONE Race, Alloy, 31,8mm, -7°
HANDLEBAR	ONE Race, Alloy, 5mm rise, 760mm, 31.8mm
GRIPS LEFT	ONE Sport, Lock-On
GRIPS RIGHT	ONE Sport, Lock-On

PARTS

SADDLE	Fizik Terra Aidon X5, Alloy
SEATPOST	ONE Race, Alloy, 27.2mm
SEAT POST CLAMP	ONE CC-904A, 31,8mm, Full CNC mached, Black

GEOMETRY

FRAME SIZE	15.5" (S)	17.5" (M)	19.0" (L)	21.0" (XL)
WHEEL SIZE	29	29	29	29
BB DROP (MM)	55	55	55	55
SEAT TUBE LENGTH (MM)	393	431	482	533
EFFECTIVE TOP TUBE LENGTH (MM)	595	620	640	655
STACK HEIGHT (MM)	591	602	611	620
REACH (MM)	425	428	465	477
SEAT TUBE ANGLE	74°	74°	74°	74°
HEAD TUBE ANGLE	69°	69°	69°	69°
REAR CENTER (MM)	432	432	432	432
HEAD TUBE LENGTH (MM)	90	100	110	120
WHEELBASE (MM)	1107	1133	1154	1169
STEM (MM)	60	60	80	80
HANDLEBAR (MM)	760	760	760	760
CRANKSET (MM)	170	175	175	175

XP 939

BRUSHED ALU/HOLOGRAM CHROME

MTB HARDTAIL / RACE



CHF 1'999.00

GEOMETRY

FRAME SIZE	15.5" (S)	17.5" (M)	19.0" (L)	21.0" (XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	393	431	482	533
SEAT TUBE ANGLE (DEGREE)	74	74	74	74
EFFECTIVE TOP TUBE LENGTH (MM)	585	610	630	650
REACH (MM)	415	437	455	472
STACK HEIGHT (MM)	591	600	609	619
HEAD TUBE LENGTH (MM)	90	100	110	120
HEAD TUBE ANGLE (DEGREE)	69	69	69	69
CHAINSTAY LENGTH (MM)	440	440	440	440
BB DROP (MM)	55	55	55	55
WHEELBASE (MM)	1105	1130	1151	1172
HANDLEBAR WIDTH (MM)	760/720	760/720	760/720	760/720
STEM LENGTH (MM)	60	60	80	80
CRANK LENGTH (MM)	170	175	175	175
SEAT POST LENGTH (MM)	400	400	400	400

SPECIFICATION

FRAMESET

FRAME	Alu X6 Ultralite, Race Geometry, Conical Head Tube, BB92, Boost Thru axle 148x12mm, Inner cable routing
HEAD SET	Head set cover, ACROS AZX-212 R5,ZS44/28.6 ZS56/40
FORK	RockShox Recon Silver RL R, Tapered, SoloAir, 15x110mm axle, 100mm travel
COLOUR	BRUSHED ALU/HOLOGRAM CHROME
SIZES	15.5" (S), 17.5" (M), 19.0" (L), 21.0" (XL)

DRIVETRAIN

SHIFTER	SHIMANO SLX SL-M7100-IR RapidFire Plus, 12-speed
REAR DERAILLEUR	SHIMANO XT RD-M8100 Shadow Plus
CRANKSET	SHIMANO XT FC-M8100 Hollowtech II, 34T
CASSETTE	SHIMANO CS-M7100-12, 10-51T
BOTTOM BRACKET	SHIMANO BB-MT500PA PressFit, shell 41x92mm
CHAIN	SHIMANO DEORE CN-M6100

COMPONENTS

HANDLEBAR	ONE1 Race, Horizon Bow, 9° backsweep, 5mm rise, 760mm, 31.8mm
STEM	ONE1 Race Alloy, 31.8mm, -7°
GRIPS	Velo VLG-2013-11D2
BRAKES	SHIMANO BL-M4100/BR-MT410, hydraulic disc brake
SADDLE	Saddle
SEAT POST	ONE1 Race Alloy, SP 218, 27.2mm

WHEELS

FRONT HUB	SHIMANO HB-MT410-B, 32H, CENTER LOCK, 15x110mm THRU Type AXLE
REAR HUB	SHIMANO FH-MT410-B, 32H, CENTER LOCK, 12x148mm THRU Type AXLE
RIMS	Stars J25DH, 32H
TIRES	Schwalbe Racing Ralph Performance, 29x2.25", ADDIX
SPOKES	Sapim Laser, Stainless Black/ Sapim Laser/ Sapim Race, Stainless Black

XP 919

GLOSS BLACK RAINBOW/HOLOGRAM CHROME

MTB HARDTAIL / RACE



CHF 1'599.00

GEOMETRY

FRAME SIZE	15.5" (S)	17.5" (M)	19.0" (L)	21.0" (XL)	23.0" (XXL)
WHEEL SIZE	29	29	29	29	29
SEAT TUBE LENGTH (MM)	393	431	482	533	584
SEAT TUBE ANGLE (DEGREE)	74	74	74	74	74
EFFECTIVE TOP TUBE LENGTH (MM)	585	610	630	650	673
REACH (MM)	415	437	455	472	493
STACK HEIGHT (MM)	591	600	609	619	628
HEAD TUBE LENGTH (MM)	90	100	110	120	130
HEAD TUBE ANGLE (DEGREE)	69	69	69	69	69
CHAINSTAY LENGTH (MM)	440	440	440	440	440
BB DROP (MM)	55	55	55	55	55
WHEELBASE (MM)	1105	1130	1151	1172	1196,6
HANDLEBAR WIDTH (MM)	760	760	760	760	760
STEM LENGTH (MM)	60	60	80	80	80
CRANK LENGTH (MM)	170	175	175	175	175
SEAT POST LENGTH (MM)	400	400	400	400	400

SPECIFICATION

FRAMESET

FRAME Alu X6 Ultralite, Race Geometry, Conical Head Tube, BB92, Boost Thru axle 148x12mm, Inner cable routing

HEAD SET Head set cover, ACROS AZX-212 R5,ZS44/28.6 | ZS56/40

FORK RockShox Judy Silver TK R, Tapered, SoloAir, 15x110mm axle, 100mm travel

COLOUR SIZES GLOSS BLACK RAINBOW/HOLOGRAM CHROME 15.5" (S), 17.5" (M), 19.0" (L), 21.0" (XL), 23.0" (XXL)

DRIVETRAIN

SHIFTER SHIMANO DEORE SL-M6100-IR RapidFire Plus, 12-speed

REAR DERAILLEUR SHIMANO SLX RD-M7100 Shadow Plus

CRANKSET SHIMANO FC-MT510, 34T

CASSETTE SHIMANO CS-M6100-12, 10-51T

BOTTOM BRACKET CHAIN SHIMANO BB-MT500PA PressFit, shell 41x92mm SHIMANO DEORE CN-M6100

COMPONENTS

HANDLEBAR ONE1 Race, Horizon Bow, 9° backsweep, 5mm rise, 760mm, 31.8mm

STEM ONE1 Race Alloy, 31.8mm, -7°

GRIPS Velo VLG-2013-11D2

BRAKES SHIMANO BL-M4100/BR-MT410, hydraulic disc brake

SADDLE Saddle

SEAT POST ONE1 Race Alloy, SP 218, 27.2mm

WHEELS

FRONT HUB SHIMANO HB-MT410-B, 32H, CENTER LOCK, 15x110mm THRU Type AXLE

REAR HUB SHIMANO FH-MT410-B, 32H, CENTER LOCK, 12x148mm THRU Type AXLE

RIMS Stars J25DH, 32H

TIRES Schwalbe Racing Ralph Performance, 29x2.25", ADDIX

SPOKES Sapim Laser, Stainless Black/ Sapim Laser/ Sapim Race, Stainless Black

XP 919

GLOSS DARK RED/HOLOGRAM CHROME



CHF 1'599.00

MTB HARDTAIL / RACE

BENEFITS

- A new generation of triple butted, cutting-edge aluminium frame, BOOST standard hubs, tapered headset, and inner routing
- Lightweight, remote lockout RockShox Judy Silver TK R BOOST fork with a travel of 100 mm
- 1x12 Shimano drivetrain with a large range of gears to suit various terrain patterns
- Schwalbe Racing Ralph tires for a safer and more comfortable ride in rough terrain

GEOMETRY

FRAME SIZE	15.5" (S)	17.5" (M)	19.0" (L)	21.0" (XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	393	431	482	533
SEAT TUBE ANGLE (DEGREE)	74	74	74	74
EFFECTIVE TOP TUBE LENGTH (MM)	585	610	630	650
REACH (MM)	415	437	455	472
STACK HEIGHT (MM)	591	600	609	619
HEAD TUBE LENGTH (MM)	90	100	110	120
HEAD TUBE ANGLE (DEGREE)	69	69	69	69
CHAINSTAY LENGTH (MM)	440	440	440	440
BB DROP (MM)	55	55	55	55
WHEELBASE (MM)	1105	1130	1151	1172
HANDLEBAR WIDTH (MM)	760/720	760/720	760/720	760/720
STEM LENGTH (MM)	60	60	80	80
CRANK LENGTH (MM)	170	175	175	175
SEAT POST LENGTH (MM)	400	400	400	400

SPECIFICATION

FRAMESET

FRAME	Alu X6 Ultralite, Race Geometry, Conical Head Tube, BB92, Boost Thru axle 148x12mm, Inner cable routing
HEAD SET	ACROS AZX-212 R5,ZS44/28.6 ZS56/40
FORK	RockShox Judy Silver TK R, Tapered, SoloAir, 15x110mm axle, 100mm travel
COLOUR	GLOSS DARK RED/HOLOGRAM CHROME
SIZES	15.5" (S), 17.5" (M), 19.0" (L), 21.0" (XL)

DRIVETRAIN

SHIFTER	SHIMANO DEORE SL-M6100-IR RapidFire Plus, 12-speed
REAR DERAILLEUR	SHIMANO SLX RD-M7100 Shadow Plus
CRANKSET	SHIMANO FC-MT510, 34T
CASSETTE	SHIMANO CS-M6100-12, 10-51T
BOTTOM BRACKET	BB-MT500PA PressFit, shell 41x92mm
CHAIN	SHIMANO CN-M6100

COMPONENTS

HANDLEBAR	ONE1 Race, Horizon Bow, 9° backsweep, 5mm rise, 760mm, 31.8mm
STEM	ONE1 Race Alloy, 31.8mm, -7°
GRIPS	ONE1 VLG-1661D2N, Lock-On
BRAKES	SHIMANO BL-M4100/BR-MT410, hydraulic disc brake
SEAT POST	ONE1 Race Alloy, SP 218, 27.2mm
WHEELS	
FRONT HUB	SHIMANO HB-MT410-B, 32H, CENTER LOCK, 15x110mm THRU Type AXLE
REAR HUB	SHIMANO FH-MT410, 32H, CENTER LOCK, 12x148mm THRU Type AXLE
RIMS	Stars J25DH, 32H
TIRES	Schwalbe Racing Ralph Performance, 29x2.25", ADDIX Sapim Laser, Stainless Black/ Sapim Laser/ Sapim Race, Stainless Black
SPOKES	

XP 909

MATTE BLACK/CHROMESILVER

MTB HARDTAIL / RACE



CHF 1'349.00

GEOMETRY

FRAME SIZE	15.5" (S)	17.5" (M)	19.0" (L)	21.0" (XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	393	431	482	533
SEAT TUBE ANGLE (DEGREE)	74	74	74	74
EFFECTIVE TOP TUBE LENGTH (MM)	585	610	630	650
REACH (MM)	415	437	455	472
STACK HEIGHT (MM)	591	600	609	619
HEAD TUBE LENGTH (MM)	90	100	110	120
HEAD TUBE ANGLE (DEGREE)	69	69	69	69
CHAINSTAY LENGTH (MM)	440	440	440	440
BB DROP (MM)	55	55	55	55
WHEELBASE (MM)	1105	1130	1151	1172
HANDLEBAR WIDTH (MM)	760/720	760/720	760/720	760/720
STEM LENGTH (MM)	60	60	80	80
CRANK LENGTH (MM)	170	175	175	175
SEAT POST LENGTH (MM)	400	400	400	400

SPECIFICATION

FRAMESET

FRAME	Alu X6 Ultralite, Race Geometry, Conical Head Tube, BB92, Boost Thru axle 148x12mm, Inner cable routing
HEAD SET	ACROS AZX-212 R5,ZS44/28.6 ZS56/40, Head set cover
FORK	RockShox Judy Silver TK R, Tapered, SoloAir, 15x110mm axle, 100mm travel
COLOUR	MATTE BLACK/CHROMESILVER
SIZES	15.5" (S), 17.5" (M), 19.0" (L), 21.0" (XL)

DRIVETRAIN

SHIFTER	SHIMANO DEORE SL-M5100-IR RapidFire Plus, 11-speed
REAR DERAILLEUR	SHIMANO DEORE RD-M5100 Shadow Plus
CRANKSET	ONE1 TAM38-D34NC, 34T
CASSETTE	SHIMANO CS-M5100-11, 11-51T
BOTTOM BRACKET	SHIMANO BB-MT500PA PressFit, shell 41x92mm
CHAIN	KMC X11

COMPONENTS

HANDLEBAR	ONE1 Race, Horizon Bow, 9° backsweep, 5mm rise, 760mm, 31.8mm
STEM	ONE1 TDS-RD507 Alloy, 31.8mm, -7°
GRIPS	Velo VLG-2013-11D2
BRAKES	SHIMANO BL-M4100/BR-MT410, hydraulic disc brake
SADDLE	Saddle
SEAT POST	ONE1 Race Alloy, SP 218, 27.2mm

WHEELS

FRONT HUB	SHIMANO HB-MT410-B, 32H, CENTER LOCK, 15x110mm THRU Type AXLE
REAR HUB	SHIMANO FH-MT400-B, 32H, CENTER LOCK, 12x148mm THRU Type AXLE
RIMS	Stars J25DH, 32H
TIRES	Schwalbe Rapid Rob KevlarGuard, 29x2.10"
SPOKES	Sapim Leader, Stainless Black

XP 909

GLOSS DARK RED/HOLOGRAM CHROME

MTB HARDTAIL / RACE



CHF 1'349.00

GEOMETRY

FRAME SIZE	15.5" (S)	17.5" (M)	19.0" (L)	21.0" (XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	393	431	482	533
SEAT TUBE ANGLE (DEGREE)	74	74	74	74
EFFECTIVE TOP TUBE LENGTH (MM)	585	610	630	650
REACH (MM)	415	437	455	472
STACK HEIGHT (MM)	591	600	609	619
HEAD TUBE LENGTH (MM)	90	100	110	120
HEAD TUBE ANGLE (DEGREE)	69	69	69	69
CHAINSTAY LENGTH (MM)	440	440	440	440
BB DROP (MM)	55	55	55	55
WHEELBASE (MM)	1105	1130	1151	1172
HANDLEBAR WIDTH (MM)	760/720	760/720	760/720	760/720
STEM LENGTH (MM)	60	60	80	80
CRANK LENGTH (MM)	170	175	175	175
SEAT POST LENGTH (MM)	400	400	400	400

SPECIFICATION

FRAMESET

FRAME Alu X6 Ultralite, Race Geometry, Conical Head Tube, BB92, Boost Thru axle 148x12mm, Inner cable routing

HEAD SET ACROS AZX-212 R5,ZS44/28.6 | ZS56/40, Head set cover

FORK RockShox Judy Silver TK R, Tapered, SoloAir, 15x110mm axle, 100mm travel

COLOUR GLOSS DARK RED/HOLOGRAM CHROME
SIZES 15.5" (S), 17.5" (M), 19.0" (L), 21.0" (XL)

DRIVETRAIN

SHIFTER SHIMANO DEORE SL-M5100-IR RapidFire Plus, 11-speed

REAR DERAILLEUR SHIMANO DEORE RD-M5100 Shadow Plus

CRANKSET ONE1 TAM38-D34NC, 34T

CASSETTE SHIMANO CS-M5100-11, 11-51T

BOTTOM BRACKET SHIMANO BB-MT500PA PressFit, shell 41x92mm

CHAIN KMC X11

COMPONENTS

HANDLEBAR ONE1 Race, Horizon Bow, 9° backsweep, 5mm rise, 760mm, 31.8mm

STEM ONE1 TDS-RD507 Alloy, 31.8mm, -7°

GRIPS Velo VLG-2013-11D2

BRAKES SHIMANO BL-M4100/BR-MT410, hydraulic disc brake

SADDLE Saddle

SEAT POST ONE1 Race Alloy, SP 218, 27.2mm

WHEELS

FRONT HUB SHIMANO HB-MT410-B, 32H, CENTER LOCK, 15x110mm THRU Type AXLE

REAR HUB SHIMANO FH-MT400-B, 32H, CENTER LOCK, 12x148mm THRU Type AXLE

RIMS Stars J25DH, 32H

TIRES Schwalbe Rapid Rob KevlarGuard, 29x2.10"

SPOKES Sapim Leader, Stainless Black



superior.

XC 899

MATT LIME / CHROM

MTB HARDTAIL / SPORT



CHF 1'149.00

GEOMETRY

FRAME SIZE	16.0" (S)	18.0" (M)	20" (L)	22" (XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	406	457	508	559
SEAT TUBE ANGLE (DEGREE)	72.4	72	72	72.4
EFFECTIVE TOP TUBE LENGTH (MM)	570	590	610	630
REACH (MM)	372	387	407	421
STACK HEIGHT (MM)	620	639	639	657
HEAD TUBE LENGTH (MM)	100	120	120	140
HEAD TUBE ANGLE (DEGREE)	70	70	70	70
CHAINSTAY LENGTH (MM)	445	445	445	445
BB DROP (MM)	60	60	60	60
WHEELBASE (MM)	1066	1087	1107	1128
HANDLEBAR WIDTH (MM)	720	720	740	740
STEM LENGTH (MM)	70	70	90	90
CRANK LENGTH (MM)	170	175	175	175
SEAT POST LENGTH (MM)	350	350	350	350



SPECIFICATION

FRAMESET

FRAME	Alu 6061 T6 Double Butted, Smooth Welding, Sport Geometry, Conical Head Tube, BB BSA 73 mm, IDK dropout, Smooth Welding, Inner cable routing
HEAD SET	CHH1505 1-1/8", ZS44/28.6 - ZS56/30
FORK	RST Aerial, 1-1/8", 120mm travel
COLOUR	GLOSS GREY/ORANGE
SIZES	16.0" (S), 18.0" (M), 20" (L), 22" (XL)

DRIVETRAIN

SHIFTER	SHIMANO DEORE SL-M5100-R RapidFire Plus, 11-speed
REAR DERAILLEUR	SHIMANO DEORE RD-M5100 Shadow Plus
CRANKSET	SHIMANO FC-MT5100, 32T
CASSETTE	SHIMANO CS-M5100-11, 11-51T
CHAIN	KMC X11
PEDALS	Marwi SP-610

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB AL-312BT, 9° backsweep, 12mm rise, 740mm, 31.8mm
STEM	ONE1 Sport MAS-D61248 Alloy, 31.8mm, -8°
GRIPS	Velo VLG-2013-11D2
BRAKES	SHIMANO BL-MT200/BR-MT200, hydraulic disc brake
SADDLE	Selle Royal Vivo HRN
SEAT POST	ONE1 Sport Alloy, SP C255, 30.9mm

WHEELS

FRONT HUB	SHIMANO HB-TX505, 32H, CENTER LOCK, QR Type
REAR HUB	SHIMANO FH-TX505-8, 32H, CENTER LOCK, M10x135mm, QR Type
RIMS	Stars J25DH, 32H
TIRES	Schwalbe Smart Sam, 29x2.10"
SPOKES	Sapim Galvanized Black

XC 899 W

GLOSS GOLD BLACK/COPPER

MTB HARDTAIL / SPORT



CHF 1'149.00

GEOMETRY

FRAME SIZE	16.0" (S)	18.0" (M)
WHEEL SIZE	29	29
SEAT TUBE LENGTH (MM)	406	457
SEAT TUBE ANGLE (DEGREE)	72.4	72
EFFECTIVE TOP TUBE LENGTH (MM)	570	590
REACH (MM)	372	387
STACK HEIGHT (MM)	620	639
HEAD TUBE LENGTH (MM)	100	120
HEAD TUBE ANGLE (DEGREE)	70	70
CHAINSTAY LENGTH (MM)	445	445
BB DROP (MM)	60	60
WHEELBASE (MM)	1066	1087
HANDLEBAR WIDTH (MM)	720	720
STEM LENGTH (MM)	70	70
CRANK LENGTH (MM)	170	175
SEAT POST LENGTH (MM)	350	350

SPECIFICATION

FRAMESET

FRAME	Alu 6061 T6 Double Butted, Smooth Welding, Sport Woman Geometry, Conical Head Tube, BB BSA 73 mm, IDK dropout, Smoot Welding, Inner cable routing
HEAD SET	CHH1505 1-1/8", ZS44/28.6 - ZS56/30
FORK	RST Aerial, 1-1/8", 120mm travel
COLOUR	GLOSS GOLD BLACK/COPPER
SIZES	16.0" (S), 18.0" (M), 20" (L), 22" (XL)

DRIVETRAIN

SHIFTER	SHIMANO DEORE SL-M5100-R RapidFire Plus, 11-speed
REAR DERAILLEUR	SHIMANO DEORE RD-M5100 Shadow Plus
CRANKSET	SHIMANO FC-MT5100, 32T
CASSETTE	SHIMANO CS-M5100-11, 11-51T
CHAIN	KMC X11
PEDALS	Marwi SP-610

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB AL-312BT, 9° backsweep, 12mm rise, 720mm, 31.8mm
STEM	ONE1 Sport MAS-D61248 Alloy, 31.8mm, -8°
GRIPS	Velo VLG-2013-11D2
BRAKES	SHIMANO BL-MT200/BR-MT200, hydraulic disc brake
SADDLE	Selle Royal Vivo DRN
SEAT POST	ONE1 Sport Alloy, SP C255, 30.9mm

WHEELS

FRONT HUB	SHIMANO HB-TX505, 32H, CENTER LOCK, QR Type
REAR HUB	SHIMANO FH-TX505-8, 32H, CENTER LOCK, M10x135mm, QR Type
RIMS	Stars J25DH, 32H
TIRES	Schwalbe Smart Sam, 29x2.10"
SPOKES	Sapim Galvanized Black

XC 889

MATT PETROL / SILVER

MTB HARDTAIL / SPORT



CHF 1'149.00

GEOMETRY

FRAME SIZE	16.0" (S)	18.0" (M)	20" (L)	22" (XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	406	457	508	559
SEAT TUBE ANGLE (DEGREE)	72.4	72	72	72.4
EFFECTIVE TOP TUBE LENGTH (MM)	570	590	610	630
REACH (MM)	372	387	407	421
STACK HEIGHT (MM)	620	639	639	657
HEAD TUBE LENGTH (MM)	100	120	120	140
HEAD TUBE ANGLE (DEGREE)	70	70	70	70
CHAINSTAY LENGTH (MM)	445	445	445	445
BB DROP (MM)	60	60	60	60
WHEELBASE (MM)	1066	1087	1107	1128
HANDLEBAR WIDTH (MM)	720	720	740	740
STEM LENGTH (MM)	70	70	90	90
CRANK LENGTH (MM)	170	175	175	175
SEAT POST LENGTH (MM)	350	350	350	350

SPECIFICATION

FRAMESET

FRAME	Alu 6061 T6 Double Butted, Smooth Welding, Sport Geometry, Conical Head Tube, BB BSA 73 mm, IDK dropout, Smooth Welding, Inner cable routing
HEAD SET	CHH1505 1-1/8", ZS44/28.6 - ZS56/30
FORK	RST Aerial, 1-1/8", 100mm travel
COLOUR	MATTE BLACK/SILVER/OLIVE
SIZES	16.0" (S), 18.0" (M), 20" (L), 22" (XL)

DRIVETRAIN

SHIFTER	SHIMANO DEORE SL-M5100-R RapidFire Plus, 11-speed, SHIMANO DEORE SL-M5100-L RapidFire Plus, 2-speed
FRONT DERAILLEUR	SHIMANO FD-M5100-M, SIDE SWING, FRONT-PULL
REAR DERAILLEUR	SHIMANO DEORE RD-M4120 Shadow
CRANKSET	SHIMANO FC-M5100-2 36-26T
CASSETTE	SHIMANO CS-M5100-11, 11-42T
CHAIN	KMC X11
PEDALS	Marwi SP-610

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB AL-312BT, 9° backsweep, 12mm rise, 740mm, 31.8mm
STEM	ONE1 Sport MAS-D61248 Alloy, 31.8mm, -8°
GRIPS	Velo VLG-2013-11D2
BRAKES	SHIMANO BL-MT200/BR-MT200, hydraulic disc brake
SADDLE	Selle Royal Vivo HRN
SEAT POST	ONE1 Sport Alloy, SP C255, 30.9mm

WHEELS

FRONT HUB	SHIMANO HB-TX505, 32H, CENTER LOCK, QR Type
REAR HUB	SHIMANO FH-TX505-8, 32H, CENTER LOCK, M10x135mm, QR Type
RIMS	Stars J25DH, 32H
TIRES	Schwalbe Smart Sam, 29x2.10"
SPOKES	Sapim Galvanized Black

XC 889 W

GLOSS WHITE METALLIC/COPPER

MTB HARDTAIL / SPORT



CHF 1'149.00

GEOMETRY

	16.0" (S)	18.0" (M)
FRAME SIZE	16.0" (S)	18.0" (M)
WHEEL SIZE	29	29
SEAT TUBE LENGTH (MM)	406	457
SEAT TUBE ANGLE (DEGREE)	72.4	72
EFFECTIVE TOP TUBE LENGTH (MM)	570	590
REACH (MM)	372	387
STACK HEIGHT (MM)	620	639
HEAD TUBE LENGTH (MM)	100	120
HEAD TUBE ANGLE (DEGREE)	70	70
CHAINSTAY LENGTH (MM)	445	445
BB DROP (MM)	60	60
WHEELBASE (MM)	1066	1087
HANDLEBAR WIDTH (MM)	720	720
STEM LENGTH (MM)	70	70
CRANK LENGTH (MM)	170	175
SEAT POST LENGTH (MM)	350	350

SPECIFICATION

FRAMESET

FRAME	Alu 6061 T6 Double Butted, Smooth Welding, Sport Woman Geometry, Conical Head Tube, BB BSA 73 mm, IDK dropout, Smoot Welding, Inner cable routing
HEAD SET	CHH1505 1-1/8", ZS44/28.6 - ZS56/30
FORK	RST Aerial, 1-1/8", 100mm travel
COLOUR	GLOSS WHITE METALLIC/COPPER
SIZES	16.0" (S), 18.0" (M)

DRIVETRAIN

SHIFTER	SHIMANO DEORE SL-M5100-R RapidFire Plus, 11-speed, SHIMANO DEORE SL-M5100-L RapidFire Plus, 2-speed
FRONT DERAILLEUR	SHIMANO FD-M5100-M, SIDE SWING, FRONT-PULL
REAR DERAILLEUR	SHIMANO DEORE RD-M4120 Shadow
CRANKSET	SHIMANO FC-M5100-2 36-26T
CASSETTE	SHIMANO CS-M5100-11, 11-42T
CHAIN	KMC X11
PEDALS	Marwi SP-610

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB AL-312BT, 9° backsweep, 12mm rise, 720mm, 31.8mm
STEM	ONE1 Sport MAS-D61248 Alloy, 31.8mm, -8°
GRIPS	Velo VLG-2013-11D2
BRAKES	SHIMANO BL-MT200/BR-MT200, hydraulic disc brake
SADDLE	Selle Royal Vivo DRN
SEAT POST	ONE1 Sport Alloy, SP C255, 30.9mm

WHEELS

FRONT HUB	SHIMANO HB-TX505 32H, CENTER LOCK, QR Type
REAR HUB	SHIMANO FH-TX505-8, 32H, CENTER LOCK, M10x135mm, QR Type
RIMS	Stars J25DH, 32H
TIRES	Schwalbe Smart Sam Performance, 28x1.75", ADDIX
SPOKES	Sapim Galvanized Black

XC 879

MATT BLACK / SILVER / OLIVE

MTB HARDTAIL / SPORT



CHF 999.00

GEOMETRY

FRAME SIZE	16.0" (S)	18.0" (M)	20" (L)	22" (XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	406	457	508	559
SEAT TUBE ANGLE (DEGREE)	72.4	72	72	72.4
EFFECTIVE TOP TUBE LENGTH (MM)	570	590	610	630
REACH (MM)	372	387	407	421
STACK HEIGHT (MM)	620	639	639	657
HEAD TUBE LENGTH (MM)	100	120	120	140
HEAD TUBE ANGLE (DEGREE)	70	70	70	70
CHAINSTAY LENGTH (MM)	445	445	445	445
BB DROP (MM)	60	60	60	60
WHEELBASE (MM)	1066	1087	1107	1128
HANDLEBAR WIDTH (MM)	720	720	740	740
STEM LENGTH (MM)	70	70	90	90
CRANK LENGTH (MM)	170	175	175	175
SEAT POST LENGTH (MM)	350	350	350	350

SPECIFICATION

FRAMESET

FRAME	Alu 6061 T6 Double Butted, Smooth Welding, Sport Geometry, Conical Head Tube, BB BSA 73 mm, IDK dropout, Smooth Welding, Inner cable routing
HEAD SET	CHH1505 1-1/8", ZS44/28.6 - ZS56/30
FORK	RST Aerial, 1-1/8", 100mm travel
COLOUR	MATTE PETROL/SILVER
SIZES	16.0" (S), 18.0" (M), 20" (L), 22" (XL)

DRIVETRAIN

SHIFTER	SHIMANO DEORE SL-M4100-R RapidFire Plus, 10-speed, SHIMANO DEORE SL-M5100-L RapidFire Plus, 2-speed
FRONT DERAILLEUR	SHIMANO FD-M4100-M, SIDE SWING, FRONT-PULL
REAR DERAILLEUR	SHIMANO DEORE RD-M4120 Shadow
CRANKSET	ONE1 TAF38-239SS, 36-26T
CASSETTE	SHIMANO CS-M4100-10, 11-42T
CHAIN	KMC X10
PEDALS	Marwi SP-610

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB AL-312BT, 9° backsweep, 12mm rise, 740mm, 31.8mm
STEM	ONE1 Sport MAS-D61248 Alloy, 31.8mm, -8°
GRIPS	Velo VLG-2013-11D2
BRAKES	SHIMANO BL-MT200/BR-MT200, hydraulic disc brake
SADDLE	Selle Royal Vivo HRN
SEAT POST	ONE1 Sport Alloy, SP C207, 30.9mm

WHEELS

FRONT HUB	SHIMANO HB-TX505, 32H, CENTER LOCK, QR Type
REAR HUB	SHIMANO FH-TX505-8, 32H, CENTER LOCK, M10x135mm, QR Type
RIMS	Stars J25DH, 32H
TIRES	Schwalbe Smart Sam, 29x2.10"
SPOKES	Sapim Galvanized Black

XC 859

MATTE LIME METALLIC/CHROME

MTB HARDTAIL / SPORT



COMPUTER VISUALIZATION

CHF 829.00

GEOMETRY

FRAME SIZE	16.0" (S)	18.0" (M)	20" (L)	22" (XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	406	457	508	559
SEAT TUBE ANGLE (DEGREE)	72.4	72	72	72.4
EFFECTIVE TOP TUBE LENGTH (MM)	570	590	610	630
REACH (MM)	372	387	407	421
STACK HEIGHT (MM)	620	639	639	657
HEAD TUBE LENGTH (MM)	100	120	120	140
HEAD TUBE ANGLE (DEGREE)	70	70	70	70
CHAINSTAY LENGTH (MM)	445	445	445	445
BB DROP (MM)	60	60	60	60
WHEELBASE (MM)	1066	1087	1107	1128
HANDLEBAR WIDTH (MM)	720	720	740	740
STEM LENGTH (MM)	70	70	90	90
CRANK LENGTH (MM)	170	175	175	175
SEAT POST LENGTH (MM)	350	350	350	350

SPECIFICATION

FRAMESET

FRAME	Alu 6061 T6 Double Butted, Smooth Welding, Sport Geometry, Conical Head Tube, BB BSA 73 mm, IDK dropout, Smooth Welding, Inner cable routing
HEAD SET	CHH1505 1-1/8", ZS44/28.6 - ZS56/30
FORK	RST Blaze, 1-1/8", 100mm travel
COLOUR	MATTE LIME METALLIC/CHROME
SIZES	16.0" (S), 18.0" (M), 20" (L), 22" (XL)

DRIVETRAIN

SHIFTER	SHIMANO DEORE SL-M4100-R RapidFire Plus, 10-speed, SHIMANO DEORE SL-M4100-L RapidFire Plus, 2-speed
FRONT DERAILLEUR	SHIMANO FD-M4100-M, SIDE SWING, FRONT-PULL
REAR DERAILLEUR	SHIMANO DEORE RD-M4120 Shadow
CRANKSET	ONE1 TAF38-239SS, 36-26T
CASSETTE	SHIMANO CS-M4100-10, 11-42T
CHAIN	KMC X10
PEDALS	Marwi SP-610

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB AL-312BT, 9° backsweep, 12mm rise, 740mm, 31.8mm
STEM	ONE1 Sport MAS-D61248 Alloy, 31.8mm, -8°
GRIPS	Velo VLG-2013-11D2
BRAKES	SHIMANO BL-MT200/BR-MT200, hydraulic disc brake
SADDLE	Selle Royal Vivo HRN
SEAT POST	ONE1 Sport Alloy, SP C207, 30.9mm

WHEELS

FRONT HUB	SHIMANO HB-TX505, 32H, CENTER LOCK, QR Type
REAR HUB	SHIMANO FH-TX505-8, 32H, CENTER LOCK, M10x135mm, QR Type
RIMS	Stars J25DH, 32H
TIRES	Schwalbe Smart Sam, 29x2.10"
SPOKES	Sapim Galvanized Black



XC 819

MATTE BLACK/WHITE/TEAM RED

MTB HARDTAIL / SPORT



CHF 729.00

GEOMETRY

FRAME SIZE	16.0" (S)	18.0" (M)	20" (L)	22" (XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	406	457	508	559
SEAT TUBE ANGLE (DEGREE)	72.4	72	72	72.4
EFFECTIVE TOP TUBE LENGTH (MM)	570	590	610	630
REACH (MM)	372	387	407	421
STACK HEIGHT (MM)	620	639	639	657
HEAD TUBE LENGTH (MM)	100	120	120	140
HEAD TUBE ANGLE (DEGREE)	70	70	70	70
CHAINSTAY LENGTH (MM)	445	445	445	445
BB DROP (MM)	60	60	60	60
WHEELBASE (MM)	1066	1087	1107	1128
HANDLEBAR WIDTH (MM)	720	720	740	740
STEM LENGTH (MM)	70	70	90	90
CRANK LENGTH (MM)	170	175	175	175
SEAT POST LENGTH (MM)	350	350	350	350

SPECIFICATION

FRAMESET

FRAME	Alu 6061 T6 Double Butted, Smooth Welding, Sport Geometry, Conical Head Tube, BB BSA 73 mm, IDK dropout, Smooth Welding, Inner cable routing
HEAD SET	CHH1505 1-1/8", ZS44/28.6 - ZS56/30
FORK	RST Blaze, 1-1/8", 100mm travel
COLOUR	MATTE BLACK/WHITE/TEAM RED
SIZES	16.0" (S), 18.0" (M), 20" (L), 22" (XL)

DRIVETRAIN

SHIFTER	SHIMANO ALTUS SL-M315-2L RapidFire Plus, 2-speed, SHIMANO ALTUS SL-M315-8R RapidFire Plus, 8-speed
FRONT DERAILLEUR	SHIMANO FD-M315-TS, TOP SWING, DUAL-PULL
REAR DERAILLEUR	SHIMANO ALTUS RD-M310-L
CRANKSET	SHIMANO FC-M315, 36-22T
CASSETTE	SHIMANO CS-HG31-8, 11-34T
BOTTOM BRACKET	SHIMANO BB-UN101 122.5mm, BSA, shell 73mm
CHAIN	KMC Z8.3
PEDALS	Marwi SP-610

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB AL-312BT, 9° backsweep, 12mm rise, 740mm, 31.8mm
STEM	ONE1 Sport MAS-D61248 Alloy, 31.8mm, -8°
GRIPS	Velo VLG-2013-11D2
BRAKES	SHIMANO BL-MT200/BR-MT200, hydraulic disc brake
SADDLE	Selle Royal Vivo HRN
SEAT POST	ONE1 Sport Alloy, SP C207, 30.9mm

WHEELS

FRONT HUB	SHIMANO HB-TX505, 32H, CENTER LOCK, QR Type
REAR HUB	SHIMANO FH-TX505-8, 32H, CENTER LOCK, M10x135mm, QR Type
RIMS	Stars J25DH, 32H
TIRES	Schwalbe Smart Sam, 29x2.10"
SPOKES	Sapim Galvanized Black

XC 819 W

GLOSS WHITE METALLIC/PURPLE

MTB HARDTAIL / SPORT



CHF 729.00

GEOMETRY

FRAME SIZE	16.0" (S)	18.0" (M)
WHEEL SIZE	29	29
SEAT TUBE LENGTH (MM)	406	457
SEAT TUBE ANGLE (DEGREE)	72.4	72
EFFECTIVE TOP TUBE LENGTH (MM)	570	590
REACH (MM)	372	387
STACK HEIGHT (MM)	620	639
HEAD TUBE LENGTH (MM)	100	120
HEAD TUBE ANGLE (DEGREE)	70	70
CHAINSTAY LENGTH (MM)	445	445
BB DROP (MM)	60	60
WHEELBASE (MM)	1066	1087
HANDLEBAR WIDTH (MM)	720	720
STEM LENGTH (MM)	70	70
CRANK LENGTH (MM)	170	175
SEAT POST LENGTH (MM)	350	350

SPECIFICATION

FRAMESET

FRAME	Alu 6061 T6 Double Butted, Smooth Welding, Sport Woman Geometry, Conical Head Tube, BB BSA 73 mm, IDK dropout, Smooth Welding, Inner cable routing
HEAD SET	CHH1505 1-1/8", ZS44/28.6 - ZS56/30
FORK	RST Blaze, 1-1/8", 100mm travel
COLOUR	GLOSS WHITE METALLIC/PURPLE
SIZES	16.0" (S), 18.0" (M)

DRIVETRAIN

SHIFTER	SHIMANO ALTUS SL-M315-2L RapidFire Plus, 2-speed, SHIMANO ALTUS SL-M315-8R RapidFire Plus, 8-speed
FRONT DERAILLEUR	SHIMANO FD-M315-TS, TOP SWING, DUAL-PULL
REAR DERAILLEUR	SHIMANO ALTUS RD-M310-L
CRANKSET	SHIMANO FC-M315, 36-22T
CASSETTE	SHIMANO CS-HG31-8, 11-34T
BOTTOM BRACKET	SHIMANO BB-UN101 122.5mm, BSA, shell 73mm
CHAIN	KMC Z8.3
PEDALS	Marwi SP-610

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB AL-312BT, 9° backsweep, 12mm rise, 720mm, 31.8mm
STEM	ONE1 Sport MAS-D61248 Alloy, 31.8mm, -8°
GRIPS	Velo VLG-2013-11D2
BRAKES	SHIMANO BL-MT200/BR-MT200, hydraulic disc brake
SADDLE	Selle Royal Vivo DRN
SEAT POST	ONE1 Sport Alloy, SP C207, 30.9mm

WHEELS

FRONT HUB	SHIMANO HB-TX505, 32H, CENTER LOCK, QR Type
REAR HUB	SHIMANO FH-TX505-8, 32H, CENTER LOCK, M10x135mm, QR Type
RIMS	Stars J25DH, 32H
TIRES	Schwalbe Smart Sam Performance, 28x1.75", ADDIX
SPOKES	Sapim Galvanized Black

superior.



TEAM 27 ISSUE

MATTE BLACK/HOLOGRAM CHROME/TEAM RED

JUNIOR / TEAM

GLOSS DARK RED/HOLOGRAM CHROME



CHF 1'499.00

GEOMETRY

FRAME SIZE	13" (XS)	15.5" (S)
WHEEL SIZE	27.5	27.5
SEAT TUBE LENGTH (MM)	330	393
SEAT TUBE ANGLE (DEGREE)	74	74
EFFECTIVE TOP TUBE LENGTH (MM)	545	586
REACH (MM)	381	422
STACK HEIGHT (MM)	569	569
HEAD TUBE LENGTH (MM)	90	90
HEAD TUBE ANGLE (DEGREE)	69	69
CHAINSTAY LENGTH (MM)	420	420
BB DROP (MM)	40	40
WHEELBASE (MM)	1048	1089
HANDLEBAR WIDTH (MM)	660	660
STEM LENGTH (MM)	40	40
CRANK LENGTH (MM)	160	165
SEAT POST LENGTH (MM)	350	350

SPECIFICATION

FRAMESET

FRAME Alloy 6061 T6 Double Butted, Advanced Race Junior Geometry, 1xOptimized, BB BSA, Inner cable routing, Disc Brake Flat mount

HEAD SET ACROS AZX-212 R5,ZS44/28.6 | ZS56/40

FORK RockShox Judy Silver TK R, Tapered, SoloAir, 15x110mm axle, 100mm travel

COLOUR SIZES MATTE BLACK/HOLOGRAM CHROME/TEAM RED 13" (XS), 15.5" (S)

DRIVETRAIN

SHIFTER SHIMANO DEORE SL-M6100-IR RapidFire Plus, 12-speed

REAR DERAILLEUR SHIMANO SLX RD-M7100 Shadow Plus

CRANKSET ONE1 TAM38J-D32NC, 32T

CASSETTE SHIMANO CS-M6100-12, 10-51T

BOTTOM BRACKET CHAIN SHIMANO BB-MT500PA PressFit, shell 41x92mm SHIMANO DEORE CN-M6100

COMPONENTS

HANDLEBAR ONE1 Alloy, TM40, 3° upsweep, 8° backsweep, 18mm rise, 660mm

GRIPS Velo VLG-2013-11D2

BRAKES SHIMANO BL-M4100/BR-MT410, hydraulic disc brake

SADDLE Selle Royal Junior

SEAT POST ONE1 Race Carbon, PMP12, 27.2mm

WHEELS

FRONT HUB SHIMANO HB-MT410-B, 28H, CENTER LOCK, 15x110mm THRU Type AXLE

REAR HUB SHIMANO FH-MT410-B, 28H, CENTER LOCK, 12x148mm THRU Type AXLE

RIMS Stars J20S, 28H

TIRES Schwalbe Racing Ralph Performance TwinSkin TL-Ready, 27.5x2.25", ADDIX/ Schwalbe Racing Ray Performance TwinSkin TL-Ready, 27.5x2.25", ADDIX

SPOKES Sapim Laser, Stainless Black/ Sapim Laser/ Sapim Race

TEAM 27 ELITE

GLOSS DARK RED/HOLOGRAM CHROME

JUNIOR / TEAM

MATTE BLACK/HOLOGRAM CHROME/TEAM RED



CHF 999.00

GEOMETRY

FRAME SIZE	13" (XS)	15.5" (S)
WHEEL SIZE	27.5	27.5
SEAT TUBE LENGTH (MM)	343	393
SEAT TUBE ANGLE (DEGREE)	74	74
EFFECTIVE TOP TUBE LENGTH (MM)	547	586
REACH (MM)	382	423
STACK HEIGHT (MM)	566	566
HEAD TUBE LENGTH (MM)	90	90
HEAD TUBE ANGLE (DEGREE)	69	69
CHAINSTAY LENGTH (MM)	435	435
BB DROP (MM)	40	40
WHEELBASE (MM)	1064	1103
HANDLEBAR WIDTH (MM)	660	660
STEM LENGTH (MM)	40	40
CRANK LENGTH (MM)	160	160
SEAT POST LENGTH (MM)	350	350

SPECIFICATION

FRAMESET

FRAME Alloy 6061 T6 Double Butted, Advanced Race Junior Geometry, 1xOptimized, BB BSA, Inner cable routing, Disc Brake Flat mount

HEAD SET CHS0926 FIT8 1-1/8", IS41/28.6 | IS41/30

FORK RST Aerial, 1-1/8", 100mm travel

COLOUR GLOSS DARK RED/HOLOGRAM CHROME
SIZES 13" (XS), 15.5" (S)

DRIVETRAIN

SHIFTER SHIMANO DEORE SL-M4100-R RapidFire Plus, 10-speed

REAR DERAILLEUR SHIMANO DEORE RD-M5120 Shadow Plus

CRANKSET Wheel Top SXB4BL-WM, 32T

CASSETTE SHIMANO CS-M4100-10, 11-46T

BOTTOM BRACKET Thun Ibox 120mm, BSA, shell 68mm

CHAIN KMC X10

COMPONENTS

HANDLEBAR ONE1 Alloy, TM40, 3° upsweep, 8° backsweep, 18mm rise, 660mm

GRIPS Velo VLG-2013-11D2

BRAKES SHIMANO BL-MT200/BR-MT200, hydraulic disc brake

SADDLE Selle Royal Junior

SEAT POST ONE1 Race Alloy, 27.2mm

WHEELS

FRONT HUB ONE1 KTTC7F, 28H, M9x100mm, QR Type

REAR HUB ONE1 KTTC7R, 28H, M10x135, CASSETTE, QR Type

RIMS Stars J20S, 28H

TIRES Schwalbe Racing Ralph Performance TwinSkin TL-Ready, 27.5x2.25", ADDIX/ Schwalbe Racing Ray

Performance TwinSkin TL-Ready, 27.5x2.25", ADDIX

SPOKES Sapim Laser, Stainless Black/ Sapim Race/ Sapim Laser

TEAM 24

MATTE BLACK/HOLOGRAM CHROME/TEAM RED

JUNIOR / TEAM

GLOSS DARK RED/HOLOGRAM CHROME



CHF 949.00

GEOMETRY

FRAME SIZE	11
WHEEL SIZE	24
SEAT TUBE LENGTH (MM)	280
SEAT TUBE ANGLE (DEGREE)	73
EFFECTIVE TOP TUBE LENGTH (MM)	500
REACH (MM)	347
STACK HEIGHT (MM)	499
HEAD TUBE LENGTH (MM)	90
HEAD TUBE ANGLE (DEGREE)	68
CHAINSTAY LENGTH (MM)	390
BB DROP (MM)	25
WHEELBASE (MM)	971
HANDLEBAR WIDTH (MM)	540
STEM LENGTH (MM)	35
CRANK LENGTH (MM)	140
SEAT POST LENGTH (MM)	300

SPECIFICATION

FRAMESET

FRAME	Alloy 6061 T6 Double Butted, Advanced Race Junior Geometry, 1x Optimized, BB BSA, Inner cable routing, Disc Brake Flat mount,
HEAD SET	CHS0926 FIT8 1-1/8", IS41/28.6 IS41/30
FORK	RST Aerial, 1-1/8", 60mm travel
COLOUR	MATTE BLACK/HOLOGRAM CHROME/TEAM RED
SIZES	11

DRIVETRAIN

SHIFTER	SRAM X5 Trigger Shifter, 9-speed
REAR DERAILLEUR	SRAM X7
CRANKSET	Wheel Top SXB4BL-WM, 28T
CASSETTE	SHIMANO CS-HG201-9, 11-36T
BOTTOM BRACKET	Thun Topaz, shell BSA
CHAIN	KMC X9
PEDALS	Marwi SP-400

COMPONENTS

HANDLEBAR	ONE1 Alloy, TM40, 3° upsweep, 8° backsweep, 18mm rise, 580mm
GRIPS	Velo VLG-311
BRAKES	Alhonga HJ-372, Hydraulic disc brake
SADDLE	Selle Royal Junior
SEAT POST	ONE1 Alloy, SP C207, 27.2mm

WHEELS

FRONT HUB	ONE1 KTTC7F, 20H, M9x100mm, QR Type
REAR HUB	ONE1 KTTC7R, 20H, M10x135, CASSETTE, QR Type
RIMS	Stars J18SF, 20H
TIRES	Schwalbe Rocket Ron Performance, 24x2.10", ADDIX
SPOKES	Sapim Laser, Stainless Black

TEAM 20

GLOSS DARK RED/HOLOGRAM CHROME

JUNIOR / TEAM

MATTE BLACK/HOLOGRAM CHROME/TEAM RED



CHF 779.00

GEOMETRY

FRAME SIZE	9"
WHEEL SIZE	20
SEAT TUBE LENGTH (MM)	230
SEAT TUBE ANGLE (DEGREE)	70
EFFECTIVE TOP TUBE LENGTH (MM)	450
REACH (MM)	323
STACK HEIGHT (MM)	389
HEAD TUBE LENGTH (MM)	100
HEAD TUBE ANGLE (DEGREE)	67
CHAINSTAY LENGTH (MM)	330
BB DROP (MM)	10
WHEELBASE (MM)	855
HANDLEBAR WIDTH (MM)	500
STEM LENGTH (MM)	35
CRANK LENGTH (MM)	127
SEAT POST LENGTH (MM)	230

SPECIFICATION

FRAMESET

FRAME	Alloy 6061 T6 Double Butted, Advanced Junior Geometry, 1xOptimized, BB BSA, Inner cable routing, Disc Brake Flat mount
HEAD SET	CHS0926 FIT8 1-1/8", IS41/28.6 IS41/30
FORK	Alloy 6061 T6 , Advanced Junior, Disc Brake Flat mount
COLOUR	GLOSS DARK RED/HOLOGRAM CHROME
SIZES	9"

DRIVETRAIN

SHIFTER	SHIMANO CLARIS SL-R2000 RapidFire Plus, 8-speed
REAR DERAILLEUR	SHIMANO CLARIS RD-R2000
CRANKSET	Wheel Top SXB4BL-WM, 28T
CASSETTE	SHIMANO CS-HG31-8, 11-32T
BOTTOM BRACKET	Thun Topaz 120mm, BSA, shell 68mm
CHAIN	KMC Z8.3
PEDALS	Marwi SP-202

COMPONENTS

HANDLEBAR	ONE1 Alloy, TM40, 3° upsweep, 8° backsweep, 18mm rise, 560mm
GRIPS	Velo VLG-311
BRAKES	Alhonga HJ-372, Hydraulic disc brake
SADDLE	Selle Royal Junior
SEAT POST	ONE1 Alloy, SP C207, 27.2mm

WHEELS

FRONT HUB	ONE1 KTTC7F, 20H, M9x100mm, QR Type
REAR HUB	ONE1 KTTC7R, 20H, M10x135, CASSETTE, QR Type
RIMS	Stars J18SF, 20H
SPOKES	Sapim Laser, Stainless Black

RACER XC 27 DB

MATTE LIME/RED

JUNIOR / RACER

GLOSS WHITE/BLUE/NEONYELLOW



CHF 629.00

GEOMETRY

	13" (XS)	15.5" (S)
FRAME SIZE	13" (XS)	15.5" (S)
WHEEL SIZE	27.5	27.5
SEAT TUBE LENGTH (MM)	343	393
SEAT TUBE ANGLE (DEGREE)	74	74
EFFECTIVE TOP TUBE LENGTH (MM)	547	586
REACH (MM)	382	423
STACK HEIGHT (MM)	566	566
HEAD TUBE LENGTH (MM)	90	90
HEAD TUBE ANGLE (DEGREE)	69	69
CHAINSTAY LENGTH (MM)	435	435
BB DROP (MM)	40	40
WHEELBASE (MM)	1064	1103
HANDLEBAR WIDTH (MM)	600	600
STEM LENGTH (MM)	35	35
CRANK LENGTH (MM)	160	160
SEAT POST LENGTH (MM)	350	350

SPECIFICATION

FRAMESET

FRAME Alloy 6061 T6 Double Butted, Advanced Junior Geometry, 1xOptimized, BB BSA, Inner cable routing, Disc Brake Flat mount

HEAD SET CHS0926 FIT8 1-1/8", IS41/28.6 | IS41/30

FORK SR Suntour XCT30, 1-1/8", Coil, QR Type, 100mm travel

COLOUR MATTE LIME/RED

SIZES 13" (XS), 15.5" (S)

DRIVETRAIN

SHIFTER SHIMANO ALTUS SL-M315-8R RapidFire Plus, 8-speed

REAR DERAILLEUR SHIMANO ACERA RD-M3020

CRANKSET Wheel Top SXB4BL-WM, 32T

CASSETE SHIMANO CS-HG31-8, 11-34T

BOTTOM BRACKET Thun Ibox 120mm, BSA, shell 68mm

CHAIN KMC Z8.3

PEDALS Marwi SP-610

COMPONENTS

HANDLEBAR ONE1 Alloy, MTB AL-718BT, 34mm rise, 600mm, 25.4mm

STEM ONE1 MAS-MD60368 Alloy, 25.4mm, 15°

GRIPS Velo VLG-2013-11D2

BRAKES SHIMANO BL-MT200/BR-MT200, hydraulic disc brake

SADDLE Selle Royal Junior

SEAT POST ONE1 Sport Alloy, SP C208, 27.2mm

WHEELS

FRONT HUB SHIMANO HB-TX505, 32H, CENTER LOCK, QR Type

REAR HUB SHIMANO FH-TX505-8, 32H, CENTER LOCK, M10x135mm, QR Type

RIMS Stars J20S, 32H

TIRES Schwalbe Smart Sam KevlarGuard, 27.5x2.10"

SPOKES Sapim Galvanized Black

RACER XC 24

GLOSS WHITE/BLUE/NEONYELLOW

JUNIOR / RACER

MATTE LIME/BLACK/RED



CHF 489.00

GEOMETRY

FRAME SIZE	11"
WHEEL SIZE	24
SEAT TUBE LENGTH (MM)	280
SEAT TUBE ANGLE (DEGREE)	73
EFFECTIVE TOP TUBE LENGTH (MM)	500
REACH (MM)	356
STACK HEIGHT (MM)	469
HEAD TUBE LENGTH (MM)	100
HEAD TUBE ANGLE (DEGREE)	68
CHAINSTAY LENGTH (MM)	390
BB DROP (MM)	25
WHEELBASE (MM)	993
HANDLEBAR WIDTH (MM)	540
STEM LENGTH (MM)	35
CRANK LENGTH (MM)	140
SEAT POST LENGTH (MM)	300

SPECIFICATION

FRAMESET

FRAME	Alu 6061 T6 Double Butted, Advanced Junior Geometry, 1xOptimized, BB BSA, SR dropout
HEAD SET FORK	CH290TBW, 1-1/8" SR Suntour XCT JR24, 1-1/8", Soft Spring, QR Type, 50mm travel
COLOUR SIZES	GLOSS WHITE/BLUE/NEONYELLOW 11"

DRIVETRAIN

REAR DERAILLEUR	SHIMANO TY RD-TX800
CRANKSET	Wheel Top SXB4BL-WM, 28T
CASSETTE	SHIMANO CS-HG31-8, 11-34T
BOTTOM BRACKET	Thun Ibx 120mm, BSA, shell 68mm
CHAIN	KMC Z8.3
PEDALS	Marwi SP-400

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB-110PP, 10° backsweep, 540mm, 25.4mm
STEM GRIPS	ONE1 MAS-MD60368 Alloy, 25.4mm, 15° Velo VLG-311, ONE1 VLG-311-6, DUAL DENSITY KRATON-GEL
SADDLE	Selle Royal Junior
SEAT POST	ONE1 Alloy, SP C208, 27.2mm

WHEELS

FRONT HUB	ONE1 KTA55F, 24H, M9x100mm, QR Type
REAR HUB	ONE1 KTAZER, 24H, M10x135, CASSETTE, QR Type
RIMS	Stars J19SZ, 24H
TIRES	Schwalbe Billy Bonkers KevlarGuard, 24x2.00"
SPOKES	Sapim Zinc

RACER XC 20

MATTE LIME/BLACK/RED

JUNIOR / RACER

GLOSS WHITE/BLUE/NEONYELLOW



CHF 419.00

GEOMETRY

FRAME SIZE	9"
WHEEL SIZE	20
SEAT TUBE LENGTH (MM)	230
SEAT TUBE ANGLE (DEGREE)	73
EFFECTIVE TOP TUBE LENGTH (MM)	450
REACH (MM)	328
STACK HEIGHT (MM)	375
HEAD TUBE LENGTH (MM)	100
HEAD TUBE ANGLE (DEGREE)	67
CHAINSTAY LENGTH (MM)	330
BB DROP (MM)	0
WHEELBASE (MM)	827
HANDLEBAR WIDTH (MM)	500
STEM LENGTH (MM)	35
CRANK LENGTH (MM)	127
SEAT POST LENGTH (MM)	230

SPECIFICATION

FRAMESET

FRAME	Alu 6061 T6 Double Butted, Advanced Junior Geometry, 1xOptimized, BB BSA, SR dropout
HEAD SET	CH290TBW, 1-1/8"
FORK	Alloy 6061 T6, Advanced Junior, V-Brake
COLOUR	MATTE LIME/BLACK/RED
SIZES	9"

DRIVETRAIN

SHIFTER	SHIMANO SL-RV200-7R RevoShift, 7-speed
REAR DERAILLEUR	SHIMANO TY RD-TY200
CRANKSET	Wheel Top SXB4BL-WM, 28T
CASSETTE	SHIMANO MF-TZ500-7, 14-28T
BOTTOM BRACKET	Thun Topaz 120mm, BSA, shell 68mm
CHAIN	KMC Z8.3
PEDALS	Marwi SP-202

COMPONENTS

HANDLEBAR	ONE1 Hi-ten, MTB-110PP, 10° backsweep, 500mm, 25.4mm
STEM	ONE1 MAS-MD60368 Alloy, 25.4mm, 15°
GRIPS	Velo VLG-311, ONE1 VLG-311-6, DUAL DENSITY KRATON-GEL
SADDLE	Selle Royal Junior
SEAT POST	ONE1 Alloy, SP C208, 27.2mm

WHEELS

FRONT HUB	ONE1 KTA55F, 24H, M9x100mm, QR Type
REAR HUB	ONE1 KTA52R, 24H, M10x135, FREEWHEEL, QR Type
RIMS	Stars J19SZ, 24H
TIRES	Schwalbe Black Jack KevlarGuard, 20x1.90"
SPOKES	Sapim Zinc

superior.



X-Road Team Issue Di2 GR

GLOSS GREY/COPPER

ROAD & GRAVEL / GRAVEL



COMPUTER VISUALIZATION

CHF 3'999.00

GEOMETRY

FRAME SIZE	52 cm (S)	54 cm (M)	56 cm (L)	58 cm (XL)
WHEEL SIZE	700C	700C	700C	700C
SEAT TUBE LENGTH (MM)	462	482	502	522
SEAT TUBE ANGLE (DEGREE)	73.8	73.5	73	73
EFFECTIVE TOP TUBE LENGTH (MM)	531	544	568	590
REACH (MM)	376	379	392	408
STACK HEIGHT (MM)	536	557	578	597
HEAD TUBE LENGTH (MM)	120	140	160	180
HEAD TUBE ANGLE (DEGREE)	71	71.5	72	72
CHAINSTAY LENGTH (MM)	412	412	412	412
BB DROP (MM)	70	70	70	70
WHEELBASE (MM)	990	996	1010	1032
HANDLEBAR WIDTH (MM)	420	420	440	440
STEM LENGTH (MM)	80	90	100	110
CRANK LENGTH (MM)	172.5	172.5	175	175
SEAT POST LENGTH (MM)	380	380	380	380

SPECIFICATION

FRAMESET

FRAME Carbon X-Road Race Mid Modulus, Road Advanced Geometry, Disc Brake Flat Mount, BB865, SH dropout, Thru Axle 12x142 mm, Inner cable routing, Di2 compatible, mudguards ready

HEAD SET ACROS AIX-525, OD56, IS52/28.6, ICR-IS52/40IPS

FORK X-ROAD carbon fork

COLOUR GLOSS GREY/COPPER

SIZES 52 cm (S), 54 cm (M), 56 cm (L), 58 cm (XL)

DRIVETRAIN

REAR DERAILLEUR SHIMANO GRX RD-RX817 Di2 Shadow Plus

CRANKSET SHIMANO GRX FC-RX810 Hollowtech II, 42T

CASSETTE SHIMANO CS-M7000-11, 11-42T

BOTTOM BRACKET SHIMANO BB-RS500 PressFit, shell 41x86.5mm

CHAIN KMC X11

COMPONENTS

HANDLEBAR Handle bar

GRIPS Velo VLF-8111

BRAKES SHIMANO ST-RX815/BR-RX810, hydraulic disc brake

SADDLE Fizik Terra Argo X5

SEAT POST ONE1 Carbon, SP0225380AERO

WHEELS

TIRES Schwalbe G-One Allround RaceGuard, 28x1.50"

WHEELSET DT Swiss GR 1600 Spline DB25; 12x142mm, CENTER LOCK, Tubeless, DT Swiss GR 1600 Spline DB25; 12x100mm, CENTER LOCK, Tubeless

X-ROAD TEAM COMP GR

GLOSS OLIVE CHROME

ROAD & GRAVEL / GRAVEL



CHF 2'849.00

GEOMETRY

FRAME SIZE	52 cm (S)	54 cm (M)	56 cm (L)	58 cm (XL)
WHEEL SIZE	700C	700C	700C	700C
SEAT TUBE LENGTH (MM)	462	482	502	522
SEAT TUBE ANGLE (DEGREE)	73.8	73.5	73	73
EFFECTIVE TOP TUBE LENGTH (MM)	531	544	568	590
REACH (MM)	376	379	392	408
STACK HEIGHT (MM)	536	557	578	597
HEAD TUBE LENGTH (MM)	120	140	160	180
HEAD TUBE ANGLE (DEGREE)	71	71.5	72	72
CHAINSTAY LENGTH (MM)	412	412	412	412
BB DROP (MM)	70	70	70	70
WHEELBASE (MM)	990	996	1010	1032
HANDLEBAR WIDTH (MM)	420	420	440	440
STEM LENGTH (MM)	80	90	100	110
CRANK LENGTH (MM)	172.5	172.5	175	175
SEAT POST LENGTH (MM)	380	380	380	380

SPECIFICATION

FRAMESET

FRAME Carbon X-Road Race Mid Modulus, Road Advanced Geometry, Disc Brake Flat Mount, BB865, SH dropout, Thru Axle 12x142 mm, Inner cable routing, Di2 compatible, mudguards ready

HEAD SET ACROS AIX-525, OD56, IS52/28.6, ICR-IS52/40IPS

FORK X-ROAD carbon fork

COLOUR GLOSS OLIVE CHROME

SIZES 52 cm (S), 54 cm (M), 56 cm (L), 58 cm (XL)

DRIVETRAIN

REAR DERAILLEUR SHIMANO GRX RD-RX812 Shadow Plus

CRANKSET SHIMANO GRX FC-RX600, 40T

CASSETTE SunRace CS-MS7-11, 11-42T

BOTTOM BRACKET SHIMANO BB-RS500 PressFit, shell 41x86.5mm

CHAIN KMC X11

COMPONENTS

HANDLEBAR ONE1 X-Race Aero, 16° flared, 70mm reach, 31.8mm

STEM ONE1 TDS-660 Alloy, 31.8mm, 7°, 90mm

GRIPS Velo VLF-8111

BRAKES SHIMANO ST-RX600/BR-RX400, hydraulic disc brake, SHIMANO BL-RX600-L/BR-RX400, hydraulic disc brake

SADDLE Fizik Aliante R5

SEAT POST ONE1 Carbon, SP0225380AERO

WHEELS

TIRES Schwalbe G-One Allround RaceGuard, 28x1.50"

X-ROAD ELITE GR

MATTE SAND GREY

ROAD & GRAVEL / GRAVEL



CHF 2'099.00

GEOMETRY

FRAME SIZE	52 cm (S)	54 cm (M)	56 cm (L)	58 cm (XL)
WHEEL SIZE	700C	700C	700C	700C
SEAT TUBE LENGTH (MM)	490	510	530	550
SEAT TUBE ANGLE (DEGREE)	73.8	73.5	73	73
EFFECTIVE TOP TUBE LENGTH (MM)	530	540	570	590
REACH (MM)	367	371	384	401
STACK HEIGHT (MM)	558	569	606	616
HEAD TUBE LENGTH (MM)	135	145	180	190
HEAD TUBE ANGLE (DEGREE)	71.5	72	73	73
CHAINSTAY LENGTH (MM)	420	420	420	420
BB DROP (MM)	70	70	70	70
WHEELBASE (MM)	992	989	1009	1029
HANDLEBAR WIDTH (MM)	420	420	440	440
STEM LENGTH (MM)	80	90	100	110
CRANK LENGTH (MM)	172.5	172.5	175	175
SEAT POST LENGTH (MM)	350	350	350	350

SPECIFICATION

FRAMESET

FRAME Alu X6 Ultralite X-Road Race, Road Advanced Geometry, Smooth Welding, Disc Brake Flat mount, BB BSA 68mm, SH dropout, Inner cable routig, mudguards ready

HEAD SET CHS0820 FIT8 1-1/8", IS42/28.6 | IS52/40, Head set cover

FORK X-Road Issue 28", Carbon/alloy rigid, Ahead 1-1/8x1.5", 12x100mm axle

COLOUR SIZES MATTE SAND GREY
52 cm (S), 54 cm (M), 56 cm (L), 58 cm (XL)

DRIVETRAIN

REAR DERAILLEUR SHIMANO GRX RD-RX812 Shadow Plus

CRANKSET SHIMANO GRX FC-RX600, 40T

CASSETTE SunRace CS-MS7-11, 11-42T

CHAIN KMC X11

COMPONENTS

HANDLEBAR ONE1 X-Race Aero, 16° flared, 70mm reach, 31.8mm

STEM ONE1 Race RAS-D62938 Alloy, 31.8mm, -8°

GRIPS Velo VLF-8111

BRAKES SHIMANO ST-RX600/BR-RX400, hydraulic disc brake, SHIMANO BL-RX600/BR-RX400, hydraulic disc brake

SADDLE Fizik Aliante R5

SEAT POST ONE1 Race Alloy, SP C255, 27.2mm

WHEELS

FRONT HUB SHIMANO HB-RS470, 28H, CENTER LOCK, 12x100mm THRU Type AXLE

REAR HUB SHIMANO FH-RS470, 28H, CENTER LOCK, 12x142mm THRU Type AXLE

RIMS Stars J20S, 28H

TIRES Schwalbe G-One Allround RaceGuard, 28x1.50"

SPOKES Sapim Race, Stainless Black

X-Road COMP GR

GLOSS OLIVE CHROME

ROAD & GRAVEL / GRAVEL



CHF 1'779.00

GEOMETRY

FRAME SIZE	52 cm (S)	54 cm (M)	56 cm (L)	58 cm (XL)
WHEEL SIZE	700C	700C	700C	700C
SEAT TUBE LENGTH (MM)	490	510	530	550
SEAT TUBE ANGLE (DEGREE)	73.8	73.5	73	73
EFFECTIVE TOP TUBE LENGTH (MM)	530	540	570	590
REACH (MM)	367	371	384	401
STACK HEIGHT (MM)	558	569	606	616
HEAD TUBE LENGTH (MM)	135	145	180	190
HEAD TUBE ANGLE (DEGREE)	71.5	72	73	73
CHAINSTAY LENGTH (MM)	420	420	420	420
BB DROP (MM)	70	70	70	70
WHEELBASE (MM)	992	989	1009	1029
HANDLEBAR WIDTH (MM)	420	420	440	440
STEM LENGTH (MM)	80	90	100	110
CRANK LENGTH (MM)	172.5	172.5	175	175
SEAT POST LENGTH (MM)	350	350	350	350

SPECIFICATION

FRAMESET

FRAME Alu X6 Ultralite X-Road Race, Road Advanced Geometry, Smooth Welding, Disc Brake Flat mount, BB BSA 68mm, SH dropout, Inner cable routig, mudguards ready

HEAD SET CHS0820 FIT8 1-1/8", IS42/28.6 | IS52/40, Head set cover

FORK X-Road Issue 28", Carbon/alloy rigid, Ahead 1-1/8x1.5", 12x100mm axle

COLOUR SIZES GLOSS OLIVE CHROME
52 cm (S), 54 cm (M), 56 cm (L), 58 cm (XL)

DRIVETRAIN

REAR DERAILLEUR SHIMANO GRX RD-RX400 Shadow Plus

CRANKSET SHIMANO GRX FC-RX600, 40T

CASSETTE SHIMANO CS-M4100-10, 11-42T

CHAIN KMC X10

COMPONENTS

HANDLEBAR ONE1 Alloy, X-Race Aero, 16° flared, 70mm reach, 31.8mm

STEM ONE1 Race RAS-D62938 Alloy, 31.8mm, -8°

GRIPS Velo VLF-8111

BRAKES SHIMANO ST-RX400/BR-RX400, hydraulic disc brake

SADDLE Fizik Aliante R5

SEAT POST ONE1 Race Alloy, SP C255, 27.2mm

WHEELS

FRONT HUB SHIMANO HB-RS470, 28H, CENTER LOCK, 12x100mm THRU Type AXLE

REAR HUB SHIMANO FH-RS470, 28H, CENTER LOCK, 12x142mm THRU Type AXLE

RIMS Stars J20S, 28H

TIRES Schwalbe G-One Allround RaceGuard, 28x1.50"

SPOKES Sapim Race, Stainless Black

superior.



X-ROAD TEAM ISSUE R

MATTE BLACK/STEALTH CHROME

ROAD & GRAVEL / GRAN FONDO



CHF 6'499.00

GEOMETRY

FRAME SIZE	52 cm (S)	54 cm (M)	56 cm (L)	58 cm (XL)
WHEEL SIZE	700C	700C	700C	700C
SEAT TUBE LENGTH (MM)	462	482	502	522
SEAT TUBE ANGLE (DEGREE)	73.8	73.5	73	73
EFFECTIVE TOP TUBE LENGTH (MM)	531	544	568	590
REACH (MM)	376	379	392	408
STACK HEIGHT (MM)	536	557	578	597
HEAD TUBE LENGTH (MM)	120	140	160	180
HEAD TUBE ANGLE (DEGREE)	71	71.5	72	72
CHAINSTAY LENGTH (MM)	412	412	412	412
BB DROP (MM)	70	70	70	70
WHEELBASE (MM)	990	996	1010	1032
HANDLEBAR WIDTH (MM)	420	420	440	440
STEM LENGTH (MM)	80	90	100	110
CRANK LENGTH (MM)	172.5	172.5	175	175
SEAT POST LENGTH (MM)	380	380	380	380

SPECIFICATION

FRAMESET

FRAME Carbon X-Road Race Mid Modulus, Road Advanced Geometry, Disc Brake Flat Mount, BB865, SH dropout, Thru Axle 12x142 mm, Inner cable routing, Di2 compatible, mudguards ready

HEAD SET ACROS AIX-525, OD56, IS52/28.6, ICR-IS52/40IPS

FORK X-ROAD carbon fork

COLOUR MATTE BLACK/STEALTH CHROME

SIZES 52 cm (S), 54 cm (M), 56 cm (L), 58 cm (XL)

DRIVETRAIN

FRONT DERAILLEUR SHIMANO ULTEGRA FD-R8150, DOWN SWING, BRAZED-ON Type, Di2

CRANKSET SHIMANO ULTEGRA FC-R8100 Hollowtech II, 50-34T

CASSETTE SHIMANO CS-R8100-12, 11-34T

BOTTOM BRACKET BB accessories, Shimano SM-BB72-41B

CHAIN SHIMANO CN-M8100

COMPONENTS

HANDLEBAR Handle bar

GRIPS Velo VLF-8111

BRAKES SHIMANO ST-R8170/BR-R8170, hydraulic disc brake

SADDLE Fizik Vento Argo Adaptive R3

SEAT POST ONE1 Carbon, SP0225380AERO

WHEELS

TIRES Schwalbe Pro One Evo, 28x1.20", ADDIX

WHEELSET DT Swiss ERC 1400 Spline DB45; 12x142mm, CENTER LOCK, Tubeless, DT Swiss ERC 1400 Spline DB45; 12x100mm, CENTER LOCK, Tubeless

X-ROAD TEAM ISSUE

GLOSS BLACK RAINBOW/HOLOGRAM CHROME

ROAD & GRAVEL / GRAN FONDO



CHF 3'799.00

GEOMETRY

FRAME SIZE	52 cm (S)	54 cm (M)	56 cm (L)	58 cm (XL)
WHEEL SIZE	700C	700C	700C	700C
SEAT TUBE LENGTH (MM)	462	482	502	522
SEAT TUBE ANGLE (DEGREE)	73.8	73.5	73	73
EFFECTIVE TOP TUBE LENGTH (MM)	531	544	568	590
REACH (MM)	376	379	392	408
STACK HEIGHT (MM)	536	557	578	597
HEAD TUBE LENGTH (MM)	120	140	160	180
HEAD TUBE ANGLE (DEGREE)	71	71.5	72	72
CHAINSTAY LENGTH (MM)	412	412	412	412
BB DROP (MM)	70	70	70	70
WHEELBASE (MM)	990	996	1010	1032
HANDLEBAR WIDTH (MM)	420	420	440	440
STEM LENGTH (MM)	80	90	100	110
CRANK LENGTH (MM)	172.5	172.5	175	175
SEAT POST LENGTH (MM)	380	380	380	380

SPECIFICATION

FRAMESET

FRAME Carbon X-Road Race Mid Modulus, Road Advanced Geometry, Disc Brake Flat Mount, BB865, SH dropout, Thru Axle 12x142 mm, Inner cable routing, Di2 compatible, mudguards ready

HEAD SET ACROS AIX-525, OD56, IS52/28.6, ICR-IS52/40IPS

FORK X-ROAD carbon fork

COLOUR GLOSS BLACK RAINBOW/HOLOGRAM CHROME

SIZES 52 cm (S), 54 cm (M), 56 cm (L), 58 cm (XL)

DRIVETRAIN

FRONT DERAILLEUR SHIMANO ULTEGRA FD-R8000, DOWN SWING, BRAZED-ON Type

REAR DERAILLEUR SHIMANO GRX RD-RX810 Shadow Plus

CRANKSET SHIMANO ULTEGRA FC-R8000 Hollowtech II, 50-34T

CASSETTE SHIMANO CS-HG700-11, 11-34T

BOTTOM BRACKET SHIMANO BB-RS500 PressFit, shell 41x86.5mm, BB accessories

CHAIN KMC X11L

COMPONENTS

HANDLEBAR Handle bar

GRIPS Velo VLF-8111

BRAKES SHIMANO ST-R8025/BR-R8070, hydraulic disc brake

SADDLE Fizik Vento Argo R5

SEAT POST ONE1 Carbon, SP0225380AERO

WHEELS

TIRES Schwalbe Pro One Evo, 28x1.20", ADDIX

WHEELSET DT Swiss ER 1600 Spline DB32; 12x142mm, CENTER LOCK, Tubeless, DT Swiss ER 1600 Spline DB32; 12x100mm, CENTER LOCK, Tubeless

X-ROAD TEAM ELITE Di2

GLOSS GREY/TEAM RED

ROAD & GRAVEL / GRAN FONDO



CHF 3'599.00

GEOMETRY

FRAME SIZE	52 cm (S)	54 cm (M)	56 cm (L)	58 cm (XL)
WHEEL SIZE	700C	700C	700C	700C
SEAT TUBE LENGTH (MM)	462	482	502	522
SEAT TUBE ANGLE (DEGREE)	73.8	73.5	73	73
EFFECTIVE TOP TUBE LENGTH (MM)	531	544	568	590
REACH (MM)	376	379	392	408
STACK HEIGHT (MM)	536	557	578	597
HEAD TUBE LENGTH (MM)	120	140	160	180
HEAD TUBE ANGLE (DEGREE)	71	71.5	72	72
CHAINSTAY LENGTH (MM)	412	412	412	412
BB DROP (MM)	70	70	70	70
WHEELBASE (MM)	990	996	1010	1032
HANDLEBAR WIDTH (MM)	420	420	440	440
STEM LENGTH (MM)	80	90	100	110
CRANK LENGTH (MM)	172.5	172.5	175	175
SEAT POST LENGTH (MM)	380	380	380	380

SPECIFICATION

FRAMESET

FRAME Carbon X-Road Race Mid Modulus, Road Advanced Geometry, Disc Brake Flat Mount, BB865, SH dropout, Thru Axle 12x142 mm, Inner cable routing, Di2 compatible, mudguards ready

HEAD SET ACROS AIX-525, OD56, IS52/28.6, ICR-IS52/40IPS

FORK X-ROAD carbon fork

COLOUR GLOSS GREY/TEAM RED

SIZES 52 cm (S), 54 cm (M), 56 cm (L), 58 cm (XL)

DRIVETRAIN

FRONT DERAILLEUR SHIMANO 105 FD-R7150, DOWN SWING, BRAZED-ON Type

REAR DERAILLEUR SHIMANO 105 RD-R7150 Shadow

CRANKSET SHIMANO 105 FC-R7100 Hollowtech II, 50-34T

CASSETTE SHIMANO CS-R7100-12, 11-34T

BOTTOM BRACKET SHIMANO BB-RS500 PressFit, shell 41x86.5mm, BB accessories

CHAIN SHIMANO CN-M8100

COMPONENTS

HANDLEBAR ONE1 Alloy, X-Race Aero, 16° flared, 70mm reach, 31.8mm

STEM ONE1 TDS-660 Alloy, 31.8mm, 7°, 80MM

GRIPS Velo VLF-8111

BRAKES SHIMANO 105 ST-R7170/BR-R7170, hydraulic disc brake

SADDLE Fizik Aliante R5

SEAT POST ONE1 Carbon, SP0225380AERO

WHEELS

TIRES Schwalbe Pro One Evo, 28x1.20", ADDIX

WHEELSET DT Swiss C 1800 Spline DB23; 12x142mm, CENTER LOCK, Tubeless, DT Swiss C 1800 Spline DB23; 12x100mm, CENTER LOCK, Tubeless

X-ROAD ISSUE

GLOSS CHROME/BLACK

ROAD & GRAVEL / GRAN FONDO



CHF 2'199.00

GEOMETRY

FRAME SIZE	52 cm (S)	54 cm (M)	56 cm (L)	58 cm (XL)
WHEEL SIZE	700C	700C	700C	700C
SEAT TUBE LENGTH (MM)	490	510	530	550
SEAT TUBE ANGLE (DEGREE)	73.8	73.5	73	73
EFFECTIVE TOP TUBE LENGTH (MM)	530	540	570	590
REACH (MM)	367	371	384	401
STACK HEIGHT (MM)	558	569	606	616
HEAD TUBE LENGTH (MM)	135	145	180	190
HEAD TUBE ANGLE (DEGREE)	71.5	72	73	73
CHAINSTAY LENGTH (MM)	420	420	420	420
BB DROP (MM)	70	70	70	70
WHEELBASE (MM)	992	989	1009	1029
HANDLEBAR WIDTH (MM)	420	420	440	440
STEM LENGTH (MM)	80	90	100	110
CRANK LENGTH (MM)	172.5	172.5	175	175
SEAT POST LENGTH (MM)	350	350	350	350

SPECIFICATION

FRAMESET

FRAME Alu X6 Ultralite X-Road Race, Road Advanced Geometry, Smooth Welding, Disc Brake Flat mount, BB BSA 68mm, SH dropout, Inner cable routig, mudguards ready

HEAD SET

CHS0820 FIT8 1-1/8", IS42/28.6 | IS52/40, Head set cover

FORK

X-Road Issue 28", Carbon/alloy rigid, Ahead 1-1/8x1.5", 12x100mm axle

COLOUR

GLOSS CHROME/BLACK

SIZES

52 cm (S), 54 cm (M), 56 cm (L), 58 cm (XL)

DRIVETRAIN

FRONT DERAILLEUR SHIMANO 105 FD-R7000-L, DOWN SWING, BRAZED-ON Type

REAR DERAILLEUR SHIMANO 105 RD-R7000 Shadow

CRANKSET SHIMANO 105 FC-R7000 Hollowtech II 50-34T

CASSETTE SHIMANO CS-HG700-11, 11-34T

BOTTOM BRACKET SHIMANO BB-R60, BSA, shell 68mm

CHAIN KMC X11

COMPONENTS

HANDLEBAR ONE1 X-Race Aero, 16° flared, 70mm reach, 31.8mm

STEM ONE1 Race RAS-D62938 Alloy, 31.8mm, -8°

GRIPS Velo VLF-8111

BRAKES SHIMANO 105 ST-R7020/BR-R7070, hydraulic disc brake

SADDLE Fizik Aliante R5

SEAT POST ONE1 Race Alloy, SP C255, 27.2mm

WHEELS

FRONT HUB SHIMANO HB-RS470, 28H, CENTER LOCK, 12x100mm THRU Type AXLE

REAR HUB SHIMANO FH-RS470, 28H, CENTER LOCK, 12x142mm THRU Type AXLE

RIMS Stars J20S, 28H

TIRES Schwalbe One Performance RaceGuard, 28x1.20", ADDIX

SPOKES Sapim Race, Stainless Black



superior.

STK 700 L

GLOSS BLACK

URBAN



CHF 1'249.00

GEOMETRY

FRAME SIZE	17.5" (M)	19.0"(L)	21.0" (XL)
WHEEL SIZE	28	28	28
SEAT TUBE LENGTH (MM)	440	483	533
SEAT TUBE ANGLE (DEGREE)	74	74	74
EFFECTIVE TOP TUBE LENGTH (MM)	580	595	605
REACH (MM)	400	415	425
STACK HEIGHT (MM)	624	624	624
HEAD TUBE LENGTH (MM)	180	180	180
HEAD TUBE ANGLE (DEGREE)	70	70	70
CHAINSTAY LENGTH (MM)	445	445	445
BB DROP (MM)	65	65	65
WHEELBASE (MM)	1102	1117	1127
HANDLEBAR WIDTH (MM)	620	620	620
STEM LENGTH (MM)	90	110	110
CRANK LENGTH (MM)	170	170	170
SEAT POST LENGTH (MM)	350	350	350

SPECIFICATION

FRAMESET

FRAME	Alloy 6061, STK Lady Low Entry, Trekking Geometry, Disc Brake, Direct Attachment dropout, BSA BB
HEAD SET	FSA TH-807ST Semi-Cartridge, 1-1/8"
FORK	SR Suntour NEX-HLO, 1-1/8", Coil, QR Type, 50mm travel
COLOUR	REED GREEN
SIZES	17.5" (M), 19.0"(L), 21.0" (XL)

DRIVETRAIN

SHIFTER	SHIMANO XT SL-T8000 RapidFire Plus, 3-speed, SHIMANO XT SL-T8000 RapidFire Plus, 10-speed
FRONT DERAILLEUR	SHIMANO DEORE FD-T6000-L-3, TOP SWING, DOWN-PULL
REAR DERAILLEUR	SHIMANO XT RD-T8000 Shadow
CRANKSET	SHIMANO FC-T521L 48-36-26T
CASSETTE	SHIMANO CS-HG500-10, 11-34T
BOTTOM BRACKET	SHIMANO BB-ES300, BSA, shell 73mm
CHAIN	KMC X10
PEDALS	Marwi SP-823

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB AL-320BT, 9° backsweep, 20mm rise, 620mm, 31.8mm
STEM	ONE1 CQS-JD660 Alloy, 31.8mm, -10°/+80°
GRIPS	Velo VLG-1777D2
BRAKES	SHIMANO BL-MT401/BR-MT410, hydraulic disc brake
SADDLE	Selle Royal Ariel
SEAT POST	ONE1 Alloy, SPS 405, 27.2mm

WHEELS

FRONT HUB	SHIMANO DH-3D37-QR, 36H, CENETR LOCK, QR Type
REAR HUB	SHIMANO FH-TX505-8, 36H, CENTER LOCK, M10x135mm, QR Type
RIMS	Stars J19DC, 36H
TIRES	Schwalbe Road Cruiser, 700x40C, Reflective tape
SPOKES	Sapim Leader, Stainless Black

STK 700

GLOSS BLACK

URBAN



CHF 1'249.00

GEOMETRY

FRAME SIZE	17.5" (M)	19.0" (L)	21.0" (XL)
WHEEL SIZE	28	28	28
SEAT TUBE LENGTH (MM)	440	483	533
SEAT TUBE ANGLE (DEGREE)	74	74	74
EFFECTIVE TOP TUBE LENGTH (MM)	580	595	605
REACH (MM)	406	421	431
STACK HEIGHT (MM)	605.7	605	605
HEAD TUBE LENGTH (MM)	160	160	160
HEAD TUBE ANGLE (DEGREE)	70	70	70
CHAINSTAY LENGTH (MM)	445	445	445
BB DROP (MM)	65	65	65
WHEELBASE (MM)	1101	1116	1126
HANDLEBAR WIDTH (MM)	620	620	620
STEM LENGTH (MM)	90	90	90
CRANK LENGTH (MM)	170	170	170
SEAT POST LENGTH (MM)	350	350	350

SPECIFICATION

FRAMESET

FRAME	Alloy 6061, STK Gentleman, Trekking Geometry, Disc Brake, Direct Attachment dropout, BSA BB
HEAD SET FORK	FSA TH-807ST Semi-Cartridge, 1-1/8" SR Suntour NEX-HLO, 1-1/8", Coil, QR Type, 50mm travel
COLOUR	REED GREEN
SIZES	17.5" (M), 19.0" (L), 21.0" (XL)

DRIVETRAIN

SHIFTER	SHIMANO XT SL-T8000 RapidFire Plus, 3-speed, SHIMANO XT SL-T8000 RapidFire Plus, 10-speed
FRONT DERAILLEUR	SHIMANO DEORE FD-T6000-L-3, TOP SWING, DOWN-PULL
REAR DERAILLEUR	SHIMANO XT RD-T8000 Shadow
CRANKSET	SHIMANO FC-T521L 48-36-26T
CASSETTE	SHIMANO CS-HG500-10, 11-34T
BOTTOM BRACKET	SHIMANO BB-ES300, BSA, shell 73mm
CHAIN	KMC X10
PEDALS	Marwi SP-823

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB AL-320BT, 9° backsweep, 20mm rise, 620mm, 31.8mm
STEM	ONE1 CQS-JD660 Alloy, 31.8mm, -10°/+80°
GRIPS	Velo VLG-1777D2
BRAKES	SHIMANO BL-MT401/BR-MT410, hydraulic disc brake
SADDLE	Selle Royal Ariel
SEAT POST	ONE1 Alloy, SPS 405, 27.2mm

WHEELS

FRONT HUB	SHIMANO DH-3D37-QR, 36H, CENETR LOCK, QR Type
REAR HUB	SHIMANO FH-TX505-8, 36H, CENTER LOCK, M10x135mm, QR Type
RIMS	Stars J19DC, 36H
TIRES	Schwalbe Road Cruiser, 700x40C, Reflective tape
SPOKES	Sapim Leader, Stainless Black

STK 500 L

GREY

URBAN



COMPUTER VISUALIZATION

CHF 979.00

GEOMETRY

FRAME SIZE	17.5" (M)	19.0" (L)	21.0" (XL)
WHEEL SIZE	28	28	28
SEAT TUBE LENGTH (MM)	440	483	533
SEAT TUBE ANGLE (DEGREE)	74	74	74
EFFECTIVE TOP TUBE LENGTH (MM)	580	595	605
REACH (MM)	400	415	425
STACK HEIGHT (MM)	624	624	624
HEAD TUBE LENGTH (MM)	180	180	180
HEAD TUBE ANGLE (DEGREE)	70	70	70
CHAINSTAY LENGTH (MM)	445	445	445
BB DROP (MM)	65	65	65
WHEELBASE (MM)	1102	1117	1127
HANDLEBAR WIDTH (MM)	620	620	620
STEM LENGTH (MM)	90	110	110
CRANK LENGTH (MM)	170	170	170
SEAT POST LENGTH (MM)	350	350	350

SPECIFICATION

FRAMESET

FRAME	Alloy 6061, STK Lady Low Entry, Trekking Geometry, Disc Brake, Direct Attachment dropout, BSA BB
HEAD SET	FSA TH-807ST Semi-Cartridge, 1-1/8"
FORK	SR Suntour NEX-DS, 1-1/8", Coil, QR Type, 50mm travel
COLOUR	GREY/GREEN
SIZES	17.5" (M), 19.0" (L), 21.0" (XL)

DRIVETRAIN

SHIFTER	SHIMANO ALIVIO SL-M3100-R RapidFire Plus, 9-speed, SHIMANO ALIVIO SL-M3100-L RapidFire Plus, 3-speed
FRONT DERAILLEUR	SHIMANO ACERA FD-T3000, TOP SWING, DUAL-PULL
REAR DERAILLEUR	SHIMANO ALIVIO RD-M3100 Shadow
CRANKSET	SHIMANO ACERA FC-M371, 48-36-26T
CASSETTE	SHIMANO CS-HG200-9, 11-34T
BOTTOM BRACKET	SHIMANO BB-UN101 122.5mm, BSA, shell 73mm
CHAIN	KMC X9
PEDALS	Marwi SP-823

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB AL-153BT, 10° backsweep, 30mm rise, 620mm, 25.4mm
STEM	ONE1 MTSC2975 Alloy, 25.4mm, -10°/+50°
GRIPS	Velo VLG-1777D2
BRAKES	SHIMANO BL-MT200/BR-MT200, hydraulic disc brake
SADDLE	Selle Royal Rio
SEAT POST	ONE1 Alloy, SPS 405, 27.2mm

WHEELS

FRONT HUB	SHIMANO DH-3D37-QR, 36H, CENETR LOCK, QR Type
REAR HUB	SHIMANO FH-TX505-8, 36H, CENTER LOCK, M10x135mm, QR Type
RIMS	Stars J19DC, 36H
TIRES	Schwalbe Road Cruiser, 700x40C, Reflective tape
SPOKES	Sapim Leader, Stainless Black

STK 500

GREY

URBAN



COMPUTER VISUALIZATION

CHF 979.00

GEOMETRY

FRAME SIZE	17.5" (M)	19.0" (L)	21.0" (XL)
WHEEL SIZE	28	28	28
SEAT TUBE LENGTH (MM)	440	483	533
SEAT TUBE ANGLE (DEGREE)	74	74	74
EFFECTIVE TOP TUBE LENGTH (MM)	580	595	605
REACH (MM)	406	421	431
STACK HEIGHT (MM)	605.7	605	605
HEAD TUBE LENGTH (MM)	160	160	160
HEAD TUBE ANGLE (DEGREE)	70	70	70
CHAINSTAY LENGTH (MM)	445	445	445
BB DROP (MM)	65	65	65
WHEELBASE (MM)	1101	1116	1126
HANDLEBAR WIDTH (MM)	620	620	620
STEM LENGTH (MM)	90	90	90
CRANK LENGTH (MM)	170	170	170
SEAT POST LENGTH (MM)	350	350	350

SPECIFICATION

FRAMESET

FRAME	Alloy 6061, STK Gentleman, Trekking Geometry, Disc Brake, Direct Attachment dropout, BSA BB
HEAD SET	FSA TH-807ST Semi-Cartridge, 1-1/8"
FORK	SR Suntour NEX-DS, 1-1/8", Coil, QR Type, 50mm travel
COLOUR	GREY/GREEN
SIZES	17.5" (M), 19.0" (L), 21.0" (XL)

DRIVETRAIN

SHIFTER	SHIMANO ALIVIO SL-M3100-R RapidFire Plus, 9-speed, SHIMANO ALIVIO SL-M3100-L RapidFire Plus, 3-speed
FRONT DERAILLEUR	SHIMANO ACERA FD-T3000, TOP SWING, DUAL-PULL
REAR DERAILLEUR	SHIMANO ALIVIO RD-M3100 Shadow
CRANKSET	SHIMANO ACERA FC-M371, 48-36-26T
CASSETTE	SHIMANO CS-HG200-9, 11-34T
BOTTOM BRACKET	SHIMANO BB-UN101 122.5mm, BSA, shell 73mm
CHAIN	KMC X9
PEDALS	Marwi SP-823

COMPONENTS

HANDLEBAR	ONE1 Alloy, MTB AL-153BT, 10° backsweep, 30mm rise, 620mm, 25.4mm
STEM	ONE1 MTS-C2975 Alloy, 25.4mm, -10°/+50°
GRIPS	Velo VLG-1777D2
BRAKES	SHIMANO BL-MT200/BR-MT200, hydraulic disc brake
SADDLE	Selle Royal Rio Plus
SEAT POST	ONE1 Alloy, SPS 405, 27.2mm

WHEELS

FRONT HUB	SHIMANO DH-3D37-QR, 36H, CENETR LOCK, QR Type
REAR HUB	SHIMANO FH-TX505-8, 36H, CENTER LOCK, M10x135mm, QR Type
RIMS	Stars J19DC, 36H
TIRES	Schwalbe Road Cruiser, 700x40C, Reflective tape
SPOKES	Sapim Leader, Stainless Black

superior.





superior.



Ihr Fachhändler // Votre Marchand

Hergestellt und gedruckt in der Schweiz.
Alle Angaben entsprechen dem Stand bei Drucklegung.

Irrtümer, Fehler und Änderungen vorbehalten.
Alle angegebenen Preise sind unverbindliche Empfehlungen.

Sous réserve de modification de prix et modèle.
Tous les prix indiqués sont des recommandations sans engagement.